


603-A

# **CHEMCIDE**

Active Ingredients	By Wt.
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate ....	26%
Aromatic Petroleum Derivative Solvent .....	63%
Inert Ingredients .....	11%

A SPRAY CONCENTRATE FOR USE IN WATER OR OIL

CAUTION! KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS



FOR USE BY PEST CONTROL OPERATORS  
ONLY

## **DILUTION CHART**

Store in cool, dry place.

Read entire label. Use strictly in accordance  
with label cautions, warnings and directions;  
\* in conformity with federal and state regula-  
tions.

CHEMCIDE is a special formulation for use in  
either water or odorless kerosene oils. It is  
designed for use inside and outside of houses,  
apartments, hotels, motels, restaurants,  
institutions and other buildings.

## **DIRECTIONS**

Note: For best results, water-diluted sprays  
should be used the same day, as mixed. Oil-  
diluted sprays may be used for several days  
after mixing.

Roaches (All species of Resistant and Non-resistant  
cockroaches, including german, brownbanded, oriental  
and american roaches): Use 5 fl. ozs. in 1 gallon  
water or 4 fl. ozs. in 1 gal. odorless kerosene or  
other suitable diluent. Apply as a fine stream or  
coarse spray into cracks, crevices, and other  
hiding places where insects can be contacted.

Clover Mites, Roaches, Earwigs and Leafhoppers -  
Outside dwelling and in Lawns: Use 1 fl. oz. in 1 gal.  
water. Apply to turf and to soil surfaces around  
flowers, shrubs and trees for general pest cleanup.

Manufactured by: Dixie ChemTech, Inc.  
2201 North Lamar, Dallas, Texas 75202  
AC 214 - RI-1-4466

Net Contents: \_\_\_\_\_

Recommendation	Amount CHEMCIDE to Use in:				
	1 Qt.	1 Gal.	5 Gal.	10 Gal.	50 Gal.
1 oz./gal. water	1 1/2 tsp.	1 oz.	5 ozs.	10 ozs.	3 pts.
4 ozs./gal. oil	2 Tbs.	4 ozs.	1 1/4 pt.	2 1/2 pts.	1 1/2 gals.
5 ozs./gal. water	2 1/2 Tbs.	5 ozs.	1 pt. 9 oz.	3 pts. 2 oz.	2 gals.

Brown Dog Ticks: In and Around Kennels - 5 oz. to  
2 gals. water or Kerosene. Apply as directed coarse,  
wet spray being especially careful to hit all cracks and  
crevices in floors, walls, and ceilings. Also spray  
outside runways. Repeat treatment in 7 days if  
continual tick activity is observed.

CAUTION: Concentrate may cause skin damage. Do  
not get on skin, eyes or clothing. May cause irritation  
of eyes, nose and throat. Use waterproof gloves and  
face shield or goggles when handling concentrate.

Harmful if swallowed. Avoid breathing spray  
mist. In case of contact, immediately remove  
contaminated clothing and flush skin or eyes  
with plenty of water; for eyes, get medical  
attention. Avoid contamination of feeds, food-  
stuff, drinking water, milk, milk handling  
equipment, and food processing machinery.  
Do not apply when plants are in operation or  
when foods are exposed. Do not spray surfaces  
which will come in contact with foods. Cover  
food containers. Keep out of reach of children.  
Do not use or store near heat or open flame.  
May corrode metal spray equipment. Wash  
equipment thoroughly after use. When container  
is empty, immediately wash thoroughly and  
destroy. Never re-use.

USDA Reg. No. \_\_\_\_\_