12 6762-11 12 31		
US ENVIRONMENTAL PROT ON AGENCY	EPA REGISTRATION HE	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS	TERM OF ISSUANCE	TOPLIO R
REGISTRATION DIVISION (15-767) WASHINGTON, DC 20460	I WIND OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide,	Towercide-N	
and Rodenticide Act, as amended)	1	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	•	
Г	٦	
Ster. Chestech Corporation		
P.C. Eox 5070		
Бонгос, Бк. 71203 L	ل	
	_	
NOTE: Changes in labeling formula differing in substance from submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	to use of the label in commerce	
On the basis of information furnished by the registrant, the a		Registered/Reregistered und
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is retur	rned herewith.
Registration is in no way to be construed as an indorsement		
health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any nar Act is not to be construed as giving the registrant a right to by others.	, may at any time suspend or ca ne in connection with the regist	ncel the registration of a pes ration of a product under this
this product is conditionally regi	stirec 16 accoluance	with Fisher
section 3(c)(7)(A) provided that you:		
1. Summit/cite all data required		*
of your product under FIFAA section 3(c	-	te_clre: //i
registrants of similar products to sum		
z. Add the phrase "LPA Registrati	.cr .c. 5/62~/1" t. ye	att lager of the
you release the product for shippent.	e iii. L. minton larel	anna de la Recepta de Senta
3. Submit five (5) copies of your release the product for supplient. Refe		
description of final printed labeling.	i co che n'in chelosi	ur. For a . W. Ciica
If these conditions are not compli	led With, the recistry	ation will re
subject to cancellation in accordance w	_	
for shi, next of the project constitutes		
A stamped copy of the label is end		
T	•	
,		
()	/ X/ Xu	,
	An IVIII	
<i>)</i> \$5)	in R. Lee	
17	oduct Manacer (31)	
	diaestarto Franch	77.
Keç	gistration Division (.	12 = 10 R()
Enclosures ATTACHMENT IS APPLICABLE		
L.J.		
SIGNATURE OF APPROVING OFFICIAL		DATE
'A Fam 8570-6 (Rev. 5-76) PREVIOUS EDITION		

ACCEPTED with COMMENTS in EPA Letter Dateds

TOWERCIDE-M

00T **1 5** 1987

INDUSTRIAL MICROBICIDE the Fectoral Institute of the Fectoral Institute of the Fectoral Institute of the Ins mainide, and Rodensest. ACTIVE INGREDIENTS: as amended, for the gage med under EPA 1.5% Methylene bis(thiocyanate) 2-(Thiocyanomethylthio)benzothiazole INERT INGREDIENTS This product weighs 7,99 pounds per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, crinking, or smoking during use of this product is prohibited.

FIRST AID: In case of skin contact, wash promptly and thoroughly with soap and water and finally with plycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes, Get medical attention immediately, If product is swallowed, call a physician or Poison Control Center, Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures, Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in everpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keap container closed when not in use.

PESTICIDE BÎSPOSAL Pesticide westes are acutely hazardous. Improper disposal of excess pesticide, sprey mixture, or rinsale is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for quidance.

CONTAINER DISPOSAF: Triple rinse for equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning, II burned, stay out of smoke.

DIRECTIONS FOR

wood against soft or surface roll and internal or dry rot. It is an containing 2.0 to 2.8%TOWERCIDE_M
faces. The amount applied should provide 2.4 to 3.2 lbTOV
1000 ft? of wood surface. Soft or surface rot can also be TOWERCIDE-M to the recirculating
well. The closage should provide 5.0 lb ofTOWERCII
water and the bleedolf should be stopped for 4 to 6 hr after tr
repeated every four months.
COOLING WATER: TOWERCIDE-M
and fungl in industrial recirculating cooling water systems.
should be cleaned thoroughly to remove old algal growth, micro
system should then be drained. Bushed, refilled with water, and
Il or TOWERCIDE-M per 1000 gal v
of 0.8 to 4.8 fl oz per 1000 gal should be made every 1 to 5 day
severity of microbiological fouling.
DRILLING FLUIDS: To inhibit becterial and fungal dagra diffing of wells, TOWERCIDE-M is centrations of 0.2 to 1.0% based on the total wet weight of the PETROLEUM SECONDARY RECOVERY: TOWERCI
centrations of 0.2 to 1.0% based on the total well-weight of t
PETROLEUM SECONDARY RECOVERY:TOWERCI
control sulfate-reducing bacteria, slime-forming bacteria
micellar floods, water disposal systems, and other oil-field wat floz of TOWERCIDE-M per 1000
made continuously or intermittently by means of a metering pu
after injection pumps and injection well headers. Continuous f fouled, add 15.6 to 52.0 Il ozTOWERCIDE-M
tinuously until desired degree of control is schieved. TOWERCIDE-M per 1000 gal of way
control. Intermittent or Stug Method: When system is noting 15.6 to 52.0 fl oz TOWERCIDE-M
and 1 to 4 times per week, or as needed to maintain control.
and I to 4 times per week, or as needed to maintain control. CRUDE AND REFINED OILS: TOWERCIDE-M
vative for the control of bacteria and funglithat cause the de
during storage. It should be added to the oil as it is being translating translating tank at the rate of 2.4 to 24.0 flox
storage tank at the rate of 2.4 to 24.0 ft oz
Addition should be made batchwise where mixing occurs or transfer pump.

It is violation of Federal law to use this product in a m

COOLING TOWERS:

EPA REG. NO.

TOWERCIDE-M

_	
	Manufactured by:
	STERN CHEMTECH CORP
	P.O. BOX 5070
	MONROE, LA 71203

NET CONTENTS _