

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
6768-13

DATE OF ISSUANCE
-3 MAR 1994

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Microban X-580
Institutional Spray Plus

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Microban Germicide Company
Eighth and Pine Avenues
Braddock, PA 15104

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. The results of accelerated storage and stability for 30 days at 50°C are acceptable on an interim basis. The results of a 12-month stability test, conducted in compliance with Good Laboratory Practices, should be received by the Agency within 15 months of the date of this Registration Notice.

3. Add the phrase, "EPA Registration No. 6768-13" to your label before you release the product for shipment.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

3 MAR 1994

5. Please note the revision made to the your submitted Confidential Statement of Formula (CSF; EPA Form 8570-4) concerning the correct EPA Registration No. of the 50.0% source product used in your formulation. Submit revised CSFs with the corrected Registration numbers for both the alternate and basic fomulations of your product with the final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Ruth G. Douglas
Product Manager (32)
Antimicrobial Program Branch
Registration Division (7505C)

Enclosures

MICROBAN X-580 INSTITUTIONAL SPRAY PLUS


MILDEWCIDE • BACTERICIDE • FUNGICIDE
DEODORANT, DISINFECTANT AND ANTIMICROBIAL

FOR INSTITUTIONAL, HOUSEHOLD, FARM PREMISE USES AND ANIMAL QUARTERS

Formula X-580 is a Broad Spectrum Disinfectant Against most Bacteria
and is also effective in controlling insects, fungus and bacterial or organic odors.

ACTIVE INGREDIENTS

o-Phenylphenol	0.22%
Diisobutylphenoxyethoxy ethyl dimethyl benzyl ammonium chloride monohydrate	0.70%
N-octyl bicycloheptene dicarboximide	0.33%
Piperonyl butoxide technical	0.20%
Pyrethrins	0.10%
INERT INGREDIENTS	98.45%
TOTAL	100.00%



[equivalent to (butylcarbityl) (6-propyl piperonyl) ether 0.16% and related compounds 0.04%]

E.P.A. Reg. 6768-

E.P.A. EST. 6768-PA-1

KEEP OUT OF REACH OF CHILDREN

WARNING

Statements of Practical Treatment

First Aid: in case of Contact flush eyes and skin with plenty of water for at least fifteen minutes. For eyes get medical attention. If swallowed drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Get prompt medical attention. Remove and wash contaminated clothing before reuse.

See other precautions on side panel

Net Contents 1 PT. 1 QT. 1 GAL. 5 GAL. 55 GAL.
 Mfg by: MICROBAN GERMICIDE COMPANY P.O. Box 777, Braddock, PA 15104
 SHAKE WELL BEFORE AND DURING USE
 U.S. Patent No. 3,458,629
 © 1984 MGC

BEST AVAILABLE COPY

4 of 5

GENERAL METHOD OF APPLICATION

Surfaces and objects must be cleaned of gross filth with suitable detergent before treatment. Spray surfaces and articles until thoroughly wet, use enough so that treated surfaces and objects remain wet for at least 10 minutes. May be applied with a sponge to pre-cleaned, hard non-porous surfaces, allowing to dry for 10 minutes. For fogging and other large volume applications use appropriate spraying equipment, protective clothing, gloves and respirator. Heavily treated spaces should be adequately ventilated and not re-entered for at least one hour after treatment.

AS A MILDEWCIDE, FUNGICIDE AND BROAD SPECTRUM DISINFECTANT: (Kills most gram negative and gram positive bacteria and influenza virus). In hospitals, operating rooms, emergency rooms, lobbies, hallways, patient rooms, wards, washrooms, scrub stations, mop rooms, morgues, pathology labs, nurse's stations, laboratories, veterinary clinics, and other health care facilities; in schools, hotels, motels, restaurants, offices, homes, and industrial buildings.

For use on pre-cleaned hard non-porous surfaces such as glazed tiled porcelain, waste receptacles, compactors, on, in and around rest room fixtures, toilet seats, locker rooms, telephones, door knobs, hospital apparatus and equipment, furniture, empty containerized storage units. For athletes foot fungus on floors, shower stalls, rest rooms. Follow method of application specified above.

AS A BACTERIOSTAT, FUNGISTAT, AND DEODORIZING AGENT

Apply Microban Formula X-580 Plus as directed to floors, walls, ceiling that have been damaged by smoke, fire, floods and sewage backups. For cleanup operations in areas such as attics, wall voids, basements, areas above suspended ceilings and similar inaccessible spaces in building. Spray avian, rodent and other animal and human wastes and carcasses as directed above, prior to removal and disposal. Treat spaces and surfaces as specified in method of application. For use as a bacteriostat, fungistat, and deodorizing agent on carpeting found in schools, hotels, motels, homes, shelters and commercial and residential buildings. After flood or water damage, vacuum or extract as much water as possible before application. Apply full strength with sprayer until moist to carpet nap and rake or brush in. To treat the backing or padding a fogger is recommended. Allow to remain until dry. For best results, carpets should be cleaned before application.

TO DISINFECT FARM PREMISES, POULTRY HOUSES, ANIMAL PENS AND VEHICLES

Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and retraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, cars, boats, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Apply Microban X-580 Plus full strength as directed in general method of application until thoroughly wet. Allow all surfaces to dry thoroughly, ventilate enclosed spaces adequately. Do not house animals in treated areas until thoroughly dry and free from odors. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be harmful if swallowed (inhaled or absorbed through the skin). Do not breathe vapors (dust or spray mist). Causes eye (and skin) irritation. Do not get in eyes, on skin or on clothing.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL

Storage: Keep from freezing. Store in ventilated areas. Do not contaminate water, food or feed by storage and disposal. Dispose left overs in landfill approved for pesticides.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Large containers (55 gallon drums and 5 gallon pails): Triple rinse (or equivalent) all containers and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved by state and local authorities. Small container (1 gallon or less): Rinse thoroughly and discard with trash.

TEST FABRIC OR SURFACE IN AN INCONSPICUOUS AREA FOR COLOR FASTNESS OR ADVERSE REACTION

BEST AVAILABLE COPY

SofS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Microban Formula X-580 Plus should be applied with hand or power operated sprayers, foggers, automated metering systems or gravity drip dispensers as an insecticide, bactericide, mold and mildewcide, fungicide and deodorizing agent, to previously cleaned surfaces, spray areas until thoroughly moist, giving special attention to cracks and crevices. Allow ten to twenty minutes for drying. It is not necessary to wipe the sprayed surface. Microban should not stain those materials not stained by water.

Direct and repeat spraying of Ants, Roaches, Bedbugs, Silverfish, and other harmful insects and the cracks, crevices and hidden surfaces where they hide are necessary for control. Apply every 28 days or as often as needed.

To Kill Fleas and Ticks: Remove and destroy old animal bedding. Spray sleeping quarters of animals, floor areas, around baseboards, window and door frames, cracks, crevices and whatever the presence of these insects is suspected. Repeat as necessary. Thoroughly vacuum rugs and carpets prior to application. Do not spray animals. Put fresh bedding in animal quarters after spray has dried. Treat animals with a registered flea and tick control product before allowing them to enter treated area.

To Kill Sowbugs, Centipedes, Firebrats, Mites: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring the pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, basement and utility rooms, floors, doorjams, behind and under stoves and refrigerators.


To Kill Flies, Mosquitoes, Gnats and Wasps: Close all doors and windows and spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 1 minute after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensils.

To Kill Carpet Beetles, Lice and Moths: Clean all articles prior to application. Thoroughly spray top and undersides of rugs and carpets. Thoroughly spray the interiors of lockers, trunks, closets, cupboards and other storage areas. Spray directly on restroom fixtures. When treating upholstered furniture and mattresses thoroughly spray exterior paying particular attention to seams, and folds, interior should be treated to eliminate hidden infestations.

Microban Formula X-580 Plus when used as directed is effective in decontaminating the treated exposed surfaces of bedding, mattresses, textiles, drapes, upholstered furniture, rugs, carpets and in storage areas to control mold, mildew, fungus, insects and odors wherever they are a problem.

SHAKE WELL BEFORE AND DURING USE

- Pest Control Service
- Odor Control Service
- Carpet Cleaning Service
- Water Damage Service
- Restoration Service
- Disinfection Service
- Waste-Removal Service
- Trash Chutes and Garbage Rooms
- Waste Compactors
- Storage areas and Basements
- Condensation collection and Drainage areas
- Refuse trucks
- Second hand furniture stores
- Movie booths
- Bowling alleys
- Exercise rooms
- Veterinaries
- Laundry receiving stations
- Shoes & boots
- Antique shops
- Upholsterers shops



© 1984 MGC

BEST AVAILABLE COPY