

# COMPRESSED CHLORINE GAS

Active Ingredient: Chlorine 100%

Net Contents: 2000 pounds

**DANGER**



**POISON**

**HAZARDOUS LIQUID & GAS UNDER PRESSURE**

KEEP OUT OF REACH OF CHILDREN

Replace valve cap securely after disconnecting cylinder.

Do not handle or use until safety precautions recommended by supplier have been read and understood.

Avoid breathing air containing this gas. Avoid contact with skin or eyes. Do not heat containers. Have available emergency gas masks approved by U.S. Bureau of Mines for chlorine service. In case of exposure, move patient to fresh air, keep him warm and quiet, apply artificial respiration if necessary, and call a physician.

**HAT - RA CHEMICAL COMPANY**

Henderson, Kentucky 42420

USDA Reg. No. 125-100

**TABLE OF PROPORTIONS  
AVAILABLE CHLORINE**

- 1000 PPM – Use 4 oz. in 2½ gallons water
- 200 PPM – Use 1 oz. in 3½ gallons water
- 1 PPM – Use 1 oz. in 750 gallons water
- 0.5 PPM – Use 1 oz. in 1500 gallons water

**SWIMMING POOLS**

To establish a chlorine residual of 1.0 ppm available chlorine add 1 oz. of Sno-Glo Bleach per 750 gallons of pool water. Thereafter add more product as required to maintain 0.6 to 1.0 ppm of available chlorine residual and a pH of 7.2 – 7.6 at all times. Use a chlorine test set for the determination of proper chlorine concentration and to maintain a proper pH.

**DISINFECTANT**

When used as a disinfectant for non-porous surfaces such as dishes, glasses, and utensils, clean prior to applying a 200 ppm available Chlorine solution. For disinfection of other hard inanimate surfaces such as floors, walls, and woodwork, apply a 1000 ppm available Chlorine solution. Thoroughly wet surfaces with the recommended solution. Application of solutions above 200 ppm on surfaces in contact with food must be rinsed with potable water before use.

**DRINKING WATER CHLORINATION**

Use 0.5 to 1.0 ppm available chlorine. Use a chlorine test set to determine the residual chlorine.

**STORAGE**

Store upright in a cool dark place. Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.



**SNO-GLO BLEACH**

(HYPOCHLORITE SOLUTION)

**BLEACHES AND DISINFECTS**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

See First Aid and other precautions on right panel.

- Active Ingredient – Sodium Hypochlorite . . . 10%
- Inert Ingredients . . . . . 90%

NET CONTENTS – 1 GALLON

**P. B. & S. CHEMICAL CO.**  
**HENDERSON, KENTUCKY 42420**

E. P. A. Reg. No. 6785-2

**KEEP O**

Rinse em  
discard th

Causes ey  
eyes, on s  
when hanc  
nation of f

In case o  
with plen  
eyes, call  
nated clo  
promptly  
solution c  
quantities

PROBAB  
CONTRA  
TRIC L  
CIRCUL  
DEPRES  
NEEDED

FEB 10 1974