

CTIONS
RINE

llons water
llons water
llons water
llons water

S
.0 ppm available
per 750 gallons of
uct as required to
lorine residual and
lorine test set for
centration and to

rous surfaces such
rior to applying a
or disinfection of
floors, walls, and
Chlorine solution.
mended solution.
om on surfaces in
potable water be-

RINATION
Use a chlorine test

ades with age. Use
necessary to obtain



SNO-GLO BLEACH

(HYPOCHLORITE SOLUTION)

BLEACHES AND DISINFECTS

DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid and other precautions on right panel.

Active Ingredient — Sodium Hypochlorite .. 10%
Inert Ingredients 90%

NET CONTENTS — 1 GALLON

P. B. & S. CHEMICAL CO.
HENDERSON, KENTUCKY 42420

E. P. A. Reg. No. 6785-2

DANGER

KEEP OUT OF REACH OF CHILDREN

CONTAINER DISPOSAL

Rinse empty container thoroughly with water and discard those which do not carry a deposit.

CORROSIVE

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

FEB 25 1974