W-30 Swimming Pool algaecide

Active Ingredients

n-alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chlorides.......10%

Inert Ingredients

Water and Ethanol90'.

USDA Registration No. 6799-3

DANGER: Keep Out of Leach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.


NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

This product is toxic to fish.

Do not discharge treated effluent into lakes, streams or ponds. Rinse empty container thoroughly with water and discard it.

KEEP OUT OF REACH OF CHILDREN

Griffin Chemical Company



W-30 SWIMMING POOL ALGAECIDE

DIRECTIONS

- 1. Add 1 gallon W-30 Algaecide for each 20,000 gallons of water to kill and control those algal species most commonly found in swimming pools.
- 2. When existing growth is dead and algae have withered, clean the pool, draining and refilling if necessary, then add 1 gallon W-30 Algaecide per 50,000 gallons of water
- 3. After pool water has been treated as in (1) and (2) then add one gallon of W-30 Algaecide per 50,000 gallons of water every five or seven days, to maintain between two and five parts per million of active ingredient. See serviceman for test kit.

Griffin Chemical Company

1326 S. 7th St.

Ph. 635-5537

Louisville, Ky. 40208