

W-15

Algicide

Bactericide

Fungicide

EPA Reg. No. 6788-6

COMPOSITION

	Percent by weight
Active Ingredient	15.0 percent
Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride]	15.0 percent
Inert Ingredient	85.0 percent
Weight per gallon	8.58 pounds
Weight of active ingredient per gallon	1.29 pound

APPLICATION

W-15 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 3.9 to 9.75 fluid ounces of W-15 per 1000 gallons of water, to provide a concentration of 32 to 80 parts per million of W-15 based on the total weight of water in the system is recommended. Subsequent slug additions of 1.0 to 9.75 fluid ounces of W-15 per 1000 gallons of water (8 to 80 parts per million of W-15) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Repeat until control is evident. Slug additions should be made in the sump of water cooling towers.

CAUTION KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Do not add treated effluent to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse container. Destroy when empty.

MANUFACTURED BY GRIFFIN CHEMICAL COMPANY
1326 South Seventh Street Louisville, Kentucky 40208

ACCEPTED WITH COMMENTS

Nobel

USDA Reg #6550-28

Net Weight — 4 Lbs.

**DIRECTIONS FOR SANITIZING
GLASSES — DISHES — KITCHEN
AFTER CLEANING**

Use 1/2 oz. of POWDERED CLORBAC to each 6 gallons of water (100 parts per million) and immersion time of utensils should be a minimum of 2 minutes.

Silverware should be sanitized in a metal sink or container; do not allow to soak.

Care should be exerted to change water periodically so that concentration of available chlorine does not fall below 50 PPM or else a starting solution of at least 200 PPM should be employed. Follow recommendations of local health departments.

When concentrations in excess of 100 ppm available chlorine are applied to surfaces in contact with food, rinse in potable water before use.

POWDERED CLORBAC

Disinfectant • Germicide • Deodorant

Active Ingredient:

Sodium Dichloro-s-triazinetriene 26.6%

Inert Ingredients 73.4%

Available Chlorine — 16%

**DAIRY PROCESSING AND BEVERAGE
AND FOOD EQUIPMENT SANITIZING
AFTER CLEANING**

Sanitizing should be done immediately before using equipment. Use 1/2 oz. of POWDERED CLORBAC to 6 gallons of water (100 parts per million of available chlorine) for immersion or CIRCULATION SANITIZING. DOUBLE concentration for SPRAY SYSTEM.

Caution: Keep out of reach of children. Avoid contamination of foodstuffs. The undiluted sanitizer is a strong disinfectant and may cause irritation or be harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention.

Avoid inhalation of dust.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Distributed by
KNOEBEL MERCANTILE CO.
Denver, Colorado

Cameraman's Note

Poor Copy