

UNDERSTAND THE OPERATIONS AND FUNCTIONS OF THE PRODUCT FOR UNDERSTANDING

USE DIRECTIONS FOR CLEANING

Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of QUAT 22 per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas - mop or brush soiled surface with a solution containing 5-6 ounces of QUAT 22 per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 3½ ounces of QUAT 22 per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of QUAT 22 per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.


To disinfect locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5½ ounces of QUAT 22 per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

FOOD PROCESSING EQUIPMENT:

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 3 ounces of QUAT 22 per gallon of water. If surface is heavily soiled, use QUAT 22 at a rate of 5-6 ounces per



Phenol Coeff: - S. aureus - 13
S. typhosa - 14

- DISINFECTANT • CLEANER • SANITIZER
- FUNGICIDE • DEODORANT

ACTIVE INGREDIENTS

Sodium metasilicate3.0%
n-Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chloride1.5%

INERT INGREDIENTS 95.5%

EPA Reg. No. 6811-43

EPA Est. No. 6811 Tx-1

DANGER: KEEP OUT OF REACH OF CHILDREN.

See First Aid Statement and additional precautions on side panel.
 Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CONTENTS _____

gallo
tion
of u
DEC
To d
cont
QUA
indus
will
It m
stora
devel
fungi
publi
clean

DAI
Corre
skin
swall

FIR
plent
and

If sw
solut
physi

NOT
Probi
Meas
may



UNDESIRABLE
 FUNGICIDE AND
 FOR UNDESIRABLE

QUAT 22

Phenol Coeff: - S. aureus - 13
S. typhosa - 14

- DISINFECTANT • CLEANER • SANITIZER
- FUNGICIDE • DEODORANT

ACTIVE INGREDIENTS

Sodium metasilicate 3.0%
 n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl
 ammonium chloride 1.5%

INERT INGREDIENTS 95.5%

EPA Reg. No. 6811-43

EPA Est. No. 6811-Tx-1

DANGER: KEEP OUT OF REACH OF CHILDREN.

See First Aid Statement and additional precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CONTENTS _____

gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1½ ounces of QUAT 22 per 1 gallon of water. For this type of use a terminal rinse with potable water is required.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 7 ounces of QUAT 22 per gallon of water.

QUAT 22 is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, QUAT 22 will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial anti-fungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

DANGER — KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID — In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

r brushed
 ter. Rinse

ontaining
 face with

ls, restau-
 e treated
 of water.
 QUAT 22
 may later
 g quality.

nd other
 2 ounces
 digitale, a

bitals and
 ontaining
 e heavily
 scrubbed
 nsed with
 nfection.

irst clean
 gallon of
 unces per