

[6811-45]

CAUTION: Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Keep container closed.

This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

FOOD AREAS - Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

CONTAINER DISPOSAL - Do not reuse container. Crush used container and bury in non-cropland soil away from water.


E.P.A. Reg. No. 6811-45

NET CONTENTS _____

SPRAY-SECT

SYNTHETIC PYRETHROID

EMULSIFIABLE CONCENTRATE



Active Ingredients:

** (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.	3.000% ^{w/w}
Related Compounds.	0.409%
Aromatic Petroleum Hydrocarbons	91.471%
Inert Ingredients:	<u>5.120%</u>
TOTAL	100.000%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
#U.S. Patent 3,465,007.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. See left side panel for additional cautions.

DIRECTIONS FOR USE: For use in homes, warehouses, food processing plants, business offices and industrial plants.

CONTACT SPRAY-For control of roaches. Mix 11½ fluid ounces of SPRAY-SECT in a gallon of water to make a 0.25% emulsion. Mix well before using. Spray thoroughly into hiding places such as cracks, crevices, and moist areas around pipes, under refrigerators and along baseboard. Spray directly on insects when possible. Repeat as necessary.

SPACE SPRAY-For control of flies, mosquitoes and gnats. Remove or cover exposed food and food handling surfaces including utensils. Remove animals. Shut off ventilating systems, air ducts and air conditioning equipment. Mix 4½ fluid ounces of SPRAY-SECT in a gallon of water to make a 0.10% emulsion. Mix well before using. Apply as a fine spray at the rate of 2 fluid ozs. per 1,000 cu. ft. or 1 gallon per 64,000 cu. ft. Direct nozzle to upper corner of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least one half hour after spraying. Ventilate room before reentry. Repeat as necessary.

AMERICAN PESTICIDE PRODUCTS CO. DALLAS, TEXAS 75209

6811-45