

Summit PERMACIDE® PLUS

INSECT SPRAY CONTAINING PROPOXUR

For Long-Term Residual Control Of Insects Which Have Become Resistant To Other Insecticides

When Used As Directed, This Insecticide Product May Be Applied In Food Processing Plants, Restaurants, Warehouses, Homes and Apartments

KILLS Roaches, Waterbugs, Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders, Saw-toothed Grain Beetles (exposed stage)

ACTIVE INGREDIENTS:

O-isopropoxyphenyl methylcarbamate 1%

INERT INGREDIENTS:

Contains Petroleum distillates 99%
100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

IF SWALLOWED: Do not induce vomiting; vomiting may cause aspiration hazard. Never give anything by mouth to an unconscious person. Get medical attention immediately.

IF ON SKIN: Wash skin immediately with soap and warm water. If irritation occurs, get medical attention.

IF IN EYES: Wash with plenty of water. Get medical attention.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: A sense of tightness in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

NOTE TO PHYSICIAN: Antidote — Administer atropine sulfate in therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

See Side Panel For Other Precautionary Statements

EPA Registration No. 6218-24

EPA Establishment No. 6218-MD-2

A PRODUCT OF

Baltimore



Maryland

PERMACIDE is a registered trademark of Summit Chemical Co., Baltimore, Maryland

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food and utensils. Should poisoning occur, get prompt medical aid.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NET CONTENTS

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status, Insecticides for the Food Industry

Summit PERMACIDE® PLUS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS: Do not use as a space spray. Do not use in edible products areas of food processing plants or in commercial food preparation areas except for careful crack and crevice treatment. Do not apply to rugs, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber, and asphalt surfaces such as tiles and floor coverings.

HOW TO USE: This insecticide product containing propxur is ready-to-use undiluted as it comes out of the container, and may be applied with power-operated or hand sprayers.

INDOOR USE: HOUSEHOLD AND INDUSTRIAL APPLICATIONS OTHER THAN FOOD HANDLING ESTABLISHMENTS

SPOT TREATMENT: Ants, Cockroaches, Waterbugs, Crickets, Silverfish, Spiders, Scorpions, Saw-Toothed Grain Beetles (side in control of the exposed stages of the saw-toothed grain beetle which come into contact with treated surfaces). Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray leadstuffs or house plants. Do not allow children to contact treated areas until surfaces are thoroughly dry.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared, or served.

Ants, Cockroaches, Waterbugs, Crickets, Silverfish, Spiders and Saw-Toothed Grain Beetles (side in the control of the exposed stages of the saw-toothed grain beetle which come into contact with treated surfaces).

Feed Areas — Application limited to **CRACK AND CREVICE TREATMENT ONLY**. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, driers, edible oils, syrups). **Serving Areas** (when food is exposed and facility is in operation) also would be considered a food area. Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, junction boxes or switch boxes, conduits, or hollow equipment legs where the above listed insects hide. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. **APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.**

Serving Areas — Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a **SPOT TREATMENT** to selected surfaces, such as baseboards, under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

Non-Feed Areas — Includes outside roofs, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage rooms (after canning or bottling). Apply as a **SPOT TREATMENT** to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

OUTDOOR USE: Ants, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Mosquitoes, Sowbugs, and Brown Dog Ticks. Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Gallon Cans: Securely wrap original container in several layers of newspaper and discard in trash.

Drums: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Gallon Cans: Do not reuse container. Rinse thoroughly before discarding in trash.

Drums: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a landfill, or by other procedures approved by State and local authorities.