Rentachlorophenol Solution:

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROLENTICIDE ACT FOR ECONOMIC POISUI REGISTERED under no (8) 3

ACCEPTED CATION! COMBUSTIBLE! Keep Away From Heat and Open Flame

Treatment of Cut Surfaces of Pressure Treated Lumber

Prepared with High Grade Pentachlorophenol Flakes and Suitable Carrier Oils

Active Ingredients:

Pentachlorophenol

4.37%*

Other Chlorophenols and Related Compounds 0.63%*

Inert Ingredients

95.00%

*Equivalent to 5.1% of technical Pentachlorophenol as defined in Federal Specification TTW-570.

Comment

DIRECTIONS: Stir contents and use full strength. Apply several coats with brush or rag mop to all surfaces of Pentachlorophenol Solution pressure treated lumber that has been exposed by cutting, notching or dapping.

USE WITH CAUTION STRICTLY IN ACCORDANCE WITH DIRECTIONS Sold only for protection of Lumber against termites and decay-producing fungi.



ANTIDOTE

Call a physician immediately. Use a stomach pump as soon as possible. Emetic with 5% Sodium Bicarbonate Solution. Use with caution strictly in accordance with directions.

WARNING: Do not get in eyes, on skin, on clothing or in food or feed stuff. In case of accident, wash thoroughly with soap and copious quantities of water. For eyes: Flush with water for 15 minutes. Get medical attention immediately! Do not spray near open flame or hot objects. Wear protective clothing (synthetic rubber apron and gloves) when applying Pentachlorophenol solutions. When working indoors, goggles and a respirator are necessary for spraying. Do not breathe mist.

Keep Out of Reach of Children

Destroy all empty containers Do not sell except in original labeled containers

Baxter-Wyckoff Co.

550 White-Henry-Stuart Building Seatcle Washington 9d101

NET CONTENTS

. GALLON

U.S.D.A. Reg. No. 6823-2

COMMENTS



Rentachlorophenol Solution:

UNDER THE FITTERAL INDECTIONE FUNGICIDE A IN TO INTICIPL ACT FOR ECONOMIC POISO I REGISTERED UNDER NOT . .

ACCEPTED CAUTION! COMBUSTIBLE! Keep Away Fom Heat and Open Flame Keep Closed When Not In Use

Treatment of Cut Surfaces of Pressure Treated Lumber

Prepared with High Grade Pentachlorophenol Flakes and Suitable Carrier Oils

Active Ingredients:

Pentachlorophenol

4 37°c*

Other Chlorophenols and Related Compounds 0.63°.

Inert Ingredients

95.00°°

*Equivalent to 5.1% of technical Pentachlorophenol as de fined in Federal Specification TTW-570

(11111) 10 V

DIRECTIONS: Stir contents and use full strength. Apply several coats with brush or rag mop to all surfaces of Pentachlorophenol Solution pressure treated lumber that has been exposed by cutting, notching or dapping.

USE WITH CAUTION STRICTLY IN ACCORDANCE WITH DIRECTIONS Sold only for protection of Lumber against termiter and decay producing fungi



WARNING: Do not get in eyes, on skin, on clothing or in food or feed stuff. In case of accident, wash thoroughly with soap and copious quantities of water. For eyes: Flush with water for 15 minutes. Get medical attention immediately! Do not spray near open flame or hot objects. Wear protective clothing (synthetic rubber apron and gloves: when applying Pentachlorophenol solutions. When working indoors, goggles and a respirator are necessary for spraying. Do not breathe mist.

Keep Out of Reach of Children

Destroy all empty containers Do not sell encept in original labeled containers

Baxter - Wuckall, Co.

NET CONTENTS

GALLON

5no White-Henry-Stuart Building Seattle Washington 98101

U.S.D.A. Reg. No. 6823-2

COMMENTS