OCTAGON PROCESS INC.

596 RIVER ROAD

EDGEWATER, NEW JERSEY 07020

100.0%

DISINFECTANT, GERMICIDAL AND FUNGICIDAL, CONCENTRATE

TYPE L - OCTAGON 406L

FEDERAL SPECIFICATION O-D-406, AM 2

ACTIVE INGREDIENTS:	
Chloro-ortho-Phenyiphenol	5.0%
isopropanoi	9.0%
Soap	5.0%
INERT INGREDIENTS	. 81.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

HARMFUL IF SWALLOWED

THIS CONCENTRATE MAY CAUSE SKIN IRRITATION. IN CASE OF EYES OR SKIN CONTACT WITH THIS CONCENTRATE—RINSE IMMEDIATELY.

Avoid contact with eyes, skin or clothing. Avoid contamination of feed and foodstuffs. In case of skin contact, wash at once with plenty of soap and warm water. In case of contact with eyes, gently rinse with warm water and get medical attention.

DO NOT TAKE INTERNALLY. If swallowed, use emetic and call a physician.

DIRECTIONS FOR USE—ALWAYS DILUTE ACCORDING TO DILUTION TABLE BEFORE USING

Do Not Add to Soap or Detergent Solution

- 1. FOR ROUTINE USE—Swab, wipe or rinse surfaces (such as floors, walls, urinals, wash-stands, garbage pails) thoroughly, using 1 percent solution (see "DILUTION TABLE"). Disinfect smaller objects by immersion in 1 percent solution for at least 10 minutes. Permit all surfaces to dry before use.
- 2. FOR SPECIAL USE:
- A. If known heavy contamination exists, use 2 percent solution on surfaces. Swab, wipe or rinse surfaces with disinfectant solution at least twice, allowing solution to act for at least 10 minutes between application. Disinfect smaller objects by immersion for at least 10 minutes. Permit all surfaces to dry before use.
- B. Cold disinfection of surgical instruments—Sterilization by autoclave shall be performed wherever possible. Cold disinfection of surgical instruments with this material may be used as an emergency alternate. In the absence of heat immerse in 2 percent solution for at least 10 minutes after removing excess soil by cleaning.
- 3. PRECAUTION—To disinfect RUBBER and PLASTIC objects, swab surfaces if possible. Immerse only if required.

LIMIT EXPOSURE TO 10 MINUTES. PROLONGED IMMERSION IN DISINFECTANT MAY AFFECT PLASTICS AND RUBBER SERIOUSLY.

DILUTION TABLE

Dilution	Ounce concentrate per gallon water	Ml. concentrate per liter water	Teaspoons concentrate per gallon water
1. PERCENT SOLUTION (ROUTINE USE)	11/4	10	10
2. PERCENT SOLUTION (SPECIAL USE)	21/2	20	20

USDA REG. NO. 6830-1

ACCEPTED WITH COMMENTS

WORK THE FEUERAL INSECTICIDE

UNDER THE FEUERAL INSECTICIDE

ONDER THE FEUERAL INSECTICIDE

O