



CAUTION COMBUSTIBLE MIXTURE

N. Y. F. D. C. of A. No. 3347

Insecticide, Chlordane, Liquid Residual Roach & Ant Control

OCTAGON C518

ACTIVE INGREDIENTS	100.0%
TECHNICAL CHLORDANE*	2.0%
KEROSENE (ODORLESS)	98.0%

*Equivalent to 1.2% Octachloro-4, 7-methanotetrahydro-dane and 0.8% related compounds.

OCTAGON PROCESS INC., Edgewater, N. J.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

READ INSTRUCTIONS BEFORE USING

TOXIC WHEN TAKEN INTERNALLY. CONTACT WITH SKIN CAN CAUSE TOXIC SYMPTOMS. IN CASE OF SPILLAGE ON SKIN, WASH IMMEDIATELY WITH SOAP AND WATER. AVOID BREATHING SPRAY MIST. TOXIC TO FISH. USE WITH CARE.

DO NOT USE IN SPACES WHERE FOOD IS HANDLED OR STORED UNLESS PRECAUTIONS ARE OBSERVED TO PREVENT CONTAMINATION OF FOODSTUFFS. FOOD, DISHES, COOKING UTENSILS, AND TABLE TOPS MUST BE PROTECTED FROM THE SPRAY BY SUITABLE COVERING.

FLAMMABLE LIQUID

DO NOT USE NEAR AN OPEN FLAME. BANK OR EXTINGUISH ALL FIRES BEFORE START OF SPRAY PROCEDURES.

This material WILL NOT BE USED as a space spray or for residual treatments which cover extensive indoor surfaces, such as entire bulkheads and overheads. Do not use in rooms occupied by children under 1 year of age.

DIRECTIONS FOR USE AS RESIDUAL SPRAY

Apply spray at the rate of 1 gallon per 1,000 or 1 pint per 125 lineal feet to cracks, crevices, and other harborages of roaches, and to the runways of ants. The best way to gauge the proper amount is to spray until surfaces are wet. Use sprayer with nozzle adjusted for coarse, wet spray to insure that all the spray will strike the surface being treated. One thorough application should remain effective for several weeks, depending upon the degree of infestation from outside sources. Operators should wear a respirator approved by the U. S. Bureau of Mines for use around organic vapors when applying the insecticide. The respirator should be similar to Mine Safety Appliances Company, model number for respiratory Catalogue No. FD-43798.