

68-30-27
ACCEPTED
JAN 26 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR [REDACTED] REGISTER-
ED UNDER [REDACTED] SUBJECT
TO ATTACHED COMMENTS.

Team 16
has it
Rereq.

INSECTICIDE, MALATHION—POWDER DUSTING

NET WT. 25 LBS.

ACTIVE INGREDIENT:	PERCENT BY WEIGHT
MALATHION (O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate)	1%
INACTIVE INGREDIENT: Pyrophyllite	99%
	<hr/> 100%

OCTAGON PROCESS INC.
EDGEWATER, N. J.

STORAGE INSTRUCTIONS

Store in a cool, dry place when possible. Never exceed 90° F. storage temperature. The average effective period of this item is 12 months from date of manufacture.

CAUTION

KEEP OUT OF REACH OF CHILDREN

For external use only. Keep away from food and mess gear. Respirator or face mask should be used if powder is dispensed into air with dust gun or blower and one hour allowed for dust to settle before reentering.

Avoid prolonged breathing of dust.

This product is toxic to fish. Keep out of any body of water.

The following additional precautions should be observed:

1. When dusting by hand or machine, do not apply more than one ounce to each person.
2. Limit the application to one ounce of dust at two week intervals as needed.
3. If possible, troops should bathe before being dusted.
4. Do not dust individuals who have insect repellents, oil, or grease on the skin.

INSTRUCTIONS FOR USE

FOR BODY LICE:

1. Clothing off person: Turn clothing inside out and dust lightly over entire inner surface, rubbing powder well into all seams. Repeat at weekly intervals until infestation is controlled.
2. Clothing on person: Use powder or hand duster. If hand duster, fill 3/4 full and adjust to deliver heavy cloud of powder at each stroke.
 - a. Dust inside of hat and replace on head.
 - b. Extend arms at side, shoulder height. Insert delivery tube slowly up each sleeve between skin and inner garments. Blow powder into armpit and about shoulder, also between individual layers of clothing.
 - c. Insert tube at back of neck and dust back and neckband.
 - d. Insert tube in front at neck and dust toward armpits, both sides of body, chest, and abdomen.
 - e. Loosen trousers, insert tube between skin and innermost garments, and powder generously crotch and pubic area, also underdrawers, especially waist and side seams.
 - f. Insert tube down rear of trousers next to skin and powder buttocks and rear of crotch.
 - g. Dust in socks.

FOR HEAD AND PUBIC LICE: Dust into infested hairy portions of the body and work down to the base of the hair with finger tips. Repeat when reinfestation occurs.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.