

OCTAGON PROCESS INC.

596 RIVER ROAD, EDGEWATER, NEW JERSEY 07020

INSECTICIDE, CHLORDANE, LIQUID RESIDUAL, ROACH AND ANT CONTROL

ACTIVE INGREDIENTS	100.0%
Technical Chlordane*	2.0%
B-Butoxy-B'-Thiocyano Diethyl Ether	2.5%
Petroleum Distillate	95.5%
*Equivalent to 1.2% Octachloro-4, 7-methanetetrahydroindane and 0.8% related compounds.	

1 GALLON NET

FOR USE BY THE CITY OF NEW YORK ONLY. TO BE USED IN PRISONS, WAREHOUSES, OFFICE BUILDINGS, GARAGES, LANDFILL AREAS.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT
OR OPEN FLAME.

READ INSTRUCTIONS BEFORE USING

Toxic when taken internally or spilled on skin. In case of spillage on skin, wash immediately with soap and water. Avoid breathing spray mist. Toxic to fish. Use with care. Harmful if swallowed.

Do not use in spaces where food is handled or stored to prevent contamination of edible foodstuffs. Packaged food, dishes, cooking utensils, and table tops must be protected from the spray by suitable covering. Do not use in edible product areas of food processing plants. Do not use in dairy barns or poultry houses.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

This material will not be used as a space spray or for residual treatments which cover extensive indoor surfaces, such as entire bulkheads and overheads.

DIRECTIONS FOR USE AS RESIDUAL SPRAY

TO BE APPLIED AS SPOT APPLICATIONS ONLY.

Apply spray at the rate of 1 gallon per 1,000 or 1 pint per 125 lineal feet to cracks, crevices, and other harborages of roaches, and to the runways of ants. The best way to gauge the proper amount is to spray until surfaces are wet. Use sprayer with nozzle adjusted for coarse, wet spray to insure that all the spray will strike the surface being treated. One thorough application should remain effective for several weeks, depending upon the degree of infestation from outside sources. Operators should wear a respirator approved by the U. S. Bureau of Mines for use around organic vapors when applying the insecticide. The respirator should be similar to Mine Safety Appliances Company chemical cartridge respirator (Catalogue No. ED 43798).

EPA REG. NO. 6830 55

