

BARQUAT MB-50


EPA REG. NO. 490-01

ATTENTION TO THE FOLLOWING:

Disinfectant-Sanitizer

A general purpose disinfectant-sanitizer-deodorizer product can be produced by diluting 1 part BARQUAT MB-50 with 4 parts water yielding a 10% active solution. This product will afford effective disinfection and/or sanitizing in hospitals, schools, homes, dairy, and other farm and industrial areas when used at appropriate use-dilution concentrations.

A sample label for a disinfectant-sanitizer-deodorizer is attached. It may be used as a guide in registering your product with the Environmental Protection Agency.



SAMPLE LABEL

DISINFECTANT-SANITIZER-

DEODORIZER

Disinfectant-Sanitizer- Deodorizer
for Hospital, Institutional, Industrial, School,
Dairy, and Other Farm and Home Use

AOAC Phenol Coefficients

Staphylococcus aureus, ATCC #6538	79.2
Salmonella typhosa, ATCC #6539	78.1

Active Ingredients

Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	10.0%
Dimethyl Benzyl Ammonium Chloride	

Inert Ingredients

90.0%
100.0%

EPA Registration No.

Net Contents

MANUFACTURED BY:

DANGER

KEEP OUT OF REACH OF CHILDREN. SEE LEFT
PANEL FOR ADDITIONAL PRECAUTIONARY STATE-
MENTS.

Use Directions for Disinfection

Disinfection in Hospitals, Nursing Homes and
Other Health Care Institutions.

For disinfecting floors, walls, countertops,
bathing areas, lavatories, bedframes, tables,
chairs, garbage pails and other hard surfaces.

Add 4 1/2 oz. _____ to 4 gallons
water. Apply to previously cleaned hard
surface with mop or cloth.

At this use-level _____ is effec-
tive against Pseudomonas aeruginosa.

Disinfectant in Institutions, Industry,
Schools and Homes.

For disinfecting floors, walls, bedframes,
countertops, tables chairs, garbage pails,
bathroom fixtures and other hard surfaces.

Add 3 oz. of _____ to 5.5gallons
of water. Apply to previously cleaned hard
surface with mop or cloth.

At 3 oz/5.5gallon use-level, _____
is effective against Staphylococcus aureus,
and Salmonella choleraesuis.

Disinfection of Barber Tools

Barber tools (such as combs, brushes, razors,
and scissors) can be disinfected by immersing
in a 1/2 oz/gallon solution of _____.

Disinfection of Poultry Equipment, Animal
Quarters and Kennels.

Poultry brooders, watering founts, feeding
equipment and other animal quarters (such
as stalls and kennel areas) can be disin-
fected after thorough cleaning by applying
a solution of 4 1/2 oz. _____

to 4 gallons of water with a mop, cloth or
brush. Small utensils should be immersed
in this solution.

Prior to disinfection, all poultry, other
animals and their feeds must be removed from
the premises. This includes emptying all
troughs, racks and other feeding and water-
ing appliances. Remove all litter and droppings
from floors, walls and other surfaces occupied
or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops,
and other closed spaces. Do not house poultry
or other animals, or employ equipment until
treatment has been absorbed, set or dried.

All treated equipment that will contact feed
or drinking water must be rinsed with potable
water before reuse.

Please empty container thoroughly with water
and discard it.

DANGER

Keep out of Reach of Children. Corrosive.
Causes eye damage and skin irritation. Do
not get in eyes, on skin, or on clothing.
Protect eyes and skin when handling. Harm-
ful if swallowed. Avoid contamination of
food.

FIRST AID

In case of contact, immediately flush eyes
or skin with plenty of water for at least
15 minutes. For eyes, call a physician.
Remove and wash contaminated clothing be-
fore reuse. If swallowed, drink promptly
a large quantity of milk, egg whites,
gelatin solution; or if these are not
available, drink large quantities of water.
Avoid Alcohol. Call a physician immediately.
NOTE TO PHYSICIAN: Probable mucosal damage
may contraindicate the use of gastric
lavage. Measures against circulatory
shock, respiratory depression, and con-
vulsion may be needed.

