

LONZA

SAMPLE LABEL

BARQUAT OJ-10 algaecide is efficient, economical and stable in use dilution.

BARQUAT OJ-10 is compatible with all chemicals used in pool water and will not damage tile, concrete, metal or plastics.

BARQUAT OJ-10 keeps pool water free of visible algae, algae slime and green brown colors.

BARQUAT OJ-10 improves filter operation and cuts down need for other chemicals.

BARQUAT OJ-10 imparts tone and a pleasant "feel" to swimming pool water.

EPA REG. No. 6836-47

BARQUAT OJ-10  
SWIMMING POOL

# ALGAE ECIDE

## OUTSTANDING ALGAE GROWTH DEPRESSANT

### ACTIVE INGREDIENT:

Alkyl\* Dimethyl Benzyl Ammonium Chloride  
\*(C<sub>14</sub>, 60%; C<sub>12</sub>, 25%; C<sub>16</sub>, 15%)... 10%

INERT INGREDIENTS: ..... 90%

100%

Manufactured By:  
WORTH CHEMICAL CORP.

GREENSBORO, N. C.

ONE GALLON

Establishment #6836-ILL-1

### DIRECTIONS

**Initial Application:** To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof. Pour directly into pool water or sprinkle around edges of pool.

**Maintenance Dose:** Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

**Booster Dose:** Immediately after every rain add one quart per 50,000 gallons of water as above.

**Important:** Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

**Pool-side surfaces:** After cleaning surfaces, use one ounce to four gallons of water for sanitizing or one ounce to two gallons of water for disinfecting. Apply by wiping, mopping or scrubbing so as to thoroughly wet the surfaces with the above use solutions.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## DANGER

Keep Out of Reach of Children.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

SEE SIDE PANELS FOR ANTIDOTE STATEMENT AND OTHER PRECAUTIONS.

Do not reuse container. Destroy when empty.

### NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.