Barquat OJ-10 is compatible with most chemicals used in pool water and will not damage ? tile, concrete, metal or plastics.

Barquat OJ-10 keeps pool water free and sparkling, clear of visible green and bluegreen algae, slime and green brown colors.

Barquat OJ-10 improves filter operation and cuts down need for other chemicals.

Barquat OJ-10 imports tone and a pleasant "feel" to swimming pool water.

PROTABILIDARY STATESTING BALAND TO REPARS AND DOMESTIC ANDHALS

DANGER

Keep Out of Reach of Children, Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

This pesticide is toxic to fish. Do not discharge into lakes, streems, ponds or public waters unless in accordance with a NFDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

STURAGE AND DISCORAL
- Do not contaminate water, food, or feed by storage disposal.

- Do not store on side.

- Avoid creasing or impacting of side walls.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, apray or mixture of rimsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a senitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a senitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.) Do not reuse empty container (bettle, can, bucket). Mrsp container and put in tresh.

SWIMMING POOL ALGAECIDE AND PAPER MANUFACTURING SLIMICIDE

Ostatending Algae Growth Depressent

Active Ingredients

Alkyl (C₁₄, 60%; C₁₂, 25%; C₁₆, 15%) Dimethyl bensyl amoonium chloride

107

Inert Ingredients

90X 100X

ECES OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL INSANGERT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

MOTE TO FRESICIAM: Probable succeed damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

6836-47

EPA Establishment No.

5836-IL-1

Net Contents

Menufactured By: LCMZA INC., 17-17 Route 208, Fair Lewn, NJ 07410

> FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL CHLY

CHARLESTON TO LESS CALLED

It is a violation of Federal Law to use this product in a magner inconsistent with its labeling.

Bergent 03-10 should be sided alors pool edges while filter and pump are in operation. To allow time for even distribution in pool water, bathers should allow 10 minutes after treatment before entering pool.

Initial Application: To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof.

Maintenance Dose: Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

Booster Dose: Immediately after every rain add one quart per 50,000 gallons of water as above.

Important: Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

Four Hemelecturine (for control of besterie, funcional aleas).

Barquat OJ-10 can be used as a slimicide in the manufacture of paper and paperboard that contacts food.

Apply 0.25-50 gallons of Barquat OJ-10 per ton of paper produced. Alternatively, apply 0.5-100 gallons of Barquat OJ-10 per 100,000 gallons of white water to be treated, which corresponds to a water concentration of 5-100 ppm. Additions of Barquat OJ-10 should be made at a point in the system where mixing action is good.

ACCEPTED MAY 18 1993

04/13/93

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide tegristered under 6936-47

104