

ANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

PRECAUTIONS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, reservoirs, oceans, or public waters unless this product is specifically identified and addressed in an EPA permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

USE AND STORAGE

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store on side.
- Avoid breathing or ingesting of side walls.

DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the nearest Waste Management representative of the nearest EPA Regional Office for guidance.

CONTAINER HANDLING

Triple rinse (or equivalent). Then offer for recycling or reconditioning or treatment and disposal of in a sanitary landfill or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Triple Rinse: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, drum). Wrap container and put in trash.

BARQUAT MB-10

Disinfectant-Sanitizer
Dedicated for Hospital, Institutional, Pulp & Paper Mill,
Industrial, School, Dairy and Other
Food Use

Active Ingredients

Alkyl (C₁₂, 32%; C₁₄, 49%; C₁₆, 19)
Dimethyl Benzyl Ammonium Chloride

10.0%

Inert Ingredients

10.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

DO NOT FEED: Probable minimal damage may contraindicate the use of gastric lavage.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6836-56
EPA Establishment No. 6836-11-1
Net Content



Manufactured by:
LORCA INC., 17-17 Route 200, Fair Lawn, NJ 07410

PH 31

6836-56

PRECAUTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply BARQUAT MB-10 with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

DISINFECTING IN RESTROOMS, BATHING ROOMS AND OTHER PUBLIC USE LOCATIONS

For disinfecting floors, walls, counter tops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 4.5 oz. BARQUAT MB-10 to 4 gallons water. Apply to previously cleaned hard surface with mop or cloth.

At this use-level, BARQUAT MB-10 is effective against *Pseudomonas aeruginosa*.

DISINFECTING IN RESTROOMS, (i.e., Educational, Penal, Military), HOSPITAL AND SCHOOLS

For disinfecting floors, walls, bedframes, counter tops, tables, chairs, garbage pails, bathroom fixtures and other hard surfaces.

Add 3 oz. of BARQUAT MB-10 to 5.5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At 3 oz./5.5 gallon use-level, BARQUAT MB-10 is effective against *Staphylococcus aureus* and *Salmonella choleraesuis*.

DISINFECTING OF BARBER TOOLS

Pre-cleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a .5 oz./gallon solution of BARQUAT MB-10.

DISINFECTING OF PULP EQUIPMENT, OTHER QUARTERS AND CHURNS

Poultry breeders, watering flocks, feeding equipment and other animal quarters (such as stalls and tunnel areas) can be disinfected after thorough cleaning by applying a solution of 4.23 oz. BARQUAT MB-10 in 4 gallons of water with a mop, cloth or brush. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their foods must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering equipment. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been changed, set or dried.

All treated equipment that will contact food or drinking water must be rinsed with potable water before reuse.

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, counter tops, refrigerated storage and display equipment and other hard non-porous surfaces.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. BARQUAT MB-10 in 4 gallons of water (250 ppm active). Surfaces should remain wet for at least one minute. Followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, no solution may not be reused for sanitizing applications.

Apply to sink tops, counter tops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./5 gallon dilution of BARQUAT MB-10. No potable water rinse is required.

At 1 oz./5 gallons, BARQUAT MB-10 has a hard water tolerance of 500 ppm of hardness calculated as CaCO₃, when evaluated by the AOC Germicidal and Bactericidal Sanitizer Method against *Escherichia coli* and *Staphylococcus aureus*.

The odors, flavors and taste of dairy cows can be sanitized by washing with a solution of 1 oz. BARQUAT MB-10 in 4 gallons of warm water.

Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

INSTRUCTIONS FOR SWIMMING POOL ALGAEKILL

BARQUAT MB-10 should be added along pool edges while filter and pump are in operation. To allow time for even distribution in pool water, bathes should allow 10 minutes after treatment before entering pool.

INITIAL APPLICATION: To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof.

MAINTENANCE Dose: Use one quart per 50,000 gallons of water every 5-7 days. When weather is hot or bathing load is heavy, use this dosage every 3 days or as necessary.

SHOWER Dose: Immediately after every rain add one quart per 50,000 gallons of water as above.

REMARKS: Follow above directions without fail, even when pool is not used. Algae growth must be kept at all times. BARQUAT MB-10 is efficient, economical and stable in use dilution. BARQUAT MB-10 is compatible with most chemicals used in pool water and will not damage tile, cement, metal or plastics. BARQUAT MB-10 keeps pool water free and sparkling, clear of visible green and blue-green algae, slim and green brown scum.

BARQUAT MB-10 improves filter operation and cuts down need for other chemicals. BARQUAT MB-10 imports foam and a pleasant "fool" to swimming pool water.

Forest Manufacturing (for Control of
Termites, Beetles and Slugs)

Barquat MB-10 can be used as a slimicide
in the manufacture of paper and
paperboard that contacts food.

Apply 0.25-50 gallons of Barquat MB-10
per ton of paper produced.
Alternatively, apply 0.5-100 gallons of
Barquat MB-10 per 100,000 gallons of
white water to be treated, which
corresponds to a water concentration of
5-1000 ppm. Additions of Barquat MB-10
should be made at a point in the system
where mixing action is good.

Page 2
04/13/83

