

**Sanitizing of Food Processing Equipment and other Hard Surfaces in Food Contact Locations.**

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard surfaces. **No potable water rinse is required.** Wash and rinse all articles thoroughly, then apply a solution of 3/4 oz. BARDAC 20-10 in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications. Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush. **No potable rinse is required.** Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 3/4 oz./4 gallon dilution of BARDAC 20-10.

**No potable water rinse is required.**

At 3/4 oz./4 gallons, BARDAC 20-10 fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 400 ppm of hardness calculated as CaCO<sub>3</sub> when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks, and teats of dairy cows can be sanitized by washing with a solution of 3/4 oz. BARDAC 20-10 in 4 gallons of warm water. **No potable water is required.**

Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazardous to Humans and Domestic

Animals

**DANGER**

Keep out of reach of children. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

**ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**Storage and Disposal**

Do not contaminate water, food, or feed by storage or disposal.

Do not store on side.

Avoid creasing or impacting of side walls.

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of insecticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Metal Container:** Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. If container is 1 gallon or less, use this container disposal statement.

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

**BARDAC 20-10**

Disinfectant-Sanitizer  
Fungicide Deodorizer  
with Organic Tolerance  
for Hospital, Institutional, Industrial,  
School, Dairy and Other Farm Use

**Active Ingredients**

Octyl decyl dimethyl ammonium chloride	5.0%
Dioctyl dimethyl ammonium chloride	3.0%
Didecyl dimethyl ammonium chloride	2.0%

**Inert Ingredients**

90.0%  
100.00%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER PELIGRO**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

**EPA Registration No.**

6836-65

**EPA Establishment No.**


6836-IL-1

**Net Contents**

**MANUFACTURED BY:**

LONZA INC., 17-17 Route 208, Fair Lawn, N.J. 07410

**For Sale For Use and Storage By  
Maintenance Personnel Only**



## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply **BARDAC 20-10** with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

### *Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.*

For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard non-porous surfaces

Add 3 1/2 oz. **BARDAC 20-10** to 4 gallons water. Apply to previously cleaned hard surface with mop or cloth.

At this use-level, **BARDAC 20-10** is effective against *Pseudomonas aeruginosa* when evaluated by the AOAC Use-Dilution Test.

**BARDAC 20-10** is effective against *Staphylococcus aureus* and *Salmonella choleraesuis* even in the presence of organic soil and residual anionic detergents  
uses at 3 oz./5.5 gallons

### *Disinfectant in Institutions, Industry and Schools*

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bathroom fixtures and other hard non-porous surfaces

Add 3 oz. of **BARDAC 20-10** to 5.5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

### *Disinfection of Barber Tools*

Pre-cleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 1/2 oz./gallon solution of **BARDAC 20-10**

### *Disinfection of Poultry Equipment, Animal Quarters and Kennels*

Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 3 1/2 oz. **BARDAC 20-10** to 4 gallons of water with a mop, cloth or brush. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

### **PELIGRO:**

SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.