

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations: For sanitizing food processing equipment, food contact food utensils, dishes, silverware, glasses, snail traps, counter tops, refrigerated storage and display equipment and other hard surfaces, use **BARDAC-205-7.5**. **No Potable water rinse is required.**

Wash and rinse articles thoroughly then apply a solution of **BARDAC-205-7.5** in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining. A fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, counter tops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. **No Potable water rinse is required.**

Dishes, silverware, glasses, cooking utensils and other small sized food processing equipment can be sanitized by immersion in a 1 oz. 4 gallons solution of **BARDAC-205-7.5**. **No Potable water rinse is required.**

At 1 oz. 4 gallons **BARDAC-205-7.5** fulfils the criteria of Appendix E, 1978 Grade A Pasteurized Milk Ordinance 1978 Recommendations of the U.S. Public Health Services in waters up to 400 ppm of hardness calculated as CaCO_3 when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against *Escherichia coli* and *Staphylococcus aureus*.

The udders, trunks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. **BARDAC-205-7.5** in 4 gallons of warm water. **No Potable water rinse is required.** Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

TRIPLE RINSE OR EQUIVALENT AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

BARDAC 205M-7.5

Disinfectant-Sanitizer
Fungicide-Deodorizer
with Organic Soil Tolerance
for Hospital, Institutional,
Industrial, School, Dairy and Other Farm Use

Active Ingredients

Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethylbenzyl ammonium chlorides	3.000%
Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Dioctyl dimethyl ammonium chloride	1.125%

Inert Ingredients

92.500%
100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6836-70
EPA Establishment No. 6836-IL-1
Net Content

MANUFACTURED BY
LONZA INC., 22-10 Route 208, Fair Lawn, N.J. 07410

Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use in a manner inconsistent with its label

Apply **BARDAC-205-7.5** with a mechanical spray device. When using a mechanical spray device, surface until thoroughly wetted. Treat until remain wet for 10 minutes. Freshly prepared daily or when the use is visibly dirty.

Disinfection in Hospitals, Nursing Health Care Institutions. For disinfecting walls, counter tops, bathing area frames, tables, chairs, garbage pails, non-porous surfaces.

Add 3.5 oz. **BARDAC-205-7.5** to 1 gallon of water. Apply to previously cleaned hard surfaces. **BARDAC-205-7.5** is effective against *domonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis* in the blood serum when evaluated by Dilution test.

Disinfection in Institutions, Industrial. Add 2 oz. of **BARDAC-205-7.5** to 1 gallon of water. At 0.5 oz. to 2.25 gallons of water, the fungicidal effectiveness of **BARDAC-205-7.5** is effective against the presence of 5% blood serum phytonmentaprophytes has been the AOAC Fungicidal Test.

Disinfection of Barber Tools. P. tools (such as combs, brushes, razors) can be disinfected by immersing in a solution of **BARDAC-205-7.5**.

Disinfection of Poultry Equipment, and Kennels. Poultry brooders, feeding equipment and other animal stalls and kennel areas can be disinfected by applying a solution of **BARDAC-205-7.5** to 4.5 gallons of water. Utensils should be immersed in the solution.

Prior to disinfection, all poultry, or their feeds must be removed from the area. Includes emptying all troughs, racking and watering appliances. Remove droppings from floors, walls and occupied or traversed by poultry.

After disinfection, ventilate building, other closed spaces. Do not house animals or employ equipment until well absorbed, dried or dried.

All treated equipment that will contact water must be rinsed with potable water.