

OCT 23 1985

Lonza, Inc.
22-10 Route 208
Fair Lawn, NJ 07410

Attention: Joseph A. Conti
Manager, Governmental Relations

Gentlemen:

Subject: Bardac 205M - 7.5
EPA Registration No. 6836-70
Your Application Dated September 6, 1985

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Revise the statement:

Causes eye and skin irritation.

to read:

Causes eye damage and skin irritation.

b. Revise the word:

CaCO_1

to read:

CaCO_3 . (Middle left panel)

c. Add the misuse statement:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

91365;Lee;RD-85/05;KENCQ;10/15/85;10/25/85;DKD;PS

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
DATE ▶							

2. Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. No Potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. BARDAC-205-7.5 in 4 gallons of water (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon solution of BARDAC-205-7.5. No Potable water rinse is required.

At 1 oz./4 gallons BARDAC-205-7.5 fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 800 ppm of hardness calculated as CaCo₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against *Escherichia coli* and *Staphylococcus aureus*.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. BARDAC-205-7.5 in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazard to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

Storage and Disposal

- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling, reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

BARDAC 205M-7.5

Disinfectant-Sanitizer
Fungicide-Virucide-Deodorizer
with Organic Soil Tolerance
for Hospital, Institutional
Industrial, School, Dairy and Other Farm Use

Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Dioctyl dimethyl ammonium chloride	1.125%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	3.000%

Inert Ingredients

92.500%
100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

6836-70

EPA Establishment No.

6836-IL-1

Net Contents

MANUFACTURED BY:

LONZA INC., 22-10 Route 208, Fair Lawn, N.J. 07410

For Sale For Use And Storage By
Maintenance Personnel Only

Apply BARDAC device. Why must be spr remain wet daily or wh Disinfectio Care Instit bathing are pails and c Add 3.5 oz. viously c BARDAC- aeruginosa sessus in th the AOAC * Virucide Berdec-25 and found simplex Typ on inanim Disinfectio of BARDAC Fungicidal level. BAP Trichophy used on su shower and Fungicidal Disinfectio as combs, immersing Disinfectio Kennels. P and other e be disinfect of 2 oz. BA should be poultry, o the premise other feed droppings traversed After disin species. Do ment until All treated must be ri