

**PRECAUTIONARY STATEMENTS  
HAZARDOUS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER**

KEEP OUT OF REACH OF CHILDREN.  
Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

**STORAGE AND DISPOSAL**

- Do not contaminate water, food or feed by storage disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke. Metal container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is one gallon or less, use this container disposal statement.) Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

**BARDAC 205M-7.5**

Disinfectant-Sanitizer-Fungicide  
Virucide-Deodorizer with Organic Soil Tolerance  
for Hospital, Institutional, Industrial, Other Farm Use  
School, Dairy, Restaurants, Bars and Institutional Kitchens

**Active Ingredient**

Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.350%
Diocetyl dimethyl ammonium chloride	0.900%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride	3.000%

**Inert Ingredients**

92.500%  
100.000%

KEEP OUT OF REACH OF CHILDREN

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6836-70  
EPA Establishment No. 6836-IL-1  
Net Contents

Manufactured by:  
LONZA INC., 17-17 Route 208, Fair Lawn, NJ 07410



**DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.  
Apply BARDAC 205M-7.5 with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

**DISINFECTION IN HOSPITALS, NURSING HOMES AND OTHER HEALTH CARE INSTITUTIONS.** For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 3.5 oz. BARDAC 205M-7.5 to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, BARDAC 205M-7.5 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas cepacia* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution Test.

**VIRUCIDAL PERFORMANCE:** At 3.5 oz./4.5 gallon use level BARDAC 205M-7.5 was evaluated in the presence of 5% serum and found to be effective against the following viruses: Herpes Simplex Types I & II, Vaccinia and Influenza A<sub>2</sub> (Hong Kong) on inanimate hard non-porous environmental surfaces.

**DISINFECTION IN INSTITUTIONS, INDUSTRY AND SCHOOLS.** Add 2 oz. of BARDAC 205M-7.5 to 4.5 gallons of water.

**FUNGICIDAL PERFORMANCE.** At 0.5 oz. to 2.25 gallons of water use level, BARDAC 205M-7.5 is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities, utilizing the AOAC Fungicidal Test.

**DISINFECTION OF BARBER TOOLS.** Pre-cleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 0.5 oz./gallon solution of BARDAC 205M-7.5.

**DISINFECTION OF POULTRY EQUIPMENT, ANIMAL QUARTERS AND KENNELS.** Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. BARDAC 205M-7.5 to 4.5 gallons of water. Small utensils should be immersed in this solution. Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals. After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

**SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD CONTACT LOCATIONS, DAIRIES, RESTAURANTS AND BARS.** For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard surfaces. No potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. BARDAC 205M-7.5 in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications. Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush. No potable water rinse is required. Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon solution of BARDAC 205M-7.5. No potable water rinse is required. At 1 oz./4 gallons, BARDAC 205M-7.5 fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 400 ppm of hardness calculated as CaCO<sub>3</sub> when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against *Escherichia coli* and *Staphylococcus aureus*. The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. BARDAC 205M-7.5 in 4 gallons of warm water. No potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

**DIRECTIONS FOR RESTAURANT AND BAR RINSE.** For dishes, glassware, silverware, cooking utensils, wash with 1 oz./4 gallon of BARDAC 205M-7.5 and immerse in a solution containing 1 oz./4 gallon of BARDAC 205M-7.5. No rinse is required.

**DIRECTIONS FOR FOOD PROCESSING EQUIPMENT AND DAIRIES.** Clean and rinse equipment thoroughly, then apply sanitizing solution containing 1 oz./4 gallon of BARDAC 205M-7.5 to 1 gallon of water. No rinse is required.

**WISCONSIN STATE BOARD OF HEALTH  
DIRECTIONS FOR EATING ESTABLISHMENTS**

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in a solution of 1 oz./4 gallon of BARDAC 205M-7.5 to 1 gallon of water. Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain board to air-dry.