

0836-73

4/18/2013

1/19

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 18 2013

Ms. Joanna Holcombe
Lonza Inc.
90 Boroline Road
Allendale, NJ 07401

SUBJECT: Lonza Formulation S-38
EPA Registration Number: 6836-73
Application Dated: March 20, 2013
Receipt Date: March 21, 2013

Dear Ms. Holcombe:

This letter acknowledges receipt of the notification identified above submitted under the provisions of section 3 (c) 9 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10 and 40 CFR 152.46.

- To update the label language

Based on a review of the submitted information, this notification is acceptable. A copy has been inserted in your file for future reference.

General Comments

Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0199 or Velma Noble at (703) 308-6233.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
IRNAME							
DATE							

2/19



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section 1

1. Company/Product Number 6836-73	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lonza Formulation S-38	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) Lonza Inc. 90 Boroline Road Allendale, NJ 07401	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name	
<input type="checkbox"/> Check if this is a new address		

Section - II

- Amendment - Explain below. Final printed labels in response to Agency letter dated _____
 Resubmission in response to Agency letter dated _____ "Me Too" Application
 Notification - Explain below. Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Not Subject to PRIA

Label Notification to add "Virus" where not already present in virus names, change "should" to "must," etc.

This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Signature: *Joanna Holcombe*

Date: **3-20-2013**

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No <i>*Certification must be submitted</i>	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt. No. per container		<input checked="" type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container	4. Size(s) Retail Container Various		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input checked="" type="checkbox"/> On labeling accompanying product		
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Joanna Holcombe	Title Sr. Regulatory Services Associate	Telephone No. (include Area Code) 678-627-2336
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Joanna Holcombe</i>	3. Title Sr. Regulatory Services Associate	
4. Typed Name Joanna Holcombe	5. Date 3-20-2013	

Via FedEx

Lonza Inc.
90 Boroline Road
Allendale, NJ 07401, USA

Ms. Velma Noble, PM-31
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2227 S. Crystal Drive
Arlington, VA 22202

Joanna Holcombe
Lonza Microbial Control
Regulatory Services

Tel 678-627-2336
Fax 678-627-2081
joanna.holcombe@lonza.com

March 20, 2013

**SUBJECT: Lonza Formulation S-38, EPA Reg. No. 6836-73
Application for Label Notification**


Dear Ms. Noble:

Lonza is submitting an application to add the word "Virus" where it is missing from virus names; add "Influenza" and "Pox Virus" as optional text, and change "should" to "must" throughout the label. Please find the enclosed documents in support of this notification:


- Application for Notification;
- Certification with Respect to Label Integrity;
- CD with label; and
- One copy of the proposed label with changes highlighted.

If you have any questions or need any additional information, please feel free to contact me at 678-627-2336.

Sincerely,
Lonza Inc.



Joanna Holcombe
Sr. Regulatory Services Associate



4/19

Note to Reviewer:

[Items in brackets [AAA] are optional and may/may not be included on final label]
{Items in braces {AAA} are for information purposes and will not appear on final label}

LONZA FORMULATION S-38

One-Step Disinfectant

Cleaner – Sanitizer – Fungicide – Mildewstat – Virucide* – Deodorizer
With Organic Soil Tolerance for Homes, Hospitals, Institutional, Commercial, Farm and Industrial Use

Acid-Free Cleaner
Acid-Free Disinfectant

Citrus / Floral / Fresh / Clean / Pine / Mint / Lemon [Odor][Scent][Fragrance]

- Formulated for Effective Farm Premise Sanitation
- Formulated for Effective Poultry Premise Sanitation
- Formulated for Effective Swine Premise Sanitation
- Formulated for Effective Mushroom Farm Sanitation
- Formulated for Veterinary Practice / Animal Care / Animal Laboratory Disinfection

For use in federally inspected meat and poultry plants

- Staphylocidal • Pseudomonacidal • Bactericidal • Salmonellacidal • Fungicidal • Virucidal*

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	1.140%
Diocetyl dimethyl ammonium chloride.....	0.456%
Didecyl dimethyl ammonium chloride.....	0.684%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	1.520%
Inert [Other] Ingredients:	96.200%
Total:.....	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER [PELIGRO]

See [left] [side] [right] [back] panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-73
EPA Est. No. (insert EPA Establishment No. here)
Net Contents (insert container size here)

[DOT symbols]
[Country of origin (insert country)]
[Manufactured in (insert country)]
[Barcode]

Manufactured by:
Lonza Inc.
90 Boroline Rd.
Allendale, NJ 07401

NOTIFICATION
Date Reviewed: 7/18/13
Reviewed By: [Signature]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses); protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

{Note to reviewer: If container size is 5 gallons or larger, the following Environmental Hazards statements will be used:}

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

NOTIFICATION
Date Reviewed: 4/28/13
Reviewed By: EA

{Note to reviewer: Pages 3-8 are considered optional marketing language. All designators (i.e. asterisks and numbers) used throughout the label may be interchanged as needed on final printed label.}

Lonza Formulation S-38

- Cleans and Disinfects in One Step
- Cleans, Disinfects, and Deodorizes
- Cleans, shines, deodorizes and disinfects nonporous household surfaces.
- delivers non-acid disinfectant and cleaning performance in an economical concentrate.
- deodorizes by killing microorganisms that cause offensive odors.
- [Eliminates] [Kills] 99.9% of [Household] Bacteria¹
¹Staphylococcus aureus and Klebsiella pneumoniae
- [Eliminates] [Kills] 99.9% of [Household] Bacteria²
²Escherichia coli [E. coli]; Staphylococcus aureus [staph], Streptococcus faecalis [strep]
- [Eliminates] [Kills] 99.9% of Staphylococcus aureus and Klebsiella pneumoniae in 60 seconds
- [improves labor results by] effectively controls [controlling] malodors.
- Inhibits the growth of mold and mildew leaving bathrooms and kitchens clean and smelling fresh.
- is a complete, chemically balanced disinfectant [and sanitizer] [that provides clear use solutions].
- is a [concentrated] [one-step] [Hospital Use] disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* [including HIV-1, the AIDS Virus], fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed.
- [is a heavy duty disinfectant cleaner that] [is an alkaline pH disinfectant cleaner that] cleans, disinfects and deodorizes in one labor saving step.
- is a multi-surface cleaner, deodorizer, and disinfectant. Use on windows, mirrors and other glass surfaces.
- is a proven "one-step" disinfectant - cleaner - sanitizer - fungicide - mildewstat - virucide* in the presence of moderate amounts of organic soil [5% serum contamination].
- is a [versatile] cleaner and broad spectrum disinfectant formulated for use only on non-critical instruments in Ultrasonic Baths [Ultrasonic cleaning units].
- is a [versatile] disinfectant and sanitizer for hard, nonporous nonfood contact surfaces in Veterinarian, Animal care and Farm Premise applications.
- is an economical concentrate [that can be diluted for use] [with a mop and bucket, trigger sprayers, sponge or by soaking].
- is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.
- is effective yet economical.
- is formulated for use in daily maintenance programs with a balance of detergents, biocides and malodor counteractants that deliver effective cleaning, disinfecting and malodor control.
- Kills [Eliminates] [99.9% of] [99.99% of] [household] germs³
³[Effective against] Pseudomonas aeruginosa [pseudomonas], Staphylococcus aureus [staph], Streptococcus faecalis [strep], Influenza Virus Type A/Brazil [Influenza] and Trichophyton mentagrophytes [Athlete's foot fungus].
- Kills Flu Virus⁴
⁴Influenza Virus Type A/Brazil
- Kills Influenza A Virus
- meets AOAC efficacy standards for hospital disinfectants.
- meets Sanitizer Test standards for non-food contact sanitizers.
- One Step [Cleaner and] Disinfectant
- will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.
- will not leave grit or soap scum.

NOTIFICATION
Date Reviewed: 4/11/13
Reviewed By: [Signature]

Cleans [Cleaner]
Concentrate [Concentrated]
Deodorizes [Deodorant]
Disinfects [Disinfectant]

{Note to reviewer: The following is based on a one gallon Net Contents package size. Proportional yields may be substituted for different container sizes or dilution rates:}

Concentrated product makes 64 gallons⁵ of use dilution.
⁵at 2 oz. per gallon
Concentrated product makes 128 gallons⁶ of use dilution.
⁶at 1 oz. per gallon
Concentrated product makes 256 gallons⁷ of use dilution.
⁷at 1/2 oz. per gallon

Use Lonza Formulation S-38

- as a disinfectant on hard, nonporous surfaces.
- for non-scratch cleaning of sinks, showers and tubs, shower doors and curtains, glazed ceramic tiles, fiberglass, fixtures and toilet bowls.
- for sanitizing and disinfecting of ultrasound transducers, probes, mammography compressor plates and other hard nonporous surfaces.
- in inedible processing areas, non processing areas and or exterior areas in official establishments operating under the Federal meat, poultry, egg shell grading and egg products inspection programs
- in federally inspected Meat & Poultry Plants as a non-food contact sanitizer and / or disinfectant. This product was authorized by USDA as category D1 under the prior authorization program and its formula has not been changed.
- in kitchens, bathrooms and other household areas.
- on coils and drain pans of air conditioning and refrigeration equipment and heat pumps. Follow the directions for sanitization of non-food contact surfaces.
- on the multi-touch surfaces responsible for cross-contamination and infection.
- to clean and disinfect finished floors. Can be applied with damp mop or autoscrubber. Cleans and disinfects without dulling gloss.
- to clean and disinfect finished floors, sinks and tubs.
- to clean and disinfect nonporous salon / barber tools and instruments: combs, brushes, scissors, blades and manicure instruments.
- with a mop and bucket, trigger sprayer, sponge or by soaking.

This product contains no [phosphates or] phosphorous [compounds].

Lonza Formulation S-38 is a phosphate free, germicidal detergent effective in the presence of a moderate amount of organic soil on hard nonporous surfaces found at mushroom farms. **Lonza Formulation S-38** has been designed for use between mushroom crops. Areas of intended use include breezeways and track alleys before spawning, inside and outside walls of mushroom houses, lofts, floors, storage sheds and casing rings. Use of **Lonza Formulation S-38** must be limited to areas where compost and mushrooms are not present.

Cross-contamination is of major housekeeping concern. **Lonza Formulation S-38** has been formulated to aid in the reduction of cross-contamination not only in hospitals, but in schools, institutions and industry.

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

[AREAS OF USE:]

Use **Lonza Formulation S-38** in:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding area of use. The graphics will only represent individual objects or outsides or insides of buildings as described below. No people or food will be depicted in graphics.}

Bathrooms
Homes [households]
Kitchens

Clinics
Dental offices
Hospitals
Medical Offices
Medical related facilities
Nursing homes
Sick Rooms

Day care centers
Nurseries

Bars
Cafeterias
Convenience stores
Egg Processing plants
Federally inspected meat and poultry plants
Food processing plants
Food preparation areas
Food storage areas
Institutional kitchens
Restaurants
USDA inspected food processing facilities

Athletic facilities
Barber shops
Business and office buildings
Colleges
Correctional facilities
Dressing rooms
Exercise facilities
Factories
Hotels
Institutional facilities
Institutions
Locker rooms

Motels
Prisons
Public facilities
Public rest rooms
Salons [Beauty] [Tanning]
Schools
Shower and bath areas
Universities

Camp grounds
Play ground equipment

Animal laboratories
Dairy farms
Farms
Hog farms
Kennels
Poultry farms
Pet animal quarters
Pet shops
Turkey farms
Zoos

Airplanes
Airports
Ambulances
Boats
Buses
Campers
Cars
Emergency [Police] [EMS] [Fire] [Rescue] vehicles
Mobile homes
Railcars
Ships
Taxis
Trailers
Trains
Transportation terminals
Trucks [Box Trucks]

NOTIFICATION
Date Reviewed: 4/16/13
Reviewed By: [Signature]

[TYPES OF SURFACES:]

Use Lonza Formulation S-38 on washable hard, nonporous surfaces of:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding type of surface. No people or food will be depicted in graphics. Only exteriors of microwaves and refrigerators will be depicted. Toy graphics will be submitted to Agency for review.}

Appliances, exteriors
 Basins
 Bathroom fixtures
 Bathtubs
 Cabinets
 Cages
 Chairs
 Coils and drain pans of air conditioning and refrigeration equipment and heat pumps
 Conductive flooring
 Counters [countertops]
 Countertop laminates
 Desks
 Doorknobs [and handles]
 Fiberglass sinks, tubs, and showers
 Floors
 Floors – high speed burnished
 Foot Spas
 Garbage cans
 Highchairs
 Kennel runs
 Microwave ovens, exterior surfaces of
 Mirrors
 Outdoor [patio] furniture except cushions and wood frames
 Refrigerators, exteriors
 Refrigerated storage and display equipment
 Showers
 [Fiberglass] Shower stalls
 [Fiberglass] Sinks [bathroom, kitchen]
 Stoves [stovetops]
 Tables [picnic tables]
 Telephones
 Toilets
 Toilet bowls
 Toilet bowl surfaces
 Tubs [Fiberglass]
 Tiles, glazed
 Ultrasonic baths

Urinals
 Walls
 Whirlpool [bathtubs] [tubs] [units]
 Windows

Non-critical medical device surfaces
 [Medical] [Hospital] Beds
 Bed frames
 Bed rails
 Crutches
 Defibrillators
 Gurneys
 Non-critical [hospital] [medical] equipment surfaces
 [Medical] Examining tables
 [Medical] [Hospital] Lamps
 Rescue tools
 Resuscitators
 [Medical] [Hospital] Scales
 Stands
 Stretchers
 Stethoscopes
 Walkers
 Wheel chairs

Other hard nonporous surfaces made of:

Fiberglass
 Formica®
 Glass
 Glazed ceramic
 Glazed enameled surfaces
 Glazed porcelain
 Metal
 Plastic [such as polystyrene or polypropylene]
 Sealed stone
 Stainless steel
 Upholstery, vinyl and plastic
 Woodwork, finished

NOTIFICATION
 Date Reviewed: 4/18/13
 Reviewed By: [Signature]

For Poultry Premise Sanitation [Hatcheries]:

- Buggies
- Ceilings
- Chick Holding Room
- Chick Loading Area
- Chick Processing Area
- Drinkers
- Egg Flats
- Egg Holding Area
- Egg Receiving Area
- Floors

- Hatchery Room
- Poultry Buildings
- Poultry House related equipment
- Racks
- Setter Room
- Sidewalls
- Tray Dumping Area
- Trays

and other hard, nonporous surfaces in the Hatchery environment.

For Swine Premise Sanitation:

- Chutes
- Creep area
- Dressing Plants
- Farrowing Barns and areas

- Hauling Equipment
- Loading Equipment
- Nursery blocks
- Waterers and Feeders

For Farm Premise Sanitation:

- Automatic feeders
- Feed racks
- Floors
- Forks
- Fountains and waterers

- Mangers
- Scrapers
- Shovels
- Troughs
- Walls

and other nonporous surfaces in barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.

For *Virucidal Effectiveness:

Lonza Formulation S-38 is an effective virucide in the presence of 5% serum against the following organisms:

- *Influenza Virus Type A / Brazil [Influenza]
- *Hepatitis B Virus [HBV]
- *Hepatitis C Virus [HCV]
- *Herpes Simplex Virus Type 1
- *Herpes Simplex Virus Type 2
- *HIV-1 [AIDS virus]
- *Vaccinia Virus [Small Pox Virus]

- Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by influenza A virus. This product [Product Name] is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza Virus Type A/Brazil and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.
- This product has demonstrated effectiveness against Influenza Virus Type A/Brazil and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus.

NOTIFICATION
 Date Reviewed: 4/15/13
 Reviewed By: [Signature]

For Hospitals, Medical and Dental Offices, Nursing Homes and other Medical Facilities:

According to AOAC Use Dilution Test, **Lonza Formulation S-38** is an effective hospital disinfectant in the presence of 5% organic serum against the following gram negative and gram positive organisms [Bacteria]:

- Pseudomonas aeruginosa [Pseudomonas]
- Salmonella enterica [Salmonella]
- Staphylococcus aureus [Staph]

- Acinetobacter baumannii [Acinetobacter]
- Corynebacterium ammoniagenes [Brevibacterium ammoniagenes]
- Enterobacter aerogenes
- Enterococcus faecalis - Vancomycin resistant [VRE]
- Escherichia coli [E. coli]
- ESBL Escherichia coli – [Extended spectrum beta-lactamase producing E. coli]
- Klebsiella pneumoniae [Klebsiella]
- Pseudomonas cepacia [Pseudomonas]
- Salmonella schottmuelleri [Salmonella]
- Serratia marcescens
- Shigella dysenteriae [Shigella]
- Staphylococcus aureus Methicillin-Resistant [MRSA]
- Staphylococcus aureus - Vancomycin Intermediate Resistant – [VISA]
- Streptococcus faecalis [Strep]

For Schools, Public Rest Rooms, Athletic Facilities, Food Processing Plants, Food Storage Areas, Kitchens, Restaurants, Bars, Transportation Terminals, Hotels, Motels and Other Non-Medical Institutional and Industrial Uses:

According to AOAC Use Dilution Test, **Lonza Formulation S-38** is an effective broad spectrum general disinfectant in the presence or 5% organic serum against the following organisms:

- Brevibacterium ammoniagenes [Brevibacterium]
- Enterobacter aerogenes
- Escherichia coli [E. coli]
- Klebsiella pneumoniae [Klebsiella]
- Salmonella enterica [Salmonella]
- Salmonella schottmuelleri [Salmonella]
- Serratia marcescens
- Shigella dysenteriae [Shigella]
- Staphylococcus aureus [Staph]
- Streptococcus faecalis [Strep]

Lonza Formulation S-38 is a sanitizer for hard porous and nonporous non-food contact surfaces at according to the method for Sanitizers – Non-food Contact surfaces, modified in the presence of 300 ppm hard water plus 5% organic serum in 60 seconds against:

- Klebsiella pneumoniae
- Staphylococcus aureus

NOTIFICATION
 Date Reviewed: 11/18/13
 Reviewed By: [Signature]

Preparation of Use-Solution:

- Disinfection [- Medical][1:64]..... 2 oz. per gallon of water
 - Disinfection [- Non Medical][1:128]..... 1 oz. per gallon of water
 - Virucide [1:128]..... 1 oz. per gallon of water
 - Sanitizer [1:256]..... 1/2 oz. per gallon of water [150 ppm active]
 - Mold and Mildew Control..... 1 oz. per gallon of water
 - Heavy Duty Use..... 8 oz. per gallon of water
- For heavy duty use, add [mix] 8 oz. of **Lonza Formulation S-38** per gallon of water.

*{If the following Spanish statement is used, it must appear directly above DIRECTIONS FOR USE.}
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand the label, find someone to explain it to you in detail.]*

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended.

Prepare fresh solution daily or more often if the solution becomes visibly dirty or diluted.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray.

For fungicidal activity:

At 1 oz. per gallon of water, **Lonza Formulation S-38** is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

For mold and mildew control:

At 1 oz. per gallon of water, **Lonza Formulation S-38** will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Allow to dry on surface. Repeat every seven days or more often if new growth appears.

{Note for reviewer: For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used:}

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

{or}

This product is not for use on medical device surfaces.

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.

Personal Protection: Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of **Lonza Formulation S-38**.

Contact Time: Leave surface wet for 10 minutes

Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL [AND] [URINAL] DISINFECTANT / CLEANER DIRECTIONS:

If surfaces are visibly dirty, preclean first.

From Concentrate:

Add 1 – 2 oz. to the bowl water and mix. Thoroughly brush or swab over exposed surfaces including under the rim with a cloth, mop or sponge. Allow to stand for 10 minutes and flush.

From Use Solution:

Empty toilet bowl [or] [urinal] and apply a 1 – 2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

For Heavy Duty Use:

Empty toilet bowl [or] [urinal] and apply an 8 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

SALON / BARBER INSTRUMENTS AND TOOLS DISINFECTION [BACTERICIDE] / VIRUCIDE / FUNGICIDE DIRECTIONS:

Use [Mix] 1 - 2 oz. of **Lonza Formulation S-38** per gallon of water [$\frac{1}{4}$ - $\frac{1}{2}$ oz. per quart of water] [or equivalent dilution] to disinfect hard, nonporous instruments and tools. Completely immerse combs, brushes, rollers, manicure and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use. Prepare fresh solution daily or more often if solution becomes diluted or soiled.

Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

ULTRASONIC BATH DISINFECTANT DIRECTIONS:

Use **Lonza Formulation S-38** to disinfect hard nonporous non-critical objects compatible with Ultrasonic cleaning units. Pour fresh use-solution of 1 - 2 oz. of **Lonza Formulation S-38** per gallon of water directly into bath chamber. Pre-clean heavily soiled objects. Place objects into unit and operate for a minimum of 10 minutes, according to the manufacturer's directions. Remove objects and wash with sterile water [sterile water for injection] or allow to air dry. Prepare fresh solution for each use.

DISINFECTION OF [WHIRLPOOL [BATH(S) [UNITS]]]:

After using the [whirlpool [bath] [unit]] drain and refill with fresh water to [just cover the intake valve] [cover the highest jet] [2 inches above the highest jet]. Add 1 – 2 oz. of **Lonza Formulation S-38** for each gallon of fresh water added. Start the pump to circulate the solution. Wash down [the [deck] [seat of chair lift] [any related equipment]] any uncovered surfaces on the [bath] [unit] with a clean swab, brush or sponge with the solution. Treated surfaces must remain wet for 10 minutes. After the [bath] [unit] has been thoroughly disinfected, drain and rinse surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for heavily soiled units.

NOTIFICATION
Date Reviewed: 4/16/13
Reviewed By: [Signature]

[WHIRLPOOL] FOOT SPA DISINFECTION DIRECTIONS:

After using [whirlpool] foot spa, drain the water and thoroughly clean all hard, non-porous surfaces with soap or detergent. Rinse with water. Saturate surfaces with 2 oz. of product per gallon of water to exposed surfaces with cloth, sponge, or sprayer. Brush or swab thoroughly and allow solution to stand for 10 minutes. After unit has been thoroughly disinfected, rinse all cleaned surfaces with fresh water.

FOR USE ON FINISHED FLOORS: To limit gloss reduction use **Lonza Formulation S-38** at 1 – 2 oz. per gallon. Apply with a damp mop or autoscrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry. Do not use on floor finish at 8 oz. per gallon.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS:

For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 1 – 2 oz. of **Lonza Formulation S-38** per gallon of water [or equivalent dilution] for a period of 10 minutes. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

FARM PREMISE USE:

Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with a use-solution of 1 – 2 oz. of **Lonza Formulation S-38** per gallon of water [or equivalent dilution] for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

POULTRY AND SWINE PREMISE DISINFECTION DIRECTIONS:

Remove all animals and feeds from premises, vehicles, and enclosures such as coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use 1 – 2 oz. of **Lonza Formulation S-38** per gallon of water. Saturate surfaces with the disinfecting solution for 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, cars, trucks, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

Hatcheries: Use 1 – 2 oz. of **Lonza Formulation S-38** per gallon of water to treat hatchers, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces wet for 10 minutes or more. Wipe or allow to air dry.

Vehicles: Clean all vehicles including mats, crates, cabs and wheels with high pressure water and **Lonza Formulation S-38**. Use 1 - 2 oz. of **Lonza Formulation S-38** per gallon of water to treat all vehicles. Leave all treated surfaces wet for 10 minutes or more. Wipe or allow to air dry

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

Shoe Bath Sanitizer Directions: To prevent the cross contamination of organisms into animal areas, shoe baths containing one inch of freshly made solution must be placed at all entrances to buildings and hatcheries. Scrape waterproof work boots and place in a 1/2 oz. per gallon of water solution for 60 seconds prior to entering area. Change the solution in the bath daily or more often if solution appears diluted or soiled.

Dressing Plant Disinfectant Directions: Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all heavy soils prior to application. Saturate all surfaces with a 1 - 2 oz. per gallon of water use solution of **Lonza Formulation S-38**. Scrub to loosen all soils. Surfaces must remain wet for 10 minutes, then thoroughly rinsed with potable water before operations are resumed.

MUSHROOM FARM PREMISE USE:

Site Preparation: The first step in any on-going sanitation program must be the removal of gross contamination and debris. This may be accomplished by using a shovel, broom, or vacuum, depending on the area to be disinfected.

Cleaning and Disinfection: For general cleaning and disinfection, use 1 - 2 oz. of **Lonza Formulation S-38** per gallon of water [or equivalent dilution]. Apply use solution with a cloth, mop, sponge, sprayer or by immersion to thoroughly wet the surfaces. Treated surfaces must be allowed to remain wet for 10 minutes. Wipe or allow to air dry. For heavily soiled areas, preclean first. Prepare fresh solution for each use or more often if solution becomes visibly diluted, clouded or soiled.

For Heavy Duty Cleaning: When greater cleaning is desired, use 2 oz. of **Lonza Formulation S-38** per gallon of water. Heavily soiled areas may require repeated cleaning before treatment.

DO NOT APPLY USE-SOLUTION TO THE MUSHROOM CROP, COMPOST OR CASING. Rinse treated surfaces with potable water before they contact the crop, compost or casing.

SANITIZING NON FOOD CONTACT SURFACES: [such as floors, walls, and tables]. Add 1/2 oz. of **Lonza Formulation S-38** per gallon of water. **Lonza Formulation S-38** is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds. Wipe dry with a sponge, mop, or cloth or allow to air dry.

LAUNDRY SANITIZER DIRECTIONS: {Not for Use in California}

This product sanitizes by controlling or reducing the growth of odor-causing bacteria when used on washable laundry items such as bed spreads, sheets, pillow cases, diapers, towels and other wet linens. Use 1 oz. per 25 lbs. of dry weight fabric. Dilute the appropriate amount of **Lonza Formulation S-38** in one to two gallons of water, then add to the wash wheel in the final rinse. Laundered fabric may also be treated by soaking.

TO SANITIZE BARBER / SALON INSTRUMENTS AND TOOLS: Preclean barber/beauty salon instruments. Immerse hard, nonporous barber / salon instruments and tools [such as combs, brushes, razors, scissors, blades and manicure instruments] in a use-solution of 1/2 oz. of **Lonza Formulation S-38** per gallon of water [or equivalent dilution] for at least 60 seconds [one minute]. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if solution becomes visibly diluted, cloudy or soiled.

NOTE: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

TO CLEAN AND DEODORIZE: Mix 1 - 2 oz. of **Lonza Formulation S-38** per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

GLASS CLEANING / DEODORIZING DIRECTIONS:

Add 1/2 - 2 oz. of **Lonza Formulation S-38** per gallon of water to clean and deodorize windows, mirrors and glass surfaces. Use a coarse spray device. Spray 6 - 8 inches from surface. Rub with a sponge or cloth. Do not breathe spray.

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

For Bag – In – Box Containers:

How to use this package:

This package is designed to be used with dilution control systems only. Open package and connect to dispense according to directions on box top.

Trigger Sprayers:

Fill bottle from dispenser.

Apply to surfaces as specified in directions above.

Mop Buckets:

Fill bucket from dispenser.

Set up "Wet Floor" signs.

Mop floor surface as specified in directions above

[GENERAL DISPENSER INSTRUCTIONS] *{These instructions may be substituted for any dispensing device to prepare the use solution}*: [Remove cap and] insert cartridge [bottle] into dispenser. Note: See dispenser instructions for proper placement. Once cartridge [bottle] is properly inserted into dispenser, follow dispenser use instructions to dispense a [insert use dilution rate here] solution into a bucket, bottle, scrubber or other container.

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

{Note to reviewer: For Nonrefillable Containers, Label has Household and Residential Uses}

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

{or}

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

{Note to reviewer: For Nonrefillable Containers for commercial, industrial, and institutional uses – all sizes – No Reuse Rinsate Statement for Public Health Use products. Chapter 13, Table 6 of the Label Review Manual states that for “All products in containers that could be burned,” the registrant has the option to “Remain silent on burning;” therefore, no incineration language is provided for plastic containers.}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

[Plastic and Metal Containers:] Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

[Metal containers only:] DO NOT cut or weld metal containers.

[Bag in Box Containers:] Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

{Note to reviewer: For Nonrefillable Sealed Containers: Packaging options can be in sealed containers or bottles designed for use dilution systems to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these sealed container types:}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

{SECONDARY CONTAINER LABEL}

{Note to reviewer: This secondary container label will be used only when the product is diluted at 2 oz. or less per gallon of water. Other dilutions must use concentrate signal word and precautionary statements from page 1 and 2.}

LONZA FORMULATION S-38

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	1.140%
Diocetyl dimethyl ammonium chloride.....	0.456%
Didecyl dimethyl ammonium chloride.....	0.684%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	1.520%
Inert [Other] Ingredients:	96.200%
Total:.....	100.000%

The product in this container must be diluted at the use rate of 2 oz. or less per gallon of water as directed on the pesticide product label.

KEEP OUT OF REACH OF CHILDREN

CAUTION [PRECAUCIÓN]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Follow the directions for use on the pesticide label when applying this product.

EPA Reg. No. 6836-73

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]

{Note to reviewer: The following are optional graphics and marketing language}

{Note to reviewer: The following may be used only if the supplemental registrant has obtained an NSF listing. Allowed on back or side panel only.}



[NSF Listed]
(Insert NSF 6-Digit Listing Number here)

NOTIFICATION
Date Reviewed: 4/18/13
Reviewed By: [Signature]