Longa, Inc. 17-17 Route 208 Pair Lawn, NJ 07410

FEB - 6 1989

Attention: Debra L. Rogler

Gentlemen:

Subject: Lonza Formulation R-82

EPA Registration No. 6836-78

Your Ame. ded Application Dated March 22, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Pungicide, and Rodenticide Act, is acceptable provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Refer to the enclosed Efficacy Evaluation and Technical Efficacy Review - II, and revise your labeling in accordance with the labeling comments outlined there.
 - b. Refer to the enclosed document "Label Requirements for Antimicrobial Pesticides Used on Hard Surfaces Against HIV-1 (AIDS Virus)" for EPA's current labeling policy for efficacy claims. Your labeling must be revised in accordance with the requirements outlined in this policy notice.
 - c. Delete the word "milk."
 - d. Delete the statement "Measures against . . . convulsion may be needed."
 - e. Delete the statement "For Sale For Use And Storage By Maintenance Personnel Only."
- Submit five (5) copies of your final printed labeling before you release the product for shipment.

54701:I:Leavy:LL-07:KENCO:12/20/RB:02/03/R9:aw:V0:IX:AS								
SYMBOL								
SURHAME)	***************************************]				·	70
DATE	*************							4
EPA Form 1320-1 (12-70)							EL JEEK	TALPILE, COPY

The state of the same

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosures

Cross-contemination is of major housekeeping concernationly in hospitals, but in schools, institutions, and industry. LONZA FORMULATION R-82 has been formulated to aid in the reduction of cross-contemination in these areas.

LONZA POSSELATION E-82 is a one-strp disinfectant cleaner that is effective against a broad spectrum of becterin, viruses (including NIV), fungi and inhibits the growth of mold and mildow and their odors when wood as directed.

LONZA PORMELATION R-82 is an effective one-step semitizer-cleaner for use on feed contact as well as non-feed contact surfaces. When used as directed, LONZA PORMELATION R-82 will desderize surfaces in teilet areas, behind and under sinks and counters, garbage came and garbage storage areas, end other places where becterial growth can cause and eders.

Precautionary Statements Hazard to Humans and Domestic

Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye and skin demage. De not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatel if evaluated or absorbed through skin. Avaid contamination of food.

Storage and Disposal

- Do not contaminate water, food, or feed by storage disposal.
- -Do not store on side.
- -Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Posticide wastes are acutely hazardous. Improper disposed of success posticide, spray or miniure of rineats is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hezardous Weste representative at the nearest EPA Regional Office for guidence.

CONTAINER DISPOSAL

Triple rinne for equivalent). Then after for recycling or recenditioning or puncture and dispose of in a sentiary landiti, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smalls.

Motel Container: Piple rines for equivalent), these after for recycling or reconditioning, or dispose of in a sentiary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallen or less, use this container disposal statement.)

Do not rouse empty container (bottle, can, bucket). Wrap container and put in tresh.

LONZA FORMULATION R-82

Disinfectant-Cleaner-Sanitizer-Fungicide
Mildewstat-Virucide*-Deodorizer
for Hospitals, Institutional and Industrial Use

Effective in hard water up to 400 ppm hardness (calculated as CaCO₃) in the presence of 5% serum contamination

Active Ingredients

Octyl decyl dimethyl ammonium chloride Dioctyl dimethyl ammonium chloride Didecyl dimethyl ammonium chloride Alkyl (C₁₄, 50%; C₁₂, 40%; C₁₆, 10%) dimethyl benzyl ammonium chloride

Inert Ingredients

78.300

F 510

3.004

3,506

8.680

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of war for at least 15 minutes. For eyes, call a physician. Remove and wa contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gela solution; or if these are not evailable, drink large quantities of well Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindic; the use of gestric levage. Measures against circulatory shor respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

6836-

EPA Establishment No.

6836-IL

ţ

Net Contents

MANUFACTURED BY:

LONZA INC., 17-17 Route 208, Fair Lawn, N.J. 97410

For Sale For Use And Storage By Maintenance Personnel Only

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LORZA FORMULATION R-62 to a preven "one step" dein-tectent,— cleaner—sentitive—fungicide—mildowstm—virucide which to effective in water up to 400 ppm hardness in the presence of 5% serum commination.

passence of the period communication.

Apply LOREZA FORMULATION R-82 to walls, fleers and other hard (manimale) non-period surfaces such as tables, chairs, countesteps, sinks, the providing and bedinnes with a cloth, map or machanical appropriation so as to thoroughly well surfaces. For heavily solid areas, a proliminary cleaning to required. Propers a test solution daily or when use askulan because visitily dirty.

Disinfection — to disinfect hard, non-parous surfaces, add 0.5 ee. per gallen of water. Treated surfaces must remain wat for 10 minutes. The activity of LONZA FORMULATION R-82 has been add to the surface of fifth news and 450 mm hard. ean authored in the presence of 5% serum and 400 gpm hard after by the ACAC use dilution test and found to be effective sing a bread spectrum of gram negative and gram ptoliks

phylococcus autous sichia cali branimages core bladaves يرينوني والهزر

Salmanelle schottmusteri Straptrosocus Isacella Shigulla dysentarida Granibacterium amman nelle typhi Serrate mercescens Porudomenso capacia

*VIRNCIDAL PREFORMANCE, At 0.5 or, per gallen use-level LOWA FORMEATION 8-82 was evaluated in the presence of SX secret and 400 ppm hard water against the following virence found on imminute hard wee-person 40 instante apricationatel sufferen:

HIV Hespes Simples Types 1 and 2 Influence A/Proxil Vaccinis

Fungicidal Ferformence — LOSZA FORSKILATION R-02 is un effective fungicide against Michaelsytes municipalitytes (the elfiste's fast fungus) when used an eurlaces in uress such as factor reams, dressing sums, shower and both cross, exercise facilities ..., at 05

Motel and Mildow Control. At 05 or Apollon, LONZA FORMULATION (N-02 will effectively which the greath of make and address and the eders caused by them when applied to hard, non-pursue buriaces (as implicated in general improclima above). Alber to dry on surface and reposit when suidon greath

Senicizing Food Contact Surfaces. At 0.5 ms per 5.3 gallens water use Lenna Pormulation 8-82 for senitizing gallone water use Lones Permilation R-RZ for conting and closning of equipment and utserfle in food processing, dairy industry, here, restourants, institutional kitchens, met and poultry processing plants and form. Do not rises with water. For heavily soiled equipment or utserfle, pre-wash with Permilation R-RZ. Rises with close tester, then apply recommended dilution of Permilation R-RZ with a cloth, and the second of the second content of the second of the s methenical spray device (spray surface until theroughly wetted) or imercion. Treated surfaces must remain set for 1 minute. Propers a fresh solution for every use. BO NOT rouse mechanically applied use solution for conitizing,

Portulation 2:22 can be used in accordance with the U.S. Public Health Service food service senitation recommendar for

Sanhlaing-Hon-Food Control Sanhasos fouch as Room, wells, tables, etc.). At 05 or, per S5 galler use-bast, LONZA FORMU-LATI 3H R-82 is an effective continer against Staghylacoccus survius and Historicita procumentes on hand persus and non-persus environmental purisces. Bested surlaces asset remain

ACCEPTED with COMMENTS in EPA Letter Detek

FEB - 6 1989

Under the Federal Insecticide, Fungicide, and Redunticide Act as amended, for the posticide registered under EPA Reg. No. 6836-78