HYAMINE® 350

For the Formulation of Disinfectants and Sanitizets

Active ingredients: Alxyl (C14, 50%; C12, 40%; C16, 10%) Dimethyl Benzyl Ammonium Chloride Ethanoi

Inert Ingredients: Water

55 Gallons/Net Weight 440 pounds

KEEP OUT OF REACH OF CHILDREN

FEB 1 8 1986 Under the Ladaral Insection. ... 10% Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Est No 68 % IL-/ 100%

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Coll a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed, Ayold contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES permit, For guidance contact your Regional Office of the Environmental Protection Agency.

DIRECTIONS FOR USE

Hyamine 3500 - 5046 is a concentrate for formulating purposes only. Use only according to the directions in the Technical Bulletin available from the manufacturer.

NOTE: This product should not be used or compounded with any reducing or cutolizing agents (such as calcium hypochlorite, solid perchlorate, or nitric acid) since such admixtures may be explosive. Do not use in conjunction with soap or any anionic welling agent.

Keep above 40°C. The effectiveness of Hyamine 3500 is not reduced by low temperatures. It is a concentrated product and may crystalize or get below 40°F. Before use, stir thoroughly to insure uniformity. Keep container closed to avoid loss of solvent.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage disposal.
- -Do not store on side.
- -Avoid creasing or Impacting of side walls.

PESTICIDE DISPOSAL

Posticide wastes are acutely hazardous, improper disposal of excers posticide, agray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label Instructions, contact your State Pestickie or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If ourned, stay out of smoke.

PHYSICAL OR CHEMICAL HAZARDS

OO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

FAIR LAWN, N.J.-MAPLETON, ILL.-ASHTON, R.I.-BAYPORT, TEX.-LONG BEACH, CA.