MAR 0 8 1988

Lonza, Inc. 17-17, Route 208 Pair Lawn, NJ 07410

Attention: Joe Conti

Gentlemen:

Subject: Hyamine 3500 (50%)

EPA Registration No. 6836-94

Your Application Dated June 22, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

 In the Statement of Practical Treatment section, revise "If swallowed, immediately give 3-4 glasses of milk; if unavailable, give water" to read:

If swallowed promptly drink a large quantity of egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Place the signal word "DANGER" immediately below the statement "Keep Out of Reach of Children."

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

50271:I:DeLaney:L-13:KENCO:02/09/89:03/27/89:CL:VO:EK:CL

CONCURRENCES								
STHEOL								
SURNAME					ŀ			
DATE		-						
EPA Form 1920-1 (12-70) OFFICIAL FILE COP								

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-6982.

Sincerely yours,

John H. Lee 🖢

Product Manager (31)

Antimicrobial Program Branch Registration Division (TS-767C)

Enclosure

HYHMINE 3500-50

For use by Manufacturers only in Formulating Microbiocides, Algaecides, Disinfe

Active Ingradients: n-Alkyl (C14-50%, C12-40%, C16-10%) Dinethyl Benzylannonium Chloride . .

CAS. NO. MIXTURE

Net Height 440 Pounds KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE. Causes severe ege and stim damage. Narnfol or fatal if smallowed. Do not get in eges, on skin or on clothing. Hear safety glasses and rubber gloves. Hash thoroughly with some and mater after handling. Modd contamination of food.

STATEMENT OF PRACTICAL TREATMENT

For eges and stin flush with plenty of water for at least 15 nimites. (Egelids must be beld open). Call a physician immediately. Remove contaminated clothing and mush before reuse. If smallowed, immediately give 3-4 glasses of milk; if unavailable, give mater. Do not induce voniting. Call a physician.

MOTE TO PHYSICIAN: Probable micosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and compulsion may be needed.

ENUIRONMENTAL HAZARDS

This pesticide is toxic to fish. Bo not discharge effivent cantaining this active ingredient into lakes, streams, pends, estuaries, oceans, or public upters, unless this product is specifically identified and addressed in MPSES permit. Do not discharge officent containing this product to sener systems without previously motifying the senage-treatment-plant authority. For guidance contact your State Hater Board or Regional Office of the EPA.

FOR HELP IN A CHEMICAL EMERGENCY GAIL EMEMTREC 800-424-9300 BEFORE USING CONSULT MATERIAL SAFETY DATA SHEET

> PHYSICAL OR CHEMICAL HAZARDS DO MOT USE OR STORE MEAR HEAT OR FLAME!

DIRECTIONS FOR US It is a violation of federal Law to use this p inconsistent with its labeling. Hyanine 3500-50% is a concentrate for formulat

Use only in accordance with the directions in Sulletin from the manufacturer.

NOTE: This product should not be used or compa reducing or exidizing agents (such as calcium perchlorate, or mitric acid) since such mixtur explosive. Do not use in conjunction with soap metting agent.

STORAGE AND DISPOS - Do not contaminate mater, food, or feed by s

- Do not store on side.

CONTAINE

Triple risse (or equivalent). Then offer for t in a sanitary landfill, or incineration, or, i If burned, stay out of smake.

PESTICIO Pesticide wastes are acutely hazardous. Improp rigate is a violation of Federal Law. If thes label instructions, contact your State Pestici Hoste representative at the nearest EPA Region