UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



6836-113

# United States Environmental Protection Office of Pesticide Programs

DEC 16 2000

Joanna Holcombe Lonza Inc. 90 Boroline Road Allendale, NJ 07401

FILE

Subject: Dantochlor RW EPA Registration No. 6836-113 Application Date: November 19, 2009 Receipt Date: November 20, 2009

Dear Ms. Holcombe:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

# **Proposed Notification:**

Revision to Storage and Disposal statement per PR Notice 2007-4

# **General Comments:**

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Acting Product Manager (32) Regulatory Management Branch II Antimicrobials Division (7510P)

EPA	United 3	States	:	🗌 Regi	stration		OPP Ide	ntifier Number	
LLA	Environmental Pr	otection Agency	y i	🗌 Ame	ndment				
	Washington,	DC 20460	:	🛛 Othe	r			·····	
	:	Application	for Pest	ticide - Sectio	on 1				
	Company/Product Number 2. EPA Product Manager <b>6836-113</b> Emily Mitchell						3. Proposed C	lassification	
6836-113 4. Company/Product (Nam	e)		Emily M PM#				⊠		
Dantochlor			32				None None	Restricted	
	oplicant (Include ZIP Code)					FIFRA Section	on 3(c)(3)(b)(l), m	y product is similar	
Lonza Inc. 90 Boroline F	Dood	0	r identical i	n composition and	i labeling to:				
	Allendale, NJ 07401 EPA Reg. No.								
7 mondulo, 145	Product Name								
Check if this is a new	address								
Section – II									
Amendment - Expl	ain below.			Final printe	d labels in re	sponse to Age	ency letter dated		
Resubmission in response to Agency letter dated "Me Too" Application									
	Notification - Explain below.								
Explanation: Use a	additional page(s) if nec	essary. (For Sec	tion I and	Section II.)					
	of label change to u								
	consistent with the prov								
	made to the labeling or								
	' to willfully make any f 98-10 and 40 CFR 152.								
	Sections 12 and 14 of 1		<i>nuy ee</i>	notation of 1	11 101 ana 1	may be sub		menti uction	
		11 1					~ ~		
Signatu	re: <u>Joanna</u> j	Holcombe	jeiz	E	Date:	11-19-0	99		
						<u></u>			
			Section	<u>– III</u>			·		
<ol> <li>Material This Product Child-Resistant Packagin</li> </ol>		raging		Water Soluble I	Packaging	<u> </u>	2. Type of Conta	iner	
Yes*			Water Soluble Packaging Yes				Metal		
No	No						Plastic		
*Certification must	be If "Yes"		per	lf "Yes"		per	Glass		
submitted	Unit Pack	aging wgt. con	tainer	Package wgt.	con	tainer	Paper		
						,	Other (Speci	fy)	
3. Location of Net Cont		4. Size(s) Retail Con	ntainer		5.	n	Label Directions		
Label	Container				-	On Label			
6. Manner in Which La	hel in Affiyed to Product	Lithagraph		Othe		On labeling	g accompanying p	oduct	
6. Manner in which La	bei is Affixed to Product	Lithograph			ſ				
		Stenciled	•					<u> </u>	
			Section	– IV				1	
1. Contact Point (Compl	ete items directly below for it	dentification of indivi	idual to be i	contacted, if neces	sary, to proc	ess ihis appli	cation)		
Name		Title						clude Area Code)	
Joanna Holcombe		Sr. (	Commerci	al Regulatory S	ervices As	sociate	201-316-9297		
Certification								cation Received	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.							(Stamped)		
2. Signature Joanna Holcompe /cz 3. Title Sr. Commercial Regulatory Services Associate						1	• /		
4. Typed Name	- 14,000,000/0	5. Date					1		
Joanna Holcombe			ember 1						
EPA Form \$570-1 (Pey 8-0)	1) Previous editions are obso	lata	1	W/h	ite, FPA File	( 'ony (origin	al) Vellow- Appl	cant Conv	

Please read instructions on reverse before completing form. Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

8570-1 (Rev. 8-94) Previous editions are obsolete

EPA File Copy (original) Арр ניי 2/6

# Via FedEx

Ms. Emily Mitchell, PM-32 Document Processing Desk (NOTIFY) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202 Lonza Inc Allendale 90 Boroline Road Allendale, NJ 07401, USA

Lonzd

Joanna Holcombe Lonza Life Science Ingredients Commercial Regulatory Services

Tel 201-316-9297 Fax 201 696-3470 Joanna.holcombe@lonza.com

November 19, 2009

# SUBJECT: Dantochlor RW EPA Registration No. 6836-113 Application for Label Notification

Dear Ms. Mitchell:

The Purpose of this notification is to add the following:

# Update Storage and Disposal per PR Notice 2007-4

Please find enclosed the following documents in support of this label notification:

- Application for Pesticide Notification
- One copy of the label with changes highlighted
- Two copies of the draft label

If you have any questions or need any additional information, please feel free to contact me at 201-316-9297.

Sincerely, Lonza Inc.

Holcombe/cit Joanna

Joanna Holcombe Sr. Commercial Regulatory Services Associate

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** HIGHLY CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Do not take internally. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear protective clothing, chemical resistant gloves, and protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

# FIRST AID

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

**IF SWALLOWED**: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED**: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

# PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or wellventilated area. Flood with large volumes of water, if necessary.

# DANTOCHLOR RW

Contents: BRIQUETTES

Active Ingredients:

1,3-dichloro-5,5-dimethylhydantoin	.81.1%
1,3-dichloro-5-ethyl-5-methylhydantoin	
Other Ingredients	<u>2.8%</u>
Total	100.0%

Minimum available chlorine - 68.0%

# KEEP OUT OF REACH OF CHILDREN

# DANGER

See side / back / right / left panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-113 Est. No. 6836-PA-1 Net weight: <u>(as indicated on container)</u>

> LONZA INC. 17-17 Route 208, Fair Lawn, NJ 07410

Emergency Contact Number: (\_\_\_\_\_

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling. For industrial use only.

#### RECIRCULATING COOLING WATER SYSTEMS AND SEWAGE SYSTEMS

DANTOCHLOR RW aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water towers, influent systems such as flow through filters, industrial water scrubbing systems, brewery pasteurizers and sewage systems (septic tanks, leach fields, tank lines, sewers, lagoons, and sewage effluent water).

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

# FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

**INITIAL DOSE:** When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of the water in the system. Repeat until control is achieved.

**SUBSEQUENT DOSE:** When microbial control is evident add 0.1 to 0.75 pounds per 1000 gallons. (or 12 to 90 ppm) of water in the system every 3 days or as needed to maintain control.

# CONTINUOUS FEED METHOD

**INITIAL DOSE:** When a system is noticeably fouled, add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain dosage of 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system.

# FOR CONTROL OF ALGAE INTERMITTENT OR SLUG METHOD

**INITIAL DOSE:** When the system is noticeably fouled add. 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system. Repeat until control is achieved.

**SUBSEQUENT DOSE:** When algae control is evident add 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) daily or as needed to maintain control.

# CONTINUOUS FEED METHOD

**INITIAL DOSE:** When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system. Repeat until control is achieved.

**SUBSEQUENT DOSE:** Continuously feed to maintain a dosage of 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system.

#### **AIRWASHERS**

For use only in industrial airwasher systems that maintain effective mist eliminating components.

DANTOCHLOR RW controls slime forming bacteria, fungi and algae in industrial airwasher systems. Add this product at the rate of 0.1 to 1.0 pound (12 to 120 ppm) per 1000 gallons of water in the system, depending upon the severity of the contamination.

Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1.0 ppm as free chlorine.

Badly fouled systems must be cleaned before treatment is begun.

# INTERMITTENT OR SLUG METHOD

**INITIAL DOSE:** When system is noticeably fouled add to airwasher sump or chill water sump to insure uniform mixing. Add 0.1 to 1.0 pounds per 1000 gallons (or 12 to 120 ppm) of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.6 pounds per 1000 gallons (or 12 to 72 ppm) of water.

### CONTINUOUS FEED METHOD

**INITIAL DOSE:** When system is noticeably fouled add to airwasher sump or chill water sump to insure uniform mixing. Add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.6 pounds per 1000 gallons (or 12 to 72 ppm) of water.

# ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

When used as directed, this product effectively controls algal, bacterial and fungal slimes in open or closed-cycle, fresh or salt water, once-through cooling systems. Treat cooling water with this product at the system intake or other critical areas, where mixing is uniform.

#### DOSAGE RATES

**INITIAL DOSE:** When system is noticeably fouled, add 0.2 - 0.6 pounds per 1000 gallons of water contained in the system. Repeat initial dosage until one to three ppm (mg/L) chlorine residual is established for at least 4 hours.

**SUBSEQUENT DOSE:** When microbial control is evident, add 0.1 to 0.3 pounds per 1000 gallons of water contained in the system. Repeat as needed to maintain one to three ppm chlorine residual for at least 4 hours.

#### PAPER AND PAPERBOARD PROCESS WATER

DANTOCHLOR RW is a patented biocidal formulation for application in the paper industry.

DANTOCHLOR RW prevents bacterial slime formation and deposition through the rapid delivery of an ideal balance of free and combined halogen. When used properly, DANTOCHLOR RW can reduce microbiologically induced corrosion, paper spots, holes, breaks and odors. By limiting microbial growth and bacterial slime formation, DANTOCHLOR RW increases machine runnability reducing unscheduled maintenance and lost production.

The patented DANTOCHLOR RW composition provides high solubility, fast dissolution and high halogen content without added binders or inert materials for maximum efficiency and product delivery.

DANTOCHLOR RW can be used in the manufacture of both food and non-food contact paper and paperboard.

# APPLICATION

DANTOCHLOR RW should be added to process water streams at or immediately prior to a point of sufficient mixing such as the fan pump or wire pit.

Standard dissolution feeders can be used for DANTOCHLOR RW applications. Make-up machine white waters and returning clarified dilution waters are examples of acceptable treatment waters.

**INITIAL DOSE:** When the system is noticeably fouled apply 0.5 - 2.0 pounds of DANTOCHLOR RW per ton of paper produced to achieve 0.1-1.0 ppm total available halogen as chlorine. Repeat treatment until residual is achieved.

**SUBSEQUENT DOSE:** When microbial control is evident, apply 0.5 - 2.0 pounds of DANTOCHLOR RW per ton of paper produced to achieve  $0.1^{-1}1.0$  ppm total available halogen as chlorine. Repeat periodically as needed to maintain control.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

# PESTICIDE STORAGE

Do not store in direct sunlight.

Do not store at temperatures above 100°F.

Do not store on side. Avoid creasing or impacting of side walls.

Store in a well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding.

#### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State pesticide or environmental control agent or the hazardous waste representative at the nearest EPA regional office for guidance.

# CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. *(Metal and plastic containers):* Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn if allowed by State and local authorities. If burned, stay out of smoke.

(Fiber drums and liners): Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by State and local authorities. Do not reuse empty drum or liner.