6836-115

2/28/2007

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

February 28, 2007

Georgia Anastasiou Agent for Lonza, Inc. c/o Lewis & Harrison 122 C St., NW Suite 740 Washington, DC 20001

Subject: Dantobrom RW EPA Registration No. 6836-115 Application Date: February 5, 2007 Receipt Date: February 7, 2007

Dear Ms. Anastasiou:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

Correction of typo to Directions for Use

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

		·····	CON	URRENCES			
		7570P					1
JANAME	E.Bera	Henson		*******	******	• • • • • • • • • • • • • • • • • • • •	* ***********************************
ATE	2/28/07	2/28/07	*******	•••••••••		•••	+
EPA Form	1320-14 (1/90)		Printed on	Recorded Rev	I		<u> </u>

			_		2 77			
Please read instructions on reverse be	fore completing form. United States vironmental Protection Washington, DC 2046		🗌 Regis	tration dment	0-0060, Approval expires 05-31-98 OPP Identifier Number			
	Applicatio	n for Pes	ticide - Sectio	on I				
1. Company/Product Number 6836-115		2. EPA P Emily N	roduct Manager I itchell		3. Proposed Classification			
4. Company/Product (Name) Dantochlor RW	PM# 32			X None Restricted				
5. Name and Address of Applicant Lonza, Inc. 90 Boroline Rd. Allendale, NJ 07401 <u>PLEASE SEND ALL COR</u> <u>"CONTACT POINT"</u>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and fabeling to: EPA Reg. No Product Name							
Check if this is a new a	address	Section			<u></u>			
Amendment - Explain below. ☐ Final printed labels in response to Agency letter dated Mesubmission in response to Agency letter dated ☐ "Me Too" Application Notification - Explain below. ☐ Other - Explain below Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Application for Notification to correct typographical error for the dosage rate in the Control of Algae Continuous Feed Method for Subsequent Dose directions on page 2. Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 00 CFR 152 46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a vuldation of IR 0.52 46, and no other changes have been made to the labeling or the confidential statement of FR Notice 98-10 and 40 CFR 152 46, this product may be in vuldation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA Signature:								
*Certification must be submitted 3. Location of Net Contents Inform Label Con	Unit Packaging wgt. c	lo, per container tail Containe	lf "Yes" Package wgt.	On Lab	Glass			
6. Manner in Which Label is Affixer	d to Product	ued	Other					
	· · ·	Section	- IV					
1. Contact Point (Complete items d Name Georgia Anastasiou, Lewis C Street NW, Ste. 740, Washington I certify that the statements I have a	& Harrison, LLC, 122 Title b, DC 20001 Certification nade on this form and all attac	A n hments there	gent for Lonza, Ir	e and complete.	Telephone No. (Include Area Code) 202-393-3903 x19 6. Date Applica ion Received			
acknowledge that any knowingly fal under applicable law. 2. Signature	se or misleading statement ma	iy be punisha Title	ble by fine or impris Agent for Lonza, 1	onment or both	(Stamped)			



122 C Street, N.W., Suite 740 Washington, D.C. 20001 telephone 202.393.3903 fax 202.393.3906

Consultants in Government Affairs

February 5, 2007

HAND DELIVERED

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency One Potomac Yard 277 S. Crystal Drive Arlington, VA 222021

ATTENTION:	Emily Mitchell Product Manager (32)
SUBJECT:	Lonza, Inc.
	Dantobrom RW (EPA Reg. No. 6836-115)
	Application for Pesticide Notification.

Dear Ms. Noble:

On behalf of Lonza Inc, we are submitting an application for Pesticide Notification for the product **Dantobrom RW** (EPA Reg. No. 6836-115). The purpose of this notification is to correct a typographical error for the dosage rate in the Control of Algae Continuous Feed Method Subsequent Dose directions located on page two of the label. Please note we are correcting the dosage from .12 to 0.1, which is the correct rate that is used throughout the label.

Enclosed please find the following documents in support of this submission:

- 1. Application for Pesticide Notification;
- 2. One (1) copy of the label with changes highlighted; and,
- 3. Two (2) copies of the labeling.

If you have any questions, or require any additional information, please feel free to contact me by phone at 202-393-3903 ext. 19, by fax at 202-393-3906, or by email at georgia@lewisharrison.com.

Sincerely,

Georgia Anastasiou Agent for, Lonza, Inc.

cc: Robert Sloan (Lonza, Inc.)

PRECAUTIONAL STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. HIGHLY CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Do not take internally. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or on clothing. Wear protective clothing, chemical resistant gloves and protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with molsture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or wellventilated area. Flood with large volumes of water, if necessary.

DAN TOBROM® RW

Contents: BRIQUETTES

Active Ingredients:

1-bromo-3-chloro-5,5-dimethylhydantoin	60.0%
1,3-dichloro-5,5-dimethylhydantoin	27.4%
1,3-dichloro-5-ethyl-5-methylhydantoin	10.6%
Inert Ingredients	2.0%
Total:	

Available bromine 39.2% Available chlorine 44.4%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side / back / right / left panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-115 EPA Est. No. 6836-PA-01 NET WEIGHT (as marked on container)

> LONZA INC. 90 Boroline Road, Allendale, NJ 07401

Emergency Contact Number: (_____)

FOR INDUSTR_ _ USE ONLY

Technical advice regarding specific on site problems are available from LONZA INC. A Material Safety Data Sheet relative to the use of this product is also available upon request.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS AND SEWAGE SYSTEMS

DANTOBROM RW aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water towers, influent systems such as flow through filters, industrial water scrubbing systems, brewery pasteurizers, sewage systems (septic tanks, leach fields, tank lines, sewers, lagoons, and sewage effluent water), photo processing wash water and paper and paperboard process water.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pounds per 1000 gallons (or 12 to 120 ppm) of the water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When a system is noticeably fouled, add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain dosage of 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system.

L. CONTROL OF ALGAE INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algae control is evident add 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system.

AIRWASHERS

For use only in industrial airwasher systems that maintain effective mist eliminating components.

DANTOBROM RW controls slime forming bacteria, fungi and algae in industrial airwasher systems. Add **DANTOBROM RW** at the rate of 0.1 to 1.0 pound (12 to 120 ppm) per 1000 gallons of water in the system, depending upon the severity of the contamination.

Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1.0 ppm as free chlorine.

Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When system is noticeably fouled add to airwasher sump or chill water sump to insure uniform mixing. Add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.60 pounds per 1000 gallons (or 12 to 72 ppm) of water.

CONTINUOUS FEED METHOD

INITIAL DOSE: When system is noticeably fouled add to airwasher sump or chill water sump to insure uniform mixing. Add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.6 pounds per 1000 gallons (or 12 to 72 ppm) of water.

ONCE-THROUGH IN JSTRIAL COOLING WATER SYSTEMS

When used as directed, **DANTOBROM RW** effectively controls algal, bacterial, fungal slimes and mollusks in open or closed-cycle, fresh or salt water, once-through cooling systems. Treat cooling water with **DANTOBROM RW** at the system intake or other critical areas, where mixing is uniform.

DOSAGE RATES

INITIAL DOSE: When system is noticeably fouled, add 0.2 to 0.6 pounds per 1000 gallons of water contained in the system. Repeat initial dosage until one to three ppm (mg/L) bromine residual is established for at least 4 hours.

SUBSEQUENT DOSE: When microbial control is evident, add 0.1 to 0.3 pounds per 1000 gallons of water contained in the system. Repeat as needed to maintain one to three ppm bromine residual for at least 4 hours.

FOR USE IN CANISTERS

TO INSTALL CANISTER: Take feeder cap off. Remove canister cut offs. Hold canister so the open end faces down. Insert into feeder. The end of the canister must align with the L-key located inside the feeder at the bottom. DO NOT FORCE. Replace feeder cap. To achieve the proper halogen residual, turn the control dial to the appropriate setting and add the required product dosage. Refer to use directions for recirculating cooling water systems and sewage systems or airwasher systems, as appropriate.

Check the canister periodically and replace when empty. Do not attempt to open or refill this canister. DO NOT REUSE.

PRECAUTION:

The warranty will be void if this canister is not used with the appropriate feeder. Fire or explosion may result if this canister is used with an incorrect chemical feeder.

NOTE: Some settling may occur during shipment.

THIS USE IS .. OT APPROVED IN CALIFORNIA

PHOTO PROCESSING WASH WATER

The photo processing system should first be properly cleaned with a mild hypochlorite solution following manufacturer's instructions. The use of DANTOBROM RW IS NOT intended to remove an existing buildup of biological growth. DANTOBROM RW slowly releases both hypobromous and hypochlorous acid when exposed to a flow of water. To prevent or substantially reduce biological growth, DANTOBROM RW may be introduced into the wash water by suspending DANTOBROM RW directly in the wash tanks as far as possible from film or paper and away from areas of extreme turbulence. Begin by placing DANTOBROM RW in the wash tank. lf biological arowth is observed. add more DANTOBROM RW waiting several hours between To prevent film damage. additions. rinse DANTOBROM RW in water before placing into wash tank. It is intended that 1.0 to 3.0 ppm of residual bromine be introduced into the water supply line. Three to nine grams of DANTOBROM RW will introduce 1.0 to 3.0 ppm residual bromine in 1,000 gailons of water. Actual use will depend on the amount of biological fouling. To avoid excess introduction of bromine chlorine into the processor wash tanks, a bromine test kit should be used to periodically test the water in the wash tanks. If a residual above 3.0 ppm is indicated, remove DANTOBROM RW until the residual drops to 1.0 ppm. If the processor is turned off for any extended period of time, the DANTOBROM RW in the wash tanks should be removed.

NOTE: Seller liability under all warranties, expressed or implied, is limited to replacement of defective product and seller shall have no liability for consequential damages.

PAPER AND PAPERBOA PROCESS WATER

DANTOBROM RW is a patented biocidal formulation for application in the paper industry.

DANTOBROM RW prevents bacterial slime formation and deposition through the rapid delivery of an ideal balance of free and combined halogen. When used properly, **DANTOBROM RW** can reduce microbiologically induced corrosion, paper spots, holes, breaks and odors. By limiting microbial growth and bacterial slime formation, **DANTOBROM RW** increases machine runnability reducing unscheduled maintenance and lost production.

The patented **DANTOBROM RW** composition provides high solubility, fast dissolution and high halogen content without added binders or inert materials for maximum efficiency and product delivery.

DANTOBROM RW can be used in the manufacture of both food and non-food contact paper and paperboard.

APPLICATION

DANTOBROM RW should be added to process water streams at or immediately prior to a point of sufficient mixing such as the fan pump or wire pit.

Standard dissolution feeders can be used for **DANTOBROM RW** applications. Make-up, machine white waters and returning clarified dilution waters are examples of acceptable treatment waters.

INITIAL DOSE: When the system is noticeably fouled apply 0.5 - 2.0 pounds of **DANTOBROM RW** per ton of paper produced to achieve 0.1-1.0 ppm total available halogen as chlorine. Repeat treatment until residual is achieved.

SUBSEQUENT DOSE: When microbial control is evident, apply 0.5 – 2.0 pounds of **DANTOBROM RW** per ton of paper produced to achieve 0.1-1.0 ppm total available halogen as chlorine. Repeat periodically as needed to maintain control.

BEVERAGE CAN RINSING OPERATIONS

DANTOBROM RW controls the growth of odor causing bacteria, of fungal and algal slimes, and spoilage bacteria of economic significance in water used for beverage can rinse operations. After rinsing, the cans are dried thoroughly at approximately 350° F and then coated with an impervious lacquer finish.

This product may be added to the rinse water either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem. BADLY FOU. J SYSTEMS must be cleaned before treatment is begun.

Apply Dantobrom RW to the rinse water at a concentration ranging from 12 -100 ppm.

DECORATIVE FOUNTAINS

When used as directed, **DANTOBROM RW** controls algae [and] [algal slimes] [microbial slimes] [bacterial slimes] in decorative fountains. **DANTOBROM RW** may be fed continuously or on an intermittent basis depending on the degree of fouling. For maximum effectiveness, fountains containing heavy algae growth should be cleaned prior to using **DANTOBROM RW**.

Initial Dose: Fountains having visible algae growth require an initial dose of 0.1 to 1.0 lbs. per 1,000 gallons of water (12 to 120 ppm active). Repeat the initial dose until control is achieved.

Subsequent Dose: Once control is achieved, add 0.1 to 0.75 lbs. per 1,000 gallons of water daily or as needed to maintain control, by feeding continuously or on an intermittent basis.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container tightly closed. Store in a cool, dry, well-ventilated place. Do not store at elevated temperatures. Do not store in direct sunlight. Do not store at temperatures above 100°F.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions contact your State pesticide or environmental control agent or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL

(Metal and plastic containers): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn if allowed by State and local authorities. If burned, stay out of smoke.

(Fiber drums and liners): Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by State and local authorities. Do not reuse empty drum or liner.