

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear chemical resistant gloves when using this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably by mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**DANTOGARD®
PRESERVATIVE**

**PRESERVING YOUR CONFIDENCE
IN THE NEW MILLENNIUM**

Contents: LIQUID

Active Ingredients:

1,3-Bis (hydroxymethyl)-5,5-dimethylhydantoin ...	32.0%
Hydroxymethyl-5,5-dimethylhydantoin	7.5%
Inert Ingredients	60.5%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION


NET WEIGHT (as marked on container)

EPA Reg. No. 6836-119

EPA Est. # 6836-PA-1

Lonza Inc.
17-17 Route 208
Fair Lawn, NJ 0410

Emergency Contact Number: (_____)



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DANTOGARD preserves and aids in the control of the growth of bacteria and fungi in water based coatings (architectural coatings and water based emulsions), water based stains, sealants, adhesives, caulks, joint cements, resin emulsions, inks, textile processing chemicals (lubricants, sizing and coating compounds), liquid detergents, fabric softeners, soft soaps, household cleaners, room deodorizers and air fresheners, water based surfactants, polymer emulsions, protective or decorative coatings, water based gels for household and industrial products, textiles, water-based adhesives, sealants and caulks, latex for paper coatings, water based inks and water-based paints for industrial and household use.

DANTOGARD should be added to the formulation to be preserved at the rate of 3.4 to 13.8 lbs. per 1000 lbs. or 3,400 to 13,800 ppm based upon the total weight of the formulation to be protected.

If the above articles have been treated with DANTOGARD, do not use them as components in materials used in food packaging and food-holding.

DANTOGARD preserves and controls the growth of bacteria in aqueous dispersions of inorganic minerals (clay-slurries) used in the manufacture of food-contact and non-food contact paper and paperboard. Use DANTOGARD at levels of 1.0 to 6.0 lbs. per ton of aqueous mineral slurry (500 - 3000 ppm).

ALTERNATE TEXT FOR ABOVE PARAGRAPH:

DANTOGARD preserves and controls the growth of bacteria and fungi in aqueous dispersions of inorganic mineral slurries such as clay, kaolin clay, calcium carbonate and titanium dioxide used in the manufacture of food contact and non-food contact paper and paperboard for both filler and paper coatings applications.]

DANTOGARD may be used in metalworking fluids to prevent fungal growth at concentrations of 0.08% - 0.50%. Levels of DANTOGARD should be checked periodically since many cutting oils are unstable upon standing. Workers should take precautions to minimize inhalation exposure to metalworking fluid mists. OSHA limits for oil mist: Time Weighted Average (TWA = 5 mg/m³); Short Term Exposure Limit (STEL = 10 mg/m³).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.