Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76)


PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

## GLYBROM RW - 9Q

### Active Ingredients:

1-brano-3-chloro-5,5-dinethylhydantoin	81.9%
1-3-dibrono-5,5-dimethylhydarkoin	8.1%
Inert ingredients	<u>10.0%</u>
	100.0%
Available browine	63.3%
Available chlorine	24.0%

EPA Reg. No. 6836-EPA Est. No. 6836-PA-1 NET WEIGHT



KEEP OUT OF REACH OF CHILDREN

### DANGER

### STATEMENT OF PRACTICAL TREATMENT

For eye contact, flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. If physician is not available, flush for additional 15 minutes. Get immediate medical attention.


For skin contact, immediately wipe away excess material with a a dry cloth while removing contaminated clothing and shoes. Under a safety shower, wash affected areas thoroughly with large amounts of water, and soap if available, for at least 15 minutes. Get immediate medical attention. Discard or decontaminate clothing and shoes.

If inhaled, remove from area to fresh air. If not breathing, clear airway and start mouth-to-mouth artificial respiration or use a bag-mask respirator. Get immediate medical attention. If victim is having trouble breathing, transport to medical care and, if available, give supplemental oxygen.

If swallowed, immediately give several glasses of vater. ID NOT induce vaniting. If vaniting occurs, give fluids again. Have physician determine if patient's condition allows induction of vaniting or evacuation of stanch. Do not give anything by mouth to an unconscious or consulsing person. Get immediate medical attention.

NOTE TO HASSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

LONZA INC. 17-17 ROUTE 208 FAIR LAWN NJ 07410



### FOR CONTROL OF ALGAE INTERMITTENT OR SLUG METHOD

INITIAL DOSE. When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSKLIPNI DOSE. When algae control is evident add 0.1 to 0.75 yourd to 1000 gallons daily or as needed to maintain control.

### CONTINUOUS FEED METHOD

INITIAL DOSE. When the system is noticeably fouled add 0.1 to 1.0 paid to 1000 gallors of water in the system. Repeat until control is addleved.

SUBSECTION DOSE. Continuously feed at a rate of 0.1 to 0.75 pourds per day per 1000 gallons of system water.

### STORAGE AND DISPOSAL

STORAGE. Keep container tightly closed. Store in a dry place. Do not store at elevated temperatures.

DISPOSAL. Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your state pesticide or environmental control agent or the hazardous waste representative at the nearest EPA regional office for guidance.

METAL AND PLASTIC CONTAINERS. Triple rinse (or equivalent). Then offer for recycling or recorditioning, or purcture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by State and local authorities. If burned, stay out of stoke.

FIRST INIMS AND LINERS. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

### FOR INDUSTRIAL USE ONLY

Technical advice regarding specific on site problems are available from Lorza Inc. A Material Safety Data Spect relative to the use of this product is also available upon request.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

### RECIRCULATING COOLING WATER SYSTEMS

Glybron W - 90 aids in the control of bacterial, furgal and algal slimes in recirculating cooling water systems servicing heat exchangers, evaporative condensers and other equipment requiring cooling. It is also effective in controlling various microbiological growth formations in influent systems such as lagrons or flow-through filter systems, industrial wet scrubber systems and brewery pasteurizers. This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

Badly fouled systems must be cleaned before treatment is begun.

### FOR CONTROL OF BACTERIA AND FUNGI


### INTERMITTENT OR SLUG METHOD

INITIAL DOSE. When the system is noticeably fouled add 0.1 to 1.0 lbs. to 1000 gallons of the water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE. When microbial control is evident add 0.1 to 0.75 pounds to 1000 gals, of water in the system every 3 days or as needed to maintain control.

### CONTINUOUS FEED METHOD

INITIAL DOSE. When a system is noticeably fouled, add 0.1 to 1.0 pounds to 1000 gals. of water in the system. SUBSEQUENT DOSE. Continuously feed at a rate of 0.1 to 0.75 pounds per day per 1000 gals. of system water.



# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### **DANGER**

HAMRIL IF SANICAD. HIGHLY CORROSIVE. DO NOT TAKE INTERVALY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear riber gloves, chemical goggles and face shield when handling. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, pords or public water unless in accordance with NHES pennit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

### PHYSICAL AND CHEMICAL HAZARDS

OHMICAL HAZARDS: SIRNG OKIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remarks of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

