Cross-contamination is of major housekeeping c Im not only in hospitals, but in schools, institutions and industry. LONZA FORMULATION S-37F has been formulated to aid in reduction of cross-contamination in these areas. LONZA FORMULATION S-37F is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed. LONZA FORMULATION S-37F is an effective one-step sanitizer cleaner for use on food contact, as well as non-food contact surfaces. When used as directed, LONZA FORMULATION S-37F will deodorize surfaces in

toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

## PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

#### **DANGER**

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

#### **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side.

Ŋ

Avoid creasing or impacting of side walls.

## PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

# **CONTAINER DISPOSAL**

Triple rinse (or equivalent). The offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is one gallon or less, use this container disposal statement.) Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.



DISINFECTANT, CLEANER, SANITIZER, FUNGICIDE MILDEWSTAT, VIRUCIDE, DEODORIZER WITH ORGANIC SOIL TOLERANCE FOR HOSPITALS, INSTITUTIONAL AND INDUSTRIAL USE

## Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.10%
Dioctyl dimethyl ammonium chloride	0.84%
Didecyl dimethyl ammonium chloride	1.26%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>35</sub> , 10%)	
dimethyl benzyl ammonium chloride	2.80%

Inert Ingredients

93.00% 100.00%

#### KEEP OUT OF REACH OF CHILDREN

#### DANGER

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.


SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. EPA Establishment No. Net Contents

6836-137

6836-IL-1

Manufactured by: LONZA INC., 17-17 Route 208, Fair Lawn, NJ 07410



# DIRECTIONS FOR

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LONZA FORMULATION S-37F is a proven one-step cleaner-disinfectant-sanitizer-fundicide-mildewstat-virucide in the presence of moderate amounts of organic soil.

Apply LONZA FORMULATION S-37F to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION - To disinfect hard, non-porous surfaces, add 1 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of LONZA FORMULATION S-37F has been evaluated in the presence of 5% serum by the AOAC Use-Dilution test and found to be effective against a broad spectrum of gram negative and positive organisms as represented by:

Pseudomonas aeruginosa

Saimonella schottmuelleri

Staphylococcus aureus

Streptococcus faecalis

Salmonella choleraesuis

Shigella dysenteriae

Escherichia coli Klebsiella pneumoniae Brevibacterium ammoniagenes

Enterobacter aerogenes

Serratia marcescens Pseudomonas cepacia

Proteus mirabilis

VIRUCIDAL PERFORMANCE: At 1 oz. per gallon use-level LONZA FORMULATION S-37F was evaluated in the presence of 5% serum found to be effective against the following viruses found on inanimate, hard, non-porous, environmental surfaces:

Influenza A/Brazil

Herpes Simplex Type 1 and Type 2

Vaccinia

FUNGICIDAL PERFORMANCE: LONZA FORMULATION S-37F is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities at 1 oz. per gallon.

MOLD AND MILDEW CONTROL: At 1 oz per gallon, LONZA FORMULATION S-37F will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

SANITIZING FOOD CONTACT SURFACES: At 1 oz. per 3 1/2 gallons water use LONZA FORMULATION S-37F for sanitizing and cleaning of equipment and utensils in food processing, dairy industry, bars, restaurants, institutional kitchens, meat and poultry processing plants and farms. Do not rinse with water. For heavily soiled equipment or utensils, pre-wash with LONZA FORMULATION S-37F. Rinse with clean water, then apply recommended dilution of LONZA FORMULATION S-37F with a cloth, mechanical spray device (spray surface until thoroughly wetted) or immersion. Treated surfaces must remain wet for one minute. Prepare a fresh solution for every use. DO NOT reuse mechanically applied use solution for sanitizing. LONZA FORMULATION S-37F can be used in accordance with the U.S. Public Health Service food service sanitation recommendation.

This product is not to sed as a terminal sterilant/high level disinfectant on any surface or instrument true. (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the hlood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

# U.S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS

CLEANING AND SANITIZING: Equipment and utensils shall be thoroughly preflushed or pre-scraped and when necessary, pre-soaked to remove gross food particles and soil.

- Thoroughly wash equipment and utensils in a hot detergent solution.
- 2. Rinse utensits and equipment thoroughly with clean water.
- Sanitize equipment and utensils by immersion in a 1 oz. per 3 1/2
  gallon solution of LONZA FORMULATION S-37F (150 ppm active) for
  at least 60 seconds at a temperature of 75°F.
- For equipment and utensils too large to sanitize by immersion, apply a 1 oz. per 3 1/2 gallon solution of LONZA FORMULATION S-37F (150 ppm active) by rinsing, spraying or swabbing until thoroughly wetted.
- 5. Allow sanitized surface to drain and air dry. Do not rinse.

Wash thoroughly with soap and water after handling.

02/07/92