

Ms. Samantha Bates  
Agent for Lonza, Inc.  
Lewis & Harrison  
122 C Street, NW Ste. 740  
Washington, DC 20002

DEC 19 2002

Subject: Lonza Formulation RTU  
EPA Registration No. 6836-193  
Amendment Date: June 21, 2002  
EPA Receipt Date: June 24, 2002

Dear Ms. Bates,

The following amendment submitted in connection with registration under FIFRA section 3(c)(7)(A) is acceptable with the conditions listed below.

- Disinfection contact time of 1 minute

**Conditions**

Revise the label as follows:

1. Page 2, left panel 14<sup>th</sup> bullet: Revise the claim by deleting "odor causing" and replacing it with "*kitchen, household, or bathroom.*"
2. Page 3: The phrase, "*in 1 minute,*" must appear after the three bacteria mitigated by this product in order to distinguish the new contact time from the fungicidal and virucidal directions.
3. Page 5: Revise the two sets of "Disinfection" directions by stating "treated surfaces must remain wet for (*1 minute bactericidal*) or (*10 minutes virucidal and fungicidal*).
4. Page 5: Add Bactericidal Directions with the appropriate heading. The directions should state "*Follow disinfection directions. Treated surfaces must remain wet for 1 minute.*"

**CONCURRENCES**

SYMBOL							
SURNAME							
DATE							

- 5. Page 6: Revise the "Non-food Contact Sanitizer" directions by deleting the first section of directions because they are incomplete. You must add the statement "Prepare a fresh solution daily or when use solution becomes visibly soil," to the second set of directions.

**Acceptable Data**

Data Requirement	Means of Support	Status
AOAC Germicidal Spray Test	Submitted study, MRID 457051-01	Acceptable

**General Comments**


A stamped copy of the labeling accepted with conditions is enclosed. Submit three (3) copies of your final printed label before distributing or selling the product bearing the revised labeling.

Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

If the above conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Should you have any questions regarding this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely,



Velma Noble  
Product Manager (31)  
Regulatory Management Branch I  
Antimicrobials Division (7510C)

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION.** Causes eye and skin irritation. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**STORAGE AND DISPOSAL**

Store only in tightly closed, original container in a secure area inaccessible to children and away from food or feed. Refill empty container only with Lonza Formulation RTU. Rinse empty container thoroughly before discarding in trash or recycle.

**ACCEPTED**  
with **COMMENTS**  
in EPA Letter Dated:

**DEC 19 2002**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, registered under Reg. No. **6836-193**

**LONZA FORMULATION RTU**

Disinfectant - Cleaner - Fungicide - Mildewstat- Virucide\* -  
Deodorizer  
for Hospitals, Household, Institutional and Industrial Use

Bactericidal against *Pseudomonas aeruginosa*,  
*Staphylococcus aureus* and *Salmonella choleraesuis* (in one  
minute)

Virucidal against HIV-1 (the AIDS Virus),  
Influenza A / Hong Kong, and  
Herpes Simplex Type 2

(Citrus)(Floral)(Pine)(Fresh)(Mint) Scent / Fragrance / Odor

**Active ingredient:**

Alkyl (C <sub>12</sub> , 40%; C <sub>14</sub> , 50%; C <sub>16</sub> , 10%)	
dimethyl benzyl ammonium chloride .....	0.3%
Other ingredients: .....	99.7%
Total .....	100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See (back) (side) (right) (left) panel  
for Precautionary Statements and First Aid

EPA Reg. No. 6836-193  
EPA Est. No. *(as indicated on container.)*  
Net Contents *(as indicated on container.)*

LONZA Inc.  
Fair Lawn, NJ 07410

(Note to reviewer: the following is considered optional marketing language:)

- Ready-to-Use
- Citrus Scent
- Fresh Mild Scent
- Cleaner
- Deodorizer
- Disinfectant.
- Cleans
- Disinfects
- Deodorizes
- Removes soap scum
- (Convenient) Ready To Use formula.
- (Economical) (Spray & Wipe) formula.
- Cuts (through) (tough) grease and grime.
- Kills (odor causing) germs
- Kills odor-causing bacteria.
- Inhibits (the growth of) (mold) (and) (mildew)
- Kitchen, Bathroom, Household Disinfectant Cleaner.
- For Kitchens Too!
- For Bathrooms Too!
- Leaves (your house with) a (clean) (fresh) scent.
- Trigger spray(er)
- Pump spray(er)
- Contains no phosphates.

- 
- Cleans and deodorizes pet spills.
  - Cleans rodent soiled areas.
  - (for formulation without dye only): Dye Free
  - (for sub-registrations that only sell to commercial establishments): For commercial use only
  - Contains Eucalyptus and 67 exotic wild flower oils.
  - Eucalyptus Fragrance
- 

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 19 2002

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended by the FIFRA Act of 1990,  
registered under EPA Reg. No. 6836-193

**Lonza Formulation RTU:**

- delivers non-acid cleaning performance in an economical Ready-to-Use package.
- applies the proper strength for the job with no dilution required.
- (removes) (cleans) (ground-in) dirt, (tough) grease, grime, food stains, soap scum, fingerprints, (tough) soils, crayon / pencil marks and heel marks (in) (and around) (the house), (kitchen) (and bathroom).
- cuts (tough) grease and grime (without scrubbing).
- improves labor results by effectively controlling odors (for a long lasting clean).
- Leaves the (whole) house smelling (clean) (and) fresh).
- leaves (kitchens), (bathrooms) and (households) clean (and smelling fresh).
- (cleans), (deodorizes) and (disinfects) most washable (household) surfaces.
- can be used on most washable surfaces. (Test a small area first.)
- cleans and deodorizes in one labor-saving step.
- cleans with a fresh scent.
- eliminates odors.
- will not leave grit or soap scum.
- is a versatile multi-purpose cleaner and broad spectrum disinfectant formulated for use in Ultrasonic Baths (Ultrasonic cleaning units).
- is a multi-purpose cleaner, disinfectant and deodorizer.
- is a hospital disinfectant offering broad spectrum disinfectant activity against a wide range of microorganisms.
- kills household germs.
- Is effective against Pseudomonas aeruginosa (Pseudomonas), Staphylococcus aureus (Staph) and Influenza A/Hong Kong, while effectively controlling mildew.
- is a (Ready-to-Use) (Hospital) disinfectant cleaner
- is effective against a broad spectrum of bacteria, is virucidal\* (including HIV-1, the AIDS Virus), fungicidal, and inhibits the growth of mildew and their odors when used as directed.
- kills harmful germs
- helps prevent the spread of food-borne contamination on kitchen and household surfaces.
- helps prevent the spread of harmful germs on kitchen, bathroom, and other household surfaces.
- is formulated for use in daily maintenance programs with a balance of detergents, disinfectants, and malodor counteractants that deliver effective cleaning, disinfecting, and malodor control.

(Note to reviewer: the following is all optional marketing language:)

**Use Lonza Formulation RTU:**

- to clean and disinfect kitchen surfaces.
- to clean and disinfect bathroom surfaces.
- to clean and disinfect household surfaces.
- for non-scratch cleaning of showers and tubs, shower doors and vinyl shower curtains, fixtures, and toilet bowls.
- to clean and disinfect nonporous salon (barber) tools and instruments: combs, brushes, scissors, blades, and manicure instruments.
- Use in the kitchen, bathroom and nursery for a deep down clean.

Use Lonza Formulation RTU on diaper pails, plastic laundry hampers (baskets) and baby furniture (cribs, changing tables).

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 19 2002

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 6836-193

When used as directed, **Lonza Formulation RTU** will clean and deodorize surfaces in rest room and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

Cross-contamination is of major housekeeping concern. **Lonza Formulation RTU** has been formulated to aid in the reduction of cross-contamination not only in hospitals, but in schools, institutions, and industry.

**Lonza Formulation RTU** is a Hospital Disinfectant, Bactericidal according to the current AOAC Use-Dilution Test method and Virucidal\* according to the virucidal qualification on inanimate surfaces.

**Lonza Formulation RTU** is effective against.  
(Bacteria):

- Pseudomonas aeruginosa (Pseudomonas)
- Staphylococcus aureus (Staph)
- Salmonella choleraesuis (Salmonella)

(Viruses:)

- \*Herpes Simplex Type 2 (Herpes)
- \*HIV-1 (AIDS Virus) in 30 seconds
- \*Influenza A/Hong Kong (Influenza) in 60 seconds

(Fungi:)

Trichophyton mentagrophytes (The Athlete's Foot Fungus)

**Lonza Formulation RTU** is a sanitizer for hard, nonporous (kitchen, bathroom and household) non-food contact surfaces according to the method for Sanitizers - Non Food Contact Surfaces, modified in the presence of 5% organic serum, in 30 seconds by killing 99.9% of:

- Enterobacter aerogenes
- Enterococcus (Streptococcus) faecalis (Vancomycin-resistant) (VREF)
- Escherichia coli (E. coli)
- Escherichia coli 0157:H7 (pathogenic E. coli)
- Salmonella choleraesuis (Salmonella)
- Staphylococcus aureus (Staph)
- Streptococcus pyogenes (Strep)

This odor destroyer is effective at neutralizing odors caused by mildew, pets, smoke, urine, cooking, vomit, garbage, restrooms, etc. This is not a masking agent

(Note to reviewer: The following is considered optional marketing language.)

**(AREAS OF USE:)**

Use **Lonza Formulation RTU** in:

Bathrooms  
Homes (households)  
Kitchens

Dental offices  
Hospitals  
Medical Offices  
Nursing homes

Day care centers  
Nurseries

Bars  
Cafeterias  
Convenience stores  
Institutional kitchens  
Restaurants

Athletic facilities  
Barber shops  
Business and office buildings  
Colleges  
Correctional facilities  
Dressing rooms  
Exercise facilities  
Factories  
Hotels  
Institutional facilities  
Institutions  
Locker rooms  
Motels  
Prisons  
Public facilities  
Public rest rooms  
Salons  
Schools  
Shower and bath areas

Camp grounds  
Play ground equipment

Airplanes  
Boats  
Buses  
Campers  
Cars  
Emergency vehicles  
Mobile homes  
Ships  
Taxis  
Trailers  
Trains  
Transportation terminals

**(TYPES OF SURFACES:)**

Use **Lonza Formulation RTU** on washable hard, nonporous surfaces of:

Appliances  
Bathroom fixtures  
Bathtubs  
Cabinets  
Cages  
Chairs  
Conductive flooring  
Counters (countertops)  
Desks  
Doorknobs  
Exhaust fans  
Floors  
Garbage cans  
Highchairs  
Microwave ovens  
Outdoor furniture

Refrigerators  
Showers  
Shower stalls  
Sinks (bathroom, kitchen)  
Stoves (stovetops)  
Tables, (picnic tables)  
Telephones  
Toilets  
Toilet bowls  
Toilet bowl surfaces  
Tubs  
Tiles, glazed  
Ultrasonic baths  
Urinals  
Walls

Other hard nonporous surfaces made of:

Fiberglass  
Formica<sup>®</sup>  
Glazed ceramic  
Glazed enameled surfaces  
Glazed porcelain  
Metal  
Plastic (such as polystyrene or polypropylene)  
Sealed stone  
Stainless steel  
Upholstery, vinyl and plastic  
Woodwork, finished

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 19 2002

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended for the pesticide,  
registered under EPA Reg. No. 6836-193

**PELIGRO:**

Si no sabe el inglés, solicite instrucciones a su supervisor antes de esto producto.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL CLEANING / DEODORIZING DIRECTIONS:**

(Spray) (Apply to) soiled area then wipe clean. Repeat for heavily soiled areas.

**DISINFECTION DIRECTIONS:**

Preclean prior to disinfection. Apply **Lonza Formulation RTU** until surfaces are thoroughly wet. Treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge, mop or tissue (wiper) or allow to air dry. Food contact surfaces must be rinsed with potable water after disinfection. Do not use to disinfect utensils, glassware and dishes.

*(Note to reviewer: Alternate directions for products sold in spray bottles:)*

**DISINFECTION DIRECTIONS:**

Preclean prior to disinfection. Spray 6 - 8 inches from surface, until surfaces are thoroughly wet. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge, mop or tissue (wiper) or allow to air dry.

Food contact surfaces must be rinsed with potable water after disinfection. Do not use on utensils, glassware and dishes.

**VIRUCIDAL DIRECTIONS:**

Follow disinfection directions. Treated surfaces must remain wet for 10 minutes.

**MOLD AND MILDEW CONTROL DIRECTIONS:**

**LONZA FORMULATION RTU** effectively inhibits the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Allow to air dry on surface. Repeat when mildew growth returns.

**FUNGICIDAL DIRECTIONS:**

**LONZA FORMULATION RTU** is an effective fungicide against Trichophyton mentagrophytes in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, health clubs and spas. Follow disinfection directions. Treated surfaces must remain wet for 10 minutes.

*(Note for reviewer: For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used:)*

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

or

This product is not for use on medical device surfaces.

**NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:**

Empty toilet bowl or urinal and apply **Lonza Formulation RTU** to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Repeat and allow to stand for 1 minute, then flush.

**ULTRASONIC BATH DISINFECTANT / CLEANER DIRECTIONS:**

Use **Lonza Formulation RTU** to clean and disinfect hard nonporous noncritical objects compatible with Ultrasonic cleaning units.

Pour **Lonza Formulation RTU** directly into bath chamber. Preclean soiled objects. Place objects into unit and operate for a minimum of 10 minutes, according to manufacturers use directions.

Remove objects and rinse with sterile water (sterile water for injection), or allow to air dry. Replace product daily or when liquid becomes visibly dirty or discolored.

**SALON / BARBER INSTRUMENTS AND TOOLS DISINFECTION ( / VIRUCIDAL / FUNGICIDAL / BACTERICIDAL) DIRECTIONS:**

Preclean soiled instruments and tools. Completely immerse water safe nonporous salon instruments and tools in **Lonza Formulation RTU** for 10 minutes. Rinse thoroughly and dry before use. Use fresh product daily or more often if product becomes cloudy or soiled.

**NOTE:** Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 19 2002

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 6836-193

8 7 8

**\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of **Lonza Formulation RTU**.

**CONTACT TIME:** Leave surface wet for 30 seconds. Use a 1 minute contact time for disinfection against all other bacteria and a 10 minute contact time against all other viruses and fungi claimed.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**SANITIZER DIRECTIONS FOR NON-FOOD CONTACT SURFACES:**

Treated surfaces must remain wet for 30 seconds. Prepare a fresh solution daily or when use solution becomes visibly dirty.

**TO SANITIZE AND DEODORIZE NON-FOOD CONTACT SURFACES:** Spray until thoroughly wet. Let stand 30 seconds. Then wipe. For heavily soiled areas, a precleaning is required.

**DEODORIZER DIRECTIONS:**

**Air Freshener, porous surfaces:** Apply a light spray onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

**Pet Odors:** Saturate precleaned area with enough **Lonza Formulation RTU** to remain damp for at least 8 minutes, then blot with clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry.

**Laundry:** 3 ounces during the final rinse will deodorize offensive odors.

**Potpourri:** Easy to use. Just pour into pot or small pan and simmer.

**Automobile/RV:** Spraying liberally onto seats, carpets, headliner and ashtray or into the trunk will eliminate odors from tobacco, beverage spills and musty carpet.

**Hard Surfaces:** Apply directly to odor source such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc. Use in sick rooms, closets, basements or anywhere there are odors.

**Refill Directions:**

Remove top from empty spray bottle. Unscrew cap on refill and pour contents directly into empty bottle until full. Replace trigger sprayer. If liquid remains in refill bottle, replace cap. Store for future use. Use product according to label directions.

**To operate:** Turn nozzle to on position and spray.

**REFILL**  
50% More Free! 33 oz. at 22 oz. Price

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 19 2002

Under the Federal Insecticide  
Fungicide and Rodenticide Act as  
amended by the amendments,  
registered under EPA Reg. No. 6836-193