UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



United States Environmental Protection Office of Pesticide Programs Agency

Joanna Holcombe. Lonza Inc. 90 Boroline Road Allendale, NJ 07401, USA

AUG 19 2010

Subject:

Lonza Formulation RTU

Registration No.:

6836-193 July 16, 2010

Date Forwarded: Date Received:

July 20, 2010

Submission #:

879428

Dear Ms. Holcombe,

This correspondent acknowledges receipt of your notification, submitted in connection with registration under Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Proposed Amendment

Restore refillable storage and disposal language per PR Notice 2007-4

General Comments:

Based on a review of the submitted material for your product, "Lonzagard Formulation RTU", EPA Reg. No 6836-193, as listed above is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble PM Team 31 at (703) 308-6233 or Jamil Mixon at (703) 308-8032.

Sincerely

elma Noble.

Product Manager, Team 31 Regulatory Management Branch

Antimicrobials Division (7510P)

0				CONCURRENC	æ\$			
SYMBOL			í					*******
SURNAME							·	
DATE								***********
EPA Form 1320-1A (1/90)		Printed on Recycled Paper				OFFICIAL FILE COP		

EPA Env	United States	Registra	ation -	OPP Identifier Number			
Eņv	ironmental Protection Ager Washington, DC 20460	ncy ☐ Amenda ☑ Other	ment				
		on for Pesticide - Section	1				
1. Company/Product Number 6836-193		EPA Product Manager Velma Noble		3. Proposed Classification			
4. Company/Product (Name) Lonza Formulation	DTII	PM# 31		None Restricted			
5. Name and Address of Applicant (In			unce with FIFRA Section	on 3(c)(3)(b)(I), my product is similar			
Lonza Inc.	,	or identical in composition and lab					
90 Boroline Road		EPA Reg. No.					
Allendale, NJ 07401		Product Name					
Check if this is a new address							
		Section – II		_			
Amendment - Explain below.		Final printed la	pels in response to Age	ncy letter dated			
Resubmission in response to A	Agency letter dated	"Me Too" Appli	cation				
Notification - Explain below.		Other - Explain	below				
Explanation: Use additiona	al page(s) if necessary. (For S						
	"NO	t Subject to PRIA*					
Label No	tification to update Stora	ge and Disposal languag	e per PR Notice	2007-4.			
The state of the s		Notice 00 40 and EDA man		'D 450 40 l			
This notification is consister changes have been made to							
violation of 18 U.S.C. Sec. 1							
consistent with the terms of	PR Notice 98-10 and 40 Cl	FR 152.46, this product ma					
subject to enforcement action	on and penalties under sect						
Signature: Dann	a Holcomb	Date:	7-16-10				
		Section – III					
1. Material This Product Will Be		W-4 0 1 11 P1		2 m co . :			
Child-Resistant Packaging Yes*	Unit Packaging Yes	Water Soluble Pack	caging	Type of Container Metal			
No No	No No	⊠ No		Plastic			
*Certification must be	If "Yes"	No. per If "Yes"	No. per	Glass			
submitted	Unit Packaging wgt.	container Package wgt.	container	Paper			
<u> </u>				Other (Specify)			
3. Location of Net Contents Inform	\ '	Container	5. Location of L	abel Directions			
Label Cc	ontainer 1 oz. to bulk		On Label	T accompanying product			
6. Manner in Which Label is Affix		raph Other	NA Ou tabeling	g accompanying product			
	⊠ Paper	glued					
	Stencil						
1 Control Print (C. 1)	Broods below Construction of the	Section – IV		o retired			
Name 1. Contact Point (Complete items a	lirectly below for identification of inc		y, to process this appli	Telephone N.c. (Include Area Code)			
Joanna Holcombe	S	br. Commercial Regulator Associate	y Services	201-316-9297			
	Certification		<u>``</u>	6. Date Application Received			
	I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. (Stamped)						
2-Signature 3. Title							
Sr. Commercial Regulatory Services							
4. Typed Name	5. D	ssociate Date		1 (((
Joanna Holcombe		July 16, 2010					

Via FedEx

31

Ms. Velma Noble, PM-31
Document Processing Desk (PRN)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2227 S. Crystal Drive
Arlington, VA 22202

Lonza Inc Allendale 90 Boroline Road Allendale, NJ 07401, USA

Joanna Holcombe
Lonza Life Science Ingredients
Commercial Regulatory Services

Tel 201-316-9297 Fax 201-696-3470 joanna.holcombe@lonza.com

Joanna Holcombe July 16, 2010

SUBJECT:

Lonza Formulation RTU, EPA Reg. No. 6836-193 Application for Label Notification

Dear Ms. Noble:

I am submitting an application to restore refillable storage and disposal language that was inadvertently removed from the previous submission, and update the language per PR Notice 2007-

- 4. Please find the enclosed documents in support of this notification:
 - · Application for Notification;
 - One copy of the proposed label with changes highlighted; and
 - Two copies of the proposed label

If you have any questions or need any additional information, please feel free to contact me at 201-316-9297.

Sincerely, Lonza Inc.

Yoanna Holcombe

Sr. Commercial Regulatory Services Associate

natto Coombe

LONZA FORMULATION RTU

Disinfectant – Cleaner – Fungicide - Mildewstat- Virucide* - Deodorizer for Hospitals, Household, Institutional, Commercial and Industrial Use

> Bactericidal against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella choleraesuis [in one minute]

> > Virucidal against HIV-1 (the AIDS Virus), Influenza A / Hong Kong, and Herpes Simplex Type 2

[Citrus] [Floral] [Pine] [Fresh] [Mint] [Clean] [Lemon] [Scent] [Fragrance] [Odor]

Active ingredient: Alkyl (C₁₂, 40%; C₁₄, 50%; C₁₆, 10%) dimethyl benzyl ammonium chloride 0.3%

KEEP OUT OF REACH OF CHILDREN CAUTION

See [back] [side] [right] [left] panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-193 EPA Est. No. (as indicated on container.) Net Contents (as indicated on container))

> LONZA Inc. 90 Boroline Road Allendale, NJ 07401

LONZA FORMULATION RTU (Note to reviewer: Language in () is considered optional or interchangeable) EPA Reg. No. 6836-193

EPA Stamped Label 1-28-08 with 4-17-09, 12-2-09 and 6-17-10 Notifications, Draft 7-16-10

Page 1 of 16

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes eye and skin irritation. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

(If container size is 5 gallons or larger, use the following Environmental Hazards statements:)

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

- Ready-to-Use
- Citrus Scent
- Fresh Mild Scent
- Cleaner
- Deodorizer
- Disinfectant.
- Cleans
- Disinfects
- Deodorizes
- Removes soap scum
- [Convenient] Ready To Use formula.
- [Economical] [Spray & Wipe] formula.
- Cuts [through] [tough] grease and grime.
- Kills [odor causing] Mold and Mildew
- Kills odor-causing bacteria.
- Inhibits [the growth of] [mold] [and] [mildew]
- Kitchen, Bathroom, Household Disinfectant Cleaner.
- For Kitchens Too!
- For Bathroom's Too!
- Leaves [your house with] a [clean] [fresh] scent.
- Trigger spray[er]
- Pump spray[er]
- Contains no phosphates.
- Cleans and deodorizes pet spills.
- Cleans rodent soiled areas.
- (for formulation without dye only): Dye Free
- (for sub-registrations that only sell to commercial establishments): For commercial use only
- Removes soap scum
- Scrub Free
- Bleach Free

Lonza Formulation RTU:

- delivers non-acid cleaning performance in an economical Ready-to-Use package.
- applies the proper strength for the job with no dilution required.
- [removes] [cleans] [ground-in] dirt, [tough] grease, grime, food stains, soap scum, fingerprints, [tough] soils, crayon / pencil marks and heel marks [in] (and around) [the house], [kitchen] [and bathroom].
- cuts [tough] grease and grime [without scrubbing].
- improves labor results by effectively controlling odors [for a long lasting clean].
- Leaves the [whole] house smelling [clean] [and] [fresh].
- leaves [kitchens], [bathrooms] and [households] clean [and smelling fresh].
- [cleans], [deodorizes] and [disinfects] most washable [household] surfaces.
- can be used on most washable surfaces. [Test a small area first.]
- cleans and deodorizes in one labor-saving step.
- cleans with a fresh scent.
- eliminates odors.
- will not leave grit or soap scum.
- is a versatile multi-purpose cleaner and broad spectrum disinfectant formulated for use in Ultrasonic Baths [Ultrasonic cleaning units].
- is a multi-purpose cleaner, disinfectant and deodorizer.
- is a hospital disinfectant offering broad spectrum disinfectant activity against a wide range of microorganisms.
- kills household germs.
- Is effective against Pseudomonas aeruginosa [Pseudomonas], Staphylococcus aureus [Staph] and *Influenza A/Hong Kong, while effectively controlling mildew.
- is a [Ready-to-Use] [Hospital] disinfectant cleaner
- is effective against a broad spectrum of bacteria, is virucidal* [including HIV-1, the AIDS Virus], fungicidal, and inhibits the growth of mildew and their odors when used as directed.
- kills germs
- helps prevent cross contamination on kitchen and household surfaces.
- helps prevent cross contamination on kitchen, bathroom, and other household surfaces.
- is formulated for use in daily maintenance programs with a balance of detergents, disinfectants, and malodor counteractants that deliver effective cleaning, disinfecting, and malodor control.

Use Lonza Formulation RTU:

- to clean and disinfect kitchen surfaces.
- to clean and disinfect bathroom surfaces.
- to clean and disinfect household surfaces.
- for non-scratch cleaning of showers and tubs, shower doors and vinyl shower curtains, fixtures, and toilet bowls.
- to clean and disinfect nonporous salon [barber] tools and instruments: combs, brushes, scissors, blades, and manicure instruments.
 - Use in the kitchen, bathroom and nursery for a deep down clean.

LONZA FORMULATION RTU (Note to reviewer: Language in () is considered optional or interchangeable) EPA Reg. No. 6836-193

Use Lonza Formulation RTU on diaper pails, plastic laundry hampers [baskets] and baby furniture [cribs, changing tables].

This odor destroyer is effective at neutralizing odors caused by mildew, pets, smoke, urine, cooking, vomit, garbage, restrooms, etc. This is not a masking agent

When used as directed, Lonza Formulation RTU will clean and deodorize surfaces in rest room and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

Cross-contamination is of major housekeeping concern. **Lonza Formulation RTU** has been formulated to aid in the reduction of cross-contamination not only in hospitals, but in schools, institutions, and industry.

(Note to reviewer. The following may be used only if the supplemental registrant has obtained a Kosher Certification.)



(Any Kosher Symbol such as:)

(Kosher)

Lonza Formulation RTU is a Hospital Disinfectant, Bactericidal according to the current AOAC Use-Dilution Test method and Virucidal* according to the virucidal qualification on inanimate surfaces.

Lonza Formulation RTU is effective as a disinfectant against:

(Bacteria):

Pseudomonas aeruginosa [Pseudomonas] (in one minute)

Staphylococcus aureus [Staph] (in one minute)

Salmonella choleraesuis [Salmonella] (in one minute)

(Viruses:)

*Herpes Simplex Type 2 [Herpes] (in 10 minutes)

*HIV-1 (AIDS Virus) (in 30 seconds)

*Influenza A/Hong Kong [Influenza] (in 60 seconds)

(Fungi:)

Trichophyton mentagrophytes [The Athlete's Foot Fungus] [A Cause of Ringworm] [in 10] minutes)

Lonza Formulation RTU is a sanitizer for hard, nonporous (kitchen, bathroom and household) non-food contact surfaces according to the method for Sanitizers - Non Food Contact Surfaces, modified in the presence of 5% organic serum, in 30 seconds by killing 99.9% of:

Enterobacter aerogenes

Enterococcus (Streptococcus) faecalis [Vancomycin-resistant] [VREF]

Escherichia coli [E. coli]

Escherichia coli 0157:H7 [pathogenic E. coli

Salmonella choleraesuis [Salmonella]

Staphylococcus aureus [Staph]

Streptococcus pyogenes [Strep]

- Respiratory illnesses attributable to Pandemic 2009 H1N1are caused by influenza A virus. This product (Product Name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.
- This product has demonstrated effectiveness against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus.

LONZA FORMULATION RTU (Note to reviewer: Language in () is considered optional or interchangeable) EPA Reg. No. 6836-193

(AREAS OF USE:)				
Use Lonza Formulation RTU in:				
Bathrooms	Athletic facilities			
Homes (households)	Barber shops			
Kitchens	Business and office buildings			
	Camp grounds			
Clinics	Colleges			
Dental offices	Correctional facilities			
Health Care Facilities	Dressing rooms			
Hospitals	Exercise facilities			
Medical Offices	Factories			
Medical Related Facilities	Hotels			
Nursing homes	Institutional facilities			
Sick Rooms	Institutions			
	Locker rooms			
Day care centers	Motels			
Nurseries	Playground Equipment			
	Prisons			
Bars	Public facilities			
Cafeterias	Public rest rooms			
Convenience stores	Schools			
Institutional kitchens	Shower and bath areas			
Restaurants	Salons (Beauty)			

(AREAS OF USE:) Use Lonza Formulation RTU in:					
Airplanes	Mobile homes				
Airports	Railcars				
Ambulances	Taxis				
Boats	Trailers				
Buses	Trains				
Campers	Transportation terminals				
Cars	Trucks (Box Trucks)				
Emergency (Police) (EMS) (Fire) (Rescue) vehicles	Ships				

	ES OF SURFACES:)				
Use Lonza Formulation RTU on washable hard, nonporous surfaces of:					
Appliances, exteriors of	Telephones				
Bathroom fixtures	Toilets				
Bathtubs (Fiberglass)	Toilet Bowls				
Cabinets	Toilet bowl surfaces				
Cages	Tubs				
Chairs	Tiles, glazed				
Coils and drain pans of air	Ultrasonic baths				
conditioning and refrigeration	Urinals				
equipment and heat pumps	Walls				
Conductive flooring	Non-critical [hospital] [medical] equipment surfaces				
Counters (countertops)					
Countertop laminates	Beds [Medical] [Hospital]				
Desks	Bed frames				
Doorknobs	Bed rails				
Exhaust Fans	Crutches				
Fiberglass Sinks, Tubs and Showers	Defibrillators				
Floors	Gurneys				
Garbage cans	[Medical] Examining tables				
Highchairs	[Medical] [Hospital] Lamps				
Microwave ovens, exteriors of	Rescue tools				
Outdoor furniture	Resuscitators				
Refrigerators, exteriors of	[Medical] [Hospital] Scales				
Showers	Stands				
Shower Stalis	Stretchers				
Sinks (bathroom, kitchen)	Stethoscopes				
Stoves (Stovetops)	Walkers				
Tables (picnic tables)	Wheel chairs				

(TYPES OF SURFACES:)	
Use Loրza Formulation RTU on washable hard, nonporous surfaces of:	
ther hard nonporous surfaces made of:	
lazed ceramic	
lazed enameled surfaces	
lazed porcelain	
aminated Surfaces	
etal	
lastic (such as polystyrene or polypropylene)	
ealed granite	
ealed limestone	
ealed marble	
ealed slate	
ealed stone	
ealed terra cotta	
ealed terrazzo	
tainless steel	
pholstery, vinyl and plastic	
/oodwork, finished	

PELIGRO:

Si no sable el inglés, solicite instrucciones a su supervisor antes de esto producto.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL CLEANING / DEODORIZING DIRECTIONS:

(Spray) (Apply to) soiled area then wipe clean. Repeat for heavily soiled areas.

DISINFECTION DIRECTIONS:

Preclean prior to disinfection. Apply Lonza Formulation RTU until surfaces are thoroughly wet. Treated surfaces must remain wet for 1 minute for disinfection against bacteria. Follow virucidal or Fungicidal directions when using as a virucidal or fungicidal agent. Wipe dry with a clean cloth, sponge, mop or [tissue] [wiper] or allow to air dry.

Food contact surfaces must be rinsed with potable water after disinfection. Do not use to disinfect utensils, glassware and dishes.

Change this product at least daily or when solution becomes visibly dirty.

(Note to reviewer: Alternate directions for products sold in spray bottles:)

DISINFECTION DIRECTIONS:

Preclean prior to disinfection. Spray 6 - 8 inches from surface, until surfaces are thoroughly wet. Do not breathe spray. Treated surfaces must remain wet for 1 minute for disinfection against bacteria. Follow virucidal or Fungicidal directions when using as a virucidal or fungicidal agent. Wipe dry with a clean cloth, sponge, mop or [tissue] [wiper] or allow to air dry.

Food contact surfaces must be rinsed with potable water after disinfection. Do not use on utensils, glassware and dishes.

VIRUCIDAL DIRECTIONS:

Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes for Herpes Simplex Type 2 and 60 seconds [1 minute] for Influenza A / Hong Kong.

MOLD AND MILDEW CONTROL DIRECTIONS:

LONZA FORMULATION RTU effectively inhibits the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Allow to air dry on surface. Repeat when mildew growth returns.

FUNGICIDAL DIRECTIONS:

LONZA FORMULATION RTU is an effective fungicide against Trichophyton mentagrophytes [the Athlete's Foot Fungus] [A Cause of Ringworm] in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, health clubs and spas. Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes.

(Note for reviewer: For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used:)

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. (This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.)

This product is not for use on medical device surfaces.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:

Empty toilet bowl or urinal and apply **Lonza Formulation RTU** to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Repeat and allow to stand for 1 minute, then flush.

ULTRASONIC BATH DISINFECTANT / CLEANER DIRECTIONS:

Use Lonza Formulation RTU to clean and disinfect hard nonporous noncritical objects compatible with Ultrasonic cleaning units.

Pour **Lonza Formulation RTU** directly into bath chamber. Preclean soiled objects. Place objects into unit and operate for a minimum of 10 minutes, according to manufacturers use directions.

Remove objects and rinse with sterile water (sterile water for injection), or allow to air dry. Replace product daily or when liquid becomes visibly dirty or discolored.

SALON / BARBER INSTRUMENTS AND TOOLS DISINFECTION [/ VIRUCIDAL / FUNGICIDAL / BACTERICIDAL] DIRECTIONS:

Preclean soiled instruments and tools. Completely immerse water safe nonporous salon instruments and tools in Lonza Formulation RTU for 10 minutes. Rinse thoroughly and dry before use. Use fresh product daily or more often if product becomes cloudy or soiled.

NOTE: Plastics may remain immersed until ready to use. Stainless steel shears and metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

PERSONAL PROTECTION: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of Lonza Formulation RTU.

CONTACT TIME: Leave surface wet for 30 seconds. Use a 1 minute contact time for disinfection against [Influenza A/Hong Kong [Influenza] and] bacteria and a 10 minute contact time against all other viruses and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

TO SANITIZE AND DEODORIZE NON-FOOD CONTACT SURFACES: [Spray] [Apply] Lonza Formulation RTU until thoroughly wet. Treated surfaces must remain wet for 30 seconds. Then wipe. For heavily soiled areas, a precleaning is required.

(Note for reviewer: If product is <u>not</u> sold in a spray bottle:)

Change this product at least daily or when solution becomes visibly dirty.

DEODORIZER DIRECTIONS:

Air Freshener, porous surfaces: Apply a light spray onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

Pet Odors: Saturate precleaned area with enough Lonza Formulation RTU to remain damp for at least 8 minutes, then blot with clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry.

Laundry: 3 ounces during the final rinse will deodorize offensive odors.

Potpourri: Easy to use. Just pour into pot or small pan and simmer.

Automobile/RV: Spraying liberally onto seats, carpets, headliner and ashtray or into the trunk will eliminate odors from tobacco, beverage spills and musty carpet.

Hard Surfaces: Apply directly to odor source such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc. Use in sick rooms, closets, basements or anywhere there are odors.

Refill Directions:

Remove top from empty spray bottle.

Unscrew cap on refill and pour contents directly into empty bottle until full. Replace trigger sprayer. If liquid remains in refill bottle, replace cap. Store for future use. Use product according to label directions.

To operate: Turn nozzle to on position and spray.

REFILL

50% More Free! 33 oz. at 22 oz. Price

(Note to reviewer: For Nonrefillable Containers, Ready to Use Household/Residential Use Products)

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children.

Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

(or)

Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

(Note to reviewer: Nonrefillable Containers, Ready-To-Use Products for Commercial/Institutional/Industrial Uses– no new container rinsing directions, not a dilutable per PRN 2007-4)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container.

(Plastic Containers:) Triple rinse (or equivalent). Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(Metal Container's:) Triple rinse (or equivalent). Offer for recycling if available or puncture and dispose of in sanitary landfill or by other procedures approved by state and local authorities.

(Note to reviewer: For Containers for Household and Residential Uses. The nonrefillable container statement will be removed when directions for how the pesticide user refills the container are included:)

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children.

(Nonrefillable container.) Do not reuse or refill this container (except as described in the directions for use). Wrap [container] and put in trash or offer for recycling if available.

(or)

(Nonrefillable container.) Do not reuse or refill this container (except as described in the directions for use). Wrap [container] and put in trash or offer for reconditioning if appropriate.

(Note to reviewer: For Containers for commercial, industrial, and institutional use. The nonrefillable container statement will be removed when directions for how the pesticide user refills the container are included:)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal:

(Nonrefillable container.) Do not reuse or refill this container (except as described in the directions for use).

(Plastic Containers:) Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(Metal Containers:) Triple rinse (or equivalent). Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities.