PHBI

Precautionary Statements Hazards to Humans and Domestic Animals

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with pienty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Store in original container in areas inaccessible to children. Do not reuse empty' container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

(Metal containers) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. (Plastic containers greater than 1 Gallon) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill. or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. (1 Gallon or less) Wrap and discard in trash.

6836-006 Lonza Formulation **DC-109N**

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide*-Deodorizer for Hospitals, Institutional and Industrial Use Effective in hard water up to 400 ppm hardness (calculated as CaCO₂) In the presence of 5% serum contamination

> Active Ingredient Didecyl dimethyl ammonlum cloride Inert Ingredients

7.68% 92.32%

100.00%

KEEP OUT OF REACH OF CHILDREN DANGER **PELIG**

> SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. EPA Establishment No. 6836-206

Net Contents

6836-IL-1

Manufactured by: LONZA INC., 17-17 Route 208, Fair Lawn, NJ 07410

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended, for the posticide registered under 6836-206 Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. LONZA FORMULATION DC-109N has been formulated to aid in the reduction of cross-contamination in these areas.

LONZA FORMULATION DC-109N is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

LONZA FORMULATION DC-109N is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

When used as directed, LONZA FORMULATION DC-109N will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mai odors.

LONZA FORMULATION DC-109N is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

LONZA FORMULATION DC-109N is recommended for use in hospitals, medical and dental offices, nursing homes, public restrooms,

institutions, schools, athletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, transportation terminals, hotels and motels.

For use in households.

This product contains no phosphorous.

1&I/Jankorlal

LONZA FORMULATION DC-109N is a no-rinse neutral pH disinfectant cleaner that disinfects, cleans and deodorizes in one labor-saving step. LONZA FORMULATION DC-109N is a concentrate that can be used with a mop and bucket, trigger sprayer, sponge, or by soaking. LONZA FORMULATION DC-109N provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat.

LONZA FORMULATION DC-109N maximizes labor results by effectively controlling odors.

Household

LONZA FORMULATION DC-109N Cleans, shines, deodorizes and disinfects all non-porous household surfaces. Inhibits the growth of moid and mildew, leaving bathrooms & kitchens clean and smelling fresh. LONZA FORMULATION DC-109N is recommended for non-scratch cleaning of showers and tubs, shower loors and curtains, fixtures, and tollet bowls.

LONZA FORMULATION DC-109N is for use in kitchens, bathrooms a other household areas.

LONZA FORMULATION DC-109N kills household germs in minut effective against harmful pseudomonas, staph and strep, influenza A a athlete's foot fungus.

LONZA FORMULATION DC-109N is a Hospital Disinfectant, bacterici at 1:128 dilution (1.0 ounce per gallon) according to the AO Use-Dilution Test method, modified in the presence of 400 ppm h water plus 5% organic serum against:

Pseudomonas aeruginosa
Staphylococcus aureus
Staphylococcus aureus-MRA
Salmonella choleraesuls
Brevibacterium ammoniagenes
Chlamydia psittaci
Enterobacter aerogenes
Enterobacter cloacae
Escherichia coli
Escherichia coli-MRA
Klebsiella pneumoniae
Klebsiella pneumoniae-MRA
Salmonella schottmuelieri

Salmonella typhi
Salmonella typhimurium
Serratia marcescens
Shigella dysenteriae
Shigella flexneri
Shigella sonnel
Staphylococcus epidermidi
Streptococcus faecalis
Streptococcus faecalis-MR.
Streptococcus pyogenes
Proteus vulgaris
Pseudomonas cepacia

LONZA FORMULATION DC-109N is virucidal* at 1:128 dilution (ounce per gallon) according to the virucidal qualification, modified in presence of 400 ppm hard water plus 5% organic serum against: HIV-I (AIDS virus) Influenza A/PR

Herpes simplex Type 1 and Type 2

Vaccinia Rubella

LONZA FORMULATION DC-109N is fungicidal at 1:128 dilution ounce per gallon) according to the AOAC fungicidal test, modified in presence of 400 ppm hard water plus 5% organic serum again Trichophyton mentagrophytes (the athlete's foot fungue). Cans albicans and Aspergills niger.

LONZA FORMULATION DC-109N is a sanitizer for hard non-porous needs contact surfaces at 1.0 ounce per gallon dilution again Staphylococcus aureus and Enterobacter aerogenes APR 2

Under the Feder Fungicide, and I as amended, for registered under EPA Rep. No.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Disinfection general use directions

Apply LONZA FORMULATION DC-109N to walls, floors and other hard (inanimate) non-porous surfaces (such as metal, stainless steel, glazed porcelain, and plastic), thoroughly wetting surfaces as required. LONZA FORMULATION DC-109N can be applied with a cloth, mop, sponge, or soaked or sprayed. For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist.

Disinfection directions

Add 1.0 oz. per gallon of water, to disinfect hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or when use solution becomes diluted or soiled.

*Virucidal directions

Add 1.0 oz. per gallon of water, for disinfection against all viruses claimed. Treated surfaces must remain wet for 2 minutes. Prepare a fresh solution daily or when use solution becomes diluted or soiled.

Mold and Mildew Control directions

Add 1.0 oz. per gallon of water, to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappear.

Sanitizing Non-Food Contact Surface directions

Add 1.0 oz. per gallon of water, to sanitize hard non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

Non-Acid Bowl D. ectant/Cleaner directions
From concentrate:

Add 1.0 oz. to the tollet bowl and mix. Brush thoroughly over expresurfaces and under the rim, allow to stand for 10 minutes and fiferom use-solution:

Empty toilet bowl or urinal and apply 1.0 oz./gal. use-solutio exposed surfaces including under the rim with a cloth, mop, spong sprayer. Allow to stand for 10 minutes and flush.

* KILLS HIV-1 ON PRE-CLEANED ENVIRONMEN SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BIFLUIDS in health care settings or other settings in which there I expected likelihood of soiling of inanimate surfaces/objects with b or body fluids and in which the surfaces/objects likely to be soiled blood or body fluids can be associated with the potential transmission of human immunodeficiency virus Type 1 (HI (associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING A DECONTAMINATION AGAINST HIV-I ON SURFACES /OBJE-SOILED WITH BLOOD/BODY FLUIDS."

PERSONAL PROTECTION: Clean-up should always be done were protective latex gloves, gowns, masks and eye protection. CLEAN PROCEDURE: Blood and other body fluids containing HIV mus thoroughly cleaned from surfaces and objects before applicatio LONZA FORMULATION DC-109N. CONTACT TIME: Leave surface for 2 minutes with 1.0 oz. per gallon use-solution. Use a 10 mi contact time for disinfection against all other bacteria, and fungi clair DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, clea materials and clothing should be autoclaved and disposed of accorto local regulations for infectious waste disposal.

PELIGRO: Si no puede leer en Ingles, pregunte a su supervisor si las instrucciones de uso apropiadas antes de trabajar con producto.

03/29/93

