

PM-31

Reg # 6836-206

12 12

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (X)

OPP Identifier Number 250441

Application for Pesticide - Section I

1. Company/Product Number: 6836-206
2. EPA Product Manager: M. Johnson
3. Proposed Classification: [X] None [] Restricted
4. Company/Product (Name): Lonza Formulation Dc-109N
5. Name and Address of Applicant: Lonza Inc., 17-17 Route 208, Fair Lawn, NJ 07410
6. Expedited Review: In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. (X)
Do not printed labels in response to Agency letter dated. "Market" Application. Other - Explain below.

Explanation: Use additional sheets if necessary. (For section I and Section II)

This notification is in full compliance with the requirements of 40 CFR 155.107.

BEST COPY AVAILABLE

Child-Resistant Packaging, Unit Packaging, Water Soluble Part, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point: Name: Eliot I. Harrison, Title: Agent for LONZA, Telephone No.: (301) 652-5495
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: [Handwritten Signature], 3. Title: Agent for LONZA, 4. Typed Name: Eliot I. Harrison, 5. Date: 11-7-95, 6. Date Application Received: (Stamped)

2912

"PRECAUTION LABEL"

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg white or gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Precautionary Statements
Hazards to Humans and Domestic Animals**

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritant or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray can, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by the procedures on the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

(Metal containers) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. (Plastic containers greater than 1 Gallon) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke (if 45% or less) Wrap and discard in trash.

LONZA FORMULATIONS

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildew
for Hospitals, Institutional and
Effective in hard water up to 400 ppm bar
CaCO₃) in the presence of 5% surfactant

Active Ingredients
Didecyl dimethyl ammonium chloride
Inert Ingredients

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No.
EPA Establishment No.
Net Contents

Manufactured by:
LONZA INC., 17-17 Route 208, Fair

BEST COPY AVAILABLE

39121

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **LONZA FORMULATION DC-109N** has been formulated to aid in the reduction of cross-contamination in these areas.

LONZA FORMULATION DC-109N a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

LONZA FORMULATION DC-109N is an effective one-step sanitizer-cleaner for all non-food contact surfaces. When used as directed, **LONZA FORMULATION DC-109N** will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans, and garbage storage areas, and other places where bacterial growth can cause mal odors.

LONZA FORMULATION DC-109N is an effective fungicide against athlete's foot, tinea, and dermatophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

LONZA FORMULATION DC-109N is recommended for use in hospitals, medical, dental offices, nursing homes, public rest rooms, institutions, schools, colleges, athletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, airports, transportation terminals, hotels and motels. For use in households. This product contains no phenol.

LONZA FORMULATION DC-109N is a no-rinse neutral pH disinfectant cleaner that cleans, cleans and deodorizes in one labor-saving step.

LONZA FORMULATION DC-109N can be used with a mop and bucket, trigger sprayer, sponge, or by soaking.

LONZA FORMULATION DC-109N provides effective cleaning strength that will not damage metal-interlock floor finishes, and does not require a rinse prior to recoat.

LONZA FORMULATION DC-109N maximizes labor results by effectively controlling odors.

LONZA FORMULATION DC-109N Cleans, shines, deodorizes and disinfects all hard non-porous household surfaces. Inhibits the growth mold and mildew, leaving bathrooms and kitchens clean and smelling fresh.

LONZA FORMULATION DC-109N is recommended for non-scratch cleaning of shower and tubs, shower doors and curtains, fixtures, and toilet bowls.

LONZA FORMULATION DC-109N is for use in kitchens, bathrooms and other household areas.

LONZA FORMULATION DC-109N kills household germs in 10 minutes; effective against harmful pseudomonas, staph and strep, influenza A, P.E. and athlete's foot fungus.

LONZA FORMULATION DC-109N is a neutral pH multi-surface cleaner, deodorizer, and disinfectant. Use on windows, mirrors, and other glass surfaces.

Use **LONZA FORMULATION DC-109N** on the multi-touch surfaces responsible for cross-contamination.

Use **LONZA FORMULATION DC-109N** on finished floors, high speed burnished floors, linoleum flooring, tables, chairs, bathroom bowls, basins, countertops, bed rails, door knobs and handles, glass surfaces including windows and mirrors.

LONZA FORMULATION DC-109N is recommended for Poultry Premise Sanitation (Hatcheries):

Egg Rinsing Area	Tray Dumping Area	Chick Processing Area
Egg Holding Area	Chick Holding Room	Chick Loading Area
Sitter Room	Hatchery Room	Poultry Buildings

LONZA FORMULATION DC-109N is recommended for Swine Premise Sanitation:

Finishing Barns and Areas	Dressing Plants	Blocks
Watering and Feeders	Loading Equipment	Creep Area
Mating Equipment	Nursery	Chutes

BEST COPY AVAILABLE

4912

LONZA FORMULATION DC-109N is a Hospital Use disinfectant at 1 ounce per gallon (8 milliliters per liter, 1:128 dilution), modified in the presence of 250 ppm hard water, and 1 1/3 ounces per gallon (10 milliliters per liter, 1:100 dilution), modified in the presence of 400 ppm hard water. **LONZA FORMULATION DC-109N** is Bactericidal according to the AOAC Dilution Test method, Virucidal* according to the virucidal qualification on hard nonporous surfaces, Fungicidal according to the AOAC fungicidal test, modified in the presence of 250 ppm organic serum against:

- | | |
|---|---|
| Pseudomonas aeruginosa | Staphylococcus aureus |
| Salmonella choleraesuis | Staphylococcus aureus-(Methicillin resistant, MRSA) |
| Staphylococcus aureus | Brevibacterium ammoniagenes |
| Staphylococcus aureus-(Methicillin resistant, MRSA) | Chlamydia psittaci |
| Brevibacterium ammoniagenes | Enterobacter aerogenes |
| Chlamydia psittaci | Enterobacter cloacae |
| Enterobacter aerogenes | Escherichia coli |
| Enterobacter cloacae | Escherichia coli-(Methicillin resistant) |
| Escherichia coli | Klebsiella pneumoniae |
| Escherichia coli-(Methicillin resistant) | |
| Klebsiella pneumoniae | |
| Klebsiella pneumoniae-(Methicillin resistant) | |
| Aspergillus niger | |
| Trichophyton mentagrophytes | |
| | |
| HIV-1 (AIDS virus) | Herpes Simplex Type 1 |
| Influenza A/PR | Rubella |
| Herpes Simplex Type 1 | Vaccinia |

LONZA FORMULATION DC-109N is a sanitizer for hard non porous non food contact surfaces at 1 - 1 1/3 ounces per gallon (8-10 milliliters per liter) against:

- | | |
|------------------------|-----------------------|
| Enterobacter aerogenes | Staphylococcus aureus |
|------------------------|-----------------------|

For use in Spanish, please refer to the Spanish label. For use in English, solicite instrucciones a su supervisor antes de este producto.

Warning:
This is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Instrucciones de uso:
El empleo de este producto de manera contraria a lo indicado en su etiqueta constituye una violación de la Ley Federal.)

(This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.)

(Este producto no debe usarse en ninguna superficie o instrumento que: (1) haya de introducirse directamente en el organismo humano, ya sea en la circulación sanguínea o en contacto con ésta o con zonas orgánicas normalmente estériles, o (2) haya de entrar en contacto con mucosas intactas aunque habitualmente no atraviese la barrera hematoencefálica o no penetre de alguna otra manera en zonas normalmente estériles del organismo.)

Preparation of use-solution:
For water hardness up to 250 ppm add 1 ounce per gallon (8 milliliters per liter) of water (1:128) or for water hardness up to 400 ppm add 1 1/3 ounces per gallon (10 milliliters per liter) of water (1:100), to disinfect hard, non-porous surfaces.
For heavy duty use, add 4 ounces per gallon (32 milliliters per liter) of water (1:32), to disinfect hard, non-porous surfaces.

Preparación de solución utilizable:
Para agua dura hasta 250 ppm agregar 1 onza por galón (8 milliliters por liter) de agua (1:128), para agua dura hasta 400 ppm agregar 1 1/3 onzas por galón (10 milliliters por liter) de agua (1:100), para desinfectar superficies duras no porosas.
Para uso pesado, agregar 4 onzas por galón (32 milliliters por liter) de agua (1:32), para desinfectar superficies duras no porosas.)

BEST COPY AVAILABLE

5712

Disinfection*Virucidal/Mold and Mildew Control directions:

Apply **use-solution** to hard (inanimate) non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge, or sprayer.

(Instrucciones de desinfección/control de *virucidad/moho y enmohecimiento:

Aplicar la **solución utilizable** a superficies duras (inanimadas) no porosas incluyendo completamente las superficies según lo recomendado y requerido, con un trapo, esponja, esponja o rociador.)

For heavily soiled areas, a preliminary cleaning is required
(Para áreas muy manchas, se requiere una limpieza preliminar)

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface with brush, sponge or cloth. Do not breathe spray mist.

(Para aplicaciones de rociador, utilizar un aparato de rociado grueso. Rociar 6 a 8 pulgadas desde la superficie, frotar con un cepillo, esponja o trapo. No respirar el vapor del rociador.)

Disinfection*Virucidal directions:

Add 1 ounce per gallon of water, to disinfect hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes (2 minutes for disinfection against all viruses claimed). Use a fresh solution daily or when use solution becomes diluted or soiled.

Mold and Mildew Control directions:

Add 1 ounce per gallon of water, to control the growth of mold and mildew and to reduce odor on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Repeat daily. Repeat application weekly or when growth or odor reappears.

Sanitizing Non-Food Contact Surface directions:

Add 1 - 1 1/3 ounces per gallon (8-10 milliliters per liter) of water, to sanitize hard non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

(Instrucciones de esterilización de superficies que no están en contacto con alimentos:

Agregar 1 - 1 1/3 onza por galón (8-10 mililiters por liter) de agua para esterilizar superficies duras no porosas en contacto con el medio ambiente. Las superficies tratadas deben mantenerse mojas durante 60 segundos.)

Non-Acid Toilet Bowl Disinfectant/Cleaner directions:

From concentrate:

Add 1 - 1 1/3 ounces (30-40 milliliters) to the toilet bowl and mix. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

From use-solution:

Apply toilet bowl or urinal and apply 1 - 1 1/3 ounces per gallon (8-10 milliliters per liter) **use-solution** to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

For heavy-duty use:

Apply toilet bowl or urinal and apply 4 ounces per gallon (32 milliliters per liter) **use-solution** to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

(Instrucciones para el desinfectante/limpiador no ácido de inodoro:

Desde el concentrado:

Agregar 1 - 1 1/3 onza (30-40 mililiters) a la taza del inodoro y mezclar. Cepillar completamente sobre las superficies expuestas y debajo del reborde, dejando setar por 10 minutos y correr el agua.

Desde la solución utilizable:

Aplicar a la taza del inodoro o orinal y aplicar una **solución utilizable** de 1 - 1 1/3 onza por galón (8-10 mililiters por liter) a las superficies expuestas, inclusive debajo del reborde, con un trapo, esponja o rociador, dejar estar por 10 minutos y correr el agua.

Para uso pesados:

Aplicar a la taza del inodoro o orinal y aplicar una **solución utilizable** de 4 onzas por galón (32 mililiters por liter) a las superficies expuestas, inclusive debajo del reborde, con un trapo, esponja o rociador, dejar estar por 10 minutos y correr el agua.)

Glass Cleaning/Deodorizing Directions:

Add 4-6 ounces per gallon (4-16 milliliters per liter) of water to clean and deodorize windows, mirrors and glass surfaces.

Use a coarse spray device. Spray 6-8 inches from surface, rub with sponge or cloth. Do not breathe spray mist.

(Instrucciones para el limpiador/desodorizar superficies vidrio:

Agregar 4-6 onza por galón (4-16 mililiters por liter) de agua, para limpiar y desodorizar ventanas, espejos y superficies vidrio.

Utilizar un aparato de rociado grueso. Rociar 6 a 8 pulgadas desde la superficie, frotar con un cepillo, esponja o trapo. No respirar el vapor del rociador.)

BEST COPY AVAILABLE

68129

*** KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES /OBJECTS SOILED WITH BLOOD/BODY FLUIDS."

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of LONZA FORMULATION DC-109N.

CONTACT TIME: Leave surface wet for 2 minutes with (1 ounce per gallon, 8 milliliters per liter) **use-solution**. Use a 10 minute contact time for disinfection against all other virus, bacteria, and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

MATA EL VIH EN SUPERFICIES/OBJECTOS EXPUESTOS AL MEDIO AMBIENTE PREVIAMENTE CONTAMINADOS CON SANGRE/LIQUIDOS CORPORALES, CUANDO SE LIMPIADO PREVIAMENTE, en lugares destinados al cuidado de la salud u otros lugares donde se prevea la posibilidad de contaminación de superficies/objetos inanimados con sangre o líquidos corporales y en los que dichas superficies/objetos pueden estar relacionados con el portenial de transmisión del virus de la inmunodeficiencia humana tipo 1 (asociado con el SIDA).

INSTRUCCIONES ESPECIALES PARA LA LIMPIEZA Y DESCONTAMINACION CONTRA EL VIH SOBRE SUPERFICIES/OBJECTOS CONTAMINADOS CON SANGRE/LIQUIDOS CORPORALES."

PROTECCION PERSONAL: La limpieza deberá hacerse siempre usando guantes de látex protectores, batas, máscaras y protección de la vista.

PROCEDIMIENTO DE LIMPIEZA: La sangre y otros líquidos corporales que contienen el VIH deben limpiarse completamente de las superficies y los objetos antes de aplicar LONZA FORMULATION DC-109N.

TIEMPO DE CONTACTO: Dejar la superficie mojada durante 2 minutos con (1 onza por galón, 8 mililitros por liter) de solución utilizable. Dejar 10 minutos de tiempo contacto para la desinfección contra todos los otros virus, bacterias y hongos declarados.

ELIMINACION DE MATERIALES INFECCIOSOS: La sangre, los líquidos corporales, materiales de limpieza y ropa deben someterse al autoclave y eliminarse de acuerdo con la legislación local sobre eliminación de desechos infecciosos.)

BEST COPY AVAILABLE

7912

POULTRY (and SWINE) PREMISE SANITATION

SITE PREPARATION

The first step in any on-going sanitation program should be the removal of gross contamination and debris. This may be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter. Once the heavy debris is eliminated, disinfection can be accomplished in one easy step.

CLEANING AND DISINFECTION

For all general cleaning and disinfection, use 1 - 1 1/3 ounces of **LONZA FORMULATION DC-109N** per gallon of water (1:128/1:100 solution). Apply **LONZA FORMULATION DC-109N** using a cloth, mop, or pressure sprayer so as to thoroughly wet surface to be disinfected. Allow to remain wet for 10 minutes and then let air dry. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution after each use.

APPLICATIONS AND USE DILUTION

POULTRY (and SWINE) PREMISE

Remove all animals and feeds from premises, trucks, coops, and crates. Remove all litter, droppings and manure from floors, walls and surfaces of houses occupied or frequented by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use 1 - 1 1/3 ounces of **LONZA FORMULATION DC-109N** per gallon of water. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse. Immerse all hoppers, racks, and other types of equipment used in handling and restraining animals, as well as shovels, and scrapers used for removing litter and manure.

HATCHERIES: Use 1 - 1 1/3 ounces of **LONZA FORMULATION DC-109N** per gallon of water to treat hatcher, setters, trays, racks, carts, sexing tanks, delivery trucks and other hard surfaces. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Rinse with a potable water rinse before reuse.

VEHICLES: Clean all vehicles including mats, crates, doors, and wheels with hot potable water and **LONZA FORMULATION DC-109N**. Use 1 - 1 1/3 ounces per gallon of water on the vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more.

SHOE BATHS: Shoe baths containing one inch of freshly made disinfectant solution should be placed at all entrances to buildings and hatcheries. Change the disinfectant solution in the bath daily or when solution appears dirty.

DRESSING PLANT USE: Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the recommended use solution of 1 ounce per gallon. Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water.

SANITIZING HATCHERY ROOMS USING FOGGING DEVICES

Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of the room to be treated. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Close room off so fog is confined to room to be treated. Mix two parts **LONZA FORMULATION DC-109N** to five parts water (1 gallon **LONZA FORMULATION DC-109N** to 2.5 gallons water). Insert the nozzle of the fogger through a suitable opening into the room. With the setting in maximum output, fog for one minute for each 4000 cubic feet of space in the room.

SANITIZING INCUBATORS AND HATCHERS USING FOGGING DEVICES

Mix 12 ounces **LONZA FORMULATION DC-109N** to 122 ounces water. Fog 3-8 ounces of this into setters and hatchers immediately after transfer. Repeat daily in setters and every 12 hours in hatchers. Discontinue hatcher treatments at least 24 hours prior to pulling the hatch. Do not allow people to contact or breath this fog and do not enter until the fog has settled (30-60 minutes after fogging is completed). It is acceptable to fog setters and hatchers with a 1 - 1 1/3 ounce per gallon solution of **LONZA FORMULATION DC-109N** on an hourly or every other hour basis. If this is done, fog for 30-90 seconds once per hour or once every two hours. When fogging is completed, ventilate buildings, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

The fog generated is irritating to the eyes, skin and mucous membranes. Under no circumstances should a room or building be entered by anyone within two hours of the actual fogging. If a building must be entered, then the individuals entering the building must wear a self-contained respirator approved by NIOSH/MSHA, goggles, long sleeves and long pants.

NOTE: TO BE USED AS AN ADJUNCT TO ACCEPTABLE MANUAL CLEANING AND DISINFECTING OF ROOM AND MACHINE SURFACES.

BEST COPY AVAILABLE

8912

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution; if it is not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Precautionary Statements
Hazards to Humans and Domestic Animals**

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

(Metal containers) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. (Plastic containers greater than 1 Gallon) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. (1 Gallon or less) Wrap and discard in trash.

LONZA FORMULATION DC-109N

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide*-Deodorizer
for Hospitals, Institutional and Industrial Use.
Effective in hard water up to 400 ppm hardness (Calculated as CaCO₃) in the presence of 5% serum-contamination

<u>Active Ingredients</u>	
Didecyl dimethyl ammonium chloride	7.68%
<u>Inert Ingredients</u>	92.32%
	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

PELIGRO

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No.	6836-206
EPA Establishment No.	6836-IL-1
Net Contents	

Manufactured by
LONZA INC., 17-17 Route 208, Fair Lawn, NJ 07410

BEST COPY AVAILABLE

9912

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **LONZA FORMULATION DC-109N** has been formulated to aid in the reduction of cross-contamination in these areas.

LONZA FORMULATION DC-109N a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

LONZA FORMULATION DC-109N is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, **LONZA FORMULATION DC-109N** will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

LONZA FORMULATION DC-109N is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

LONZA FORMULATION DC-109N is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, athletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, airports, transportation terminals, hotels and motels. For use in households. This product contains no phosphates.

LONZA FORMULATION DC-109N is a no-rinse neutral pH disinfectant cleaner that deodorizes, cleans and deodorizes in one labor-saving step.

LONZA FORMULATION DC-109N can be used with a mop and bucket, trigger sprayers, sponge, or by soaking.

LONZA FORMULATION DC-109N provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat.

LONZA FORMULATION DC-109N maximizes labor results by effectively controlling odors.

LONZA FORMULATION DC-109N Cleans, shines, deodorizes and disinfects all hard non-porous household surfaces. Inhibits the growth mold and mildew, leaving bathrooms & kitchens clean and smelling fresh.

LONZA FORMULATION DC-109N is recommended for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures, and toilet bowls.

LONZA FORMULATION DC-109N is for use in kitchens, bathrooms and other household areas.

LONZA FORMULATION DC-109N kills household germs in 10 minutes; effective against harmful pseudomonas, staph and strep, influenza A PR and athlete's foot fungus.

LONZA FORMULATION DC-109N is a neutral pH multi-surface cleaner, deodorizer, and disinfectant. Use on windows, mirrors, and other glass surfaces.

Use **LONZA FORMULATION DC-109N** on the multi-touch surfaces responsible for cross-contamination.

Use **LONZA FORMULATION DC-109N** on finished floors, high speed burnished floors, conductive flooring, tables, chairs, bathroom bowls, basins, countertops, bed rails, door knobs and handles, glass surfaces including windows and mirrors.

LONZA FORMULATION DC-109N is recommended for Poultry Premise Sanitation (Hatcheries):

Egg Receiving Area	Tray Dumping Area	Chick Processing Area
Egg Holding Area	Chick Holding Room	Chick Loading Area
Setter Room	Hatchery Room	Poultry Buildings

LONZA FORMULATION DC-109N is recommended for Swine Premise Sanitation:

Farrowing Barns and Areas	Dressing Plants	Blocks
Waterers and Feeders	Loading Equipment	Creep Area
Hauling equipment	Nursery	Chutes

BEST COPY AVAILABLE

10912

LONZA FORMULATION DC-109N is a Hospital Use Disinfectant at 1 ounce per gallon (8 milliliters per liter, 1:128 dilution), modified in the presence of 250 ppm hard water, and at 1 1/3 ounces per gallon (10 milliliters per liter, 1:100 dilution), modified in the presence of 400 ppm hard water. **LONZA FORMULATION DC-109N** is Bactericidal according to the AOAC 12-01-01 Dilution Test method, Virucidal* according to the virucidal qualification on hard inanimate surfaces, Fungicidal according to the AOAC fungicidal test, modified in the presence of 5% organic serum against:

- | | |
|---|--|
| Pseudomonas aeruginosa | Photobacterium vulgare |
| Salmonella choleraesuis | Salmonella schottmuelleri |
| Staphylococcus aureus | Salmonella typhi |
| Staphylococcus aureus-(Methicillin resistant, MRSA) | Salmonella typhimurium |
| Brevibacterium ammoniagenes | Serratia marcescens |
| Chlamydia psittaci | Shigella dysenteriae |
| Enterobacter aerogenes | Shigella flexneri |
| Enterobacter cloacae | Shigella sonnei |
| Escherichia coli | Staphylococcus epidermidis |
| Escherichia coli-(Methicillin resistant) | Streptococcus faecalis |
| Klebsiella pneumoniae | Streptococcus faecalis (Methicillin resistant) |
| Klebsiella pneumoniae-(Methicillin resistant) | Streptococcus pyogenes |
| Aspergillus niger | Candida albicans |
| Trichophyton mentagrophytes | |
| HIV-1 (AIDS virus) | Herpes Simplex Type 2 |
| Influenza A/PR | Rubeola |
| Herpes Simplex Type 1 | Vaccinia |

LONZA FORMULATION DC-109N is a sanitizer for hard non-porous non-food contact surfaces at 1 - 1 1/3 ounces per gallon (8-10 milliliters per liter) against:

- | | |
|------------------------|-----------------------|
| Enterobacter aerogenes | Staphylococcus aureus |
|------------------------|-----------------------|

PELIGRO:

Si no sabe el inglés, solicite instrucciones a su supervisor antes de este producto.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

(Instrucciones de uso)

El empleo de este producto de manera contraria a lo indicado en su etiqueta constituye una violación de la Ley Federal.)

(This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.)

(Este producto no debe usarse en ninguna superficie o instrumento que: (1) haya de introducirse directamente en el organismo humano, ya sea en la circulación sanguínea o en contacto con ésta o con zonas orgánicas normalmente estériles, o (2) haya de entrar en contacto con mucosas intactas aunque habitualmente no atraviese la barrera hematoencefálica o no penetre de alguna otra manera en zonas normalmente estériles del organismo.)

Preparation of use-solution:

For water hardness up to 250 ppm add 1 ounce per gallon (8 milliliters per liter) of water (1:128), or for water hardness up to 400 ppm add 1 1/3 ounces per gallon (10 milliliters per liter) of water (1:100), to disinfect hard, non-porous surfaces.

For heavy duty use, add 4 ounces per gallon (32 milliliters per liter) of water (1:32), to disinfect hard, non-porous surfaces.

(Preparación de solución utilizable:

Para agua dura hasta 250 ppm agregar 1 onza por galón (8 milliliters por liter) de agua (1:128), para agua dura hasta 400 ppm agregar 1 1/3 onzas por galón (10 milliliters por liter) de agua (1:100) para desinfectar superficies duras no porosas.

Para uso pesado, agregar 4 onzas por galón (32 milliliters por liter) de agua (1:32), para desinfectar superficies duras no porosas.)

BEST COPY AVAILABLE

11912

Disinfection*/Virucidal/Mold and Mildew Control directions:

Apply **use-solution** to hard (inanimate) non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge, or sprayer.

(Instrucciones de desinfección/control de *virucidad, moho y enmohecimiento):

Aplicar la **solución utilizable** a superficies duras (animadas) no porosas, mojar completamente las superficies según lo recomendado y requerido, con un trapo, estropajo, esponja o rociador.)

For heavily soiled areas, a preliminary cleaning is required.
(Para áreas muy manchas, se requiere una limpieza preliminar.)

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist.

(Para aplicaciones de rociador, utilizar un aparato de rociado grueso. Rocíar 6 a 8 pulgadas desde la superficie, frotar con un cepillo, esponja o trapo. No respirar el vapor del rociador.)

Disinfection*/Virucidal directions:

Add 1 ounce per gallon of water, to disinfect hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes (2 minutes for disinfection against all viruses claimed). Prepare a fresh solution daily or when use solution becomes diluted or soiled.

Mold and Mildew Control directions:

Add 1 ounce per gallon of water, to control the growth of mold and mildew and their odor on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

Sanitizing Non-Food Contact Surface directions:

Add 1 - 1 1/3 ounces per gallon (8-10 milliliters per liter) of water, to sanitize hard non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

(Instrucciones de esterilización de superficies que no están en contacto con alimentos):

Agregar 1 - 1 1/3 onza por galón (8-10 mililiters por liter) de agua, para esterilizar superficies duras no porosas en contacto con el medio ambiente. Las superficies tratadas deben mantenerse mojadas durante 60 segundos.)

Non-Acid Toilet Bowl Disinfectant/Cleaner directions:

From concentrate:

Add 1 - 1 1/3 ounces (30-40 milliliters) to the toilet bowl and mix. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

From use-solution:

Empty toilet bowl or urinal and apply 1 - 1 1/3 ounces per gallon (8-10 milliliters per liter) **use-solution** to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

For Heavy-duty use:

Empty toilet bowl or urinal and apply 4 ounces per gallon (32 milliliters per liter) **use-solution** to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer; allow to stand for 10 minutes and flush.

(Instrucciones para el desinfectante/limpiador no ácido de inodoro):

Con el concentrado:

Agregar 1 - 1 1/3 onza (30-40 mililiters) a la taza del inodoro y mezclar. Cepillar completamente sobre las superficies expuestas y debajo del reborde, dejando setar por 10 minutos y correr el agua.

Con la solución utilizable:

Vaciar la taza del inodoro o orinal y aplicar una **solución utilizable** de 1 - 1 1/3 onza por galón (8-10 mililiters por liter) a las superficies expuestas, inclusive debajo del reborde, con un trapo, estropajo, esponja o rociador, dejar estar por 10 minutos y correr el agua.

Para uso pesado:

Vaciar la taza del inodoro o orinal y aplicar una **solución utilizable** de 4 onzas por galón (32 mililiters por liter) a las superficies expuestas, inclusive debajo del reborde, con un trapo, estropajo, esponja o rociador, dejar estar por 10 minutos y correr el agua.)

Glass Cleaning/Deodorizing Directions:

Add 0.5-2 ounces per gallon (4-16 milliliters per liter) of water to clean and deodorize windows, mirrors, and glass surfaces.

Use a coarse spray device. Spray 6-8 inches from surface, rub with sponge or cloth. Do not breathe spray mist.

Instrucciones para el limpiador/desodorizar superficies vidrio:

Agregar 0.5-2 onza por galón (4-16 mililiters por liter) de agua, para limpiar y desodorizar ventanas, espejos y superficies vidrio.

Utilizar un aparato de rociado grueso. Rocíar 6 a 8 pulgadas desde la superficie, frotar con un cepillo, esponja o trapo. No respirar el vapor del rociador.)

BEST COPY AVAILABLE

12812

* **KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS INHEALTH CARE SETTINGS OR OTHER SETTINGS IN WHICH THERE IS AN EXPECTED LIKELIHOOD OF SOILING OF INANIMATE SURFACES/ OBJECTS WITH BLOOD OR BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/ objects with blood or body fluids which the surfaces/objects likely to be soiled with blood or body fluids can be as well as those which are soiled with blood or body fluids with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES /OBJECTS SOILED WITH BLOOD/BODY FLUIDS"

PERSONAL PROTECTION: Clean-up should always be done using protective gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of LONZA FORMULATION DC-109N.

CONTACT TIME: Leave surface wet for 2 minutes with 1 ounce per gallon, 8 milliliters per liter) use-solution. Use a 10 minute contact time for disinfecting just all other bacteria and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

(* **KILLS EL VIH EN SUPERFICIES/OBJECTOS EXPUESTOS AL MEDIO AMBIENTE PREVIAMENTE CONTAMINADOS CON SANGRE/LIQUIDOS CORPORALES, CUANDO SE LIMPIA PREVIAMENTE**, en lugares destinados al cuidado de la salud u otros lugares donde se prevea la posibilidad de contaminación de superficies/objetos inanimados con sangre o líquidos corporales y en los que dichas superficies/objetos puedan estar relacionados con el portenial de transmisión del virus de la inmunodeficiencia humana tipo 1 (VIH-1) asociado con el SIDA).

"INSTRUCCIONES ESPECIALES PARA LA LIMPIEZA Y DESCONTAMINACION CONTRA EL VIH-1 SOBRE SUPERFICIES/OBJECTOS CONTAMINADOS CON SANGRE/LIQUIDOS CORPORALES."

PROTECCION PERSONAL: La limpieza deberá hacerse siempre usando guantes de látex protectores, batas, máscaras y protección de la vista.

PROCEDIMIENTO DE LIMPIEZA: La sangre y otros líquidos corporales que contienen el VIH deben limpiarse completamente de las superficies y los objetos antes de aplicar LONZA FORMULATION DC-109N.

TIEMPO DE CONTACTO: Dejar la superficie mojada durante 2 minutos con (1 onza por galón, 8 milliliters por liter) de solución utilizable. Dejar 10 minutos de tiempo contacto para la desinfección contra todos los otros virus, bacterias y hongos declarados.

ELIMINACION DE MATERIALES INFECCIOSOS: La sangre, los líquidos corporales, materiales de limpieza y ropa deben someterse al autoclave y eliminarse de acuerdo con la regulacionones locales sobre eliminación de desechos infecciosos.)

BEST COPY AVAILABLE