EPA REGISTRATION NO US ENVIRONMENTAL PROTECTION AGENCY 6836-235 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 HAME OF PESTICIDE PRODUCT Barquat 422-50 REGISTRATION
REREGISTRATION NOTICE OF PESTICIDE: (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Lonza Inc. 17-17 Route 208 Fair Lawn, NJ 07410 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Redenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been powered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: Submit/cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Make the labeling changes listed below before you release the product for shipment: a. Add the phrase "EPA Registration No. 6836-235" b. Change your "If swallowed. . . " statement to read "If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately." c. Change the statement "Corrosive. Causes eye damage and skin irritation." to read "Corrosive. Causes eye and skin damage."

EPA Form 8570-6 (Rev. 5-76)

TTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY 64

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Marion Johnson

Product Manager 31

Antimicrobial Programs Branch Registration Division (7505C)

Enclosures

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes eye damage and skin imitation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL



Do not contaminate water, food or feed by storage disposal. Do not store on side.

Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

iner is 1 gallon or less, do not reuse empty container (bottle, can, bucket). Ontainer and put in trash.

ACCEVED WILL COMMENTS ON EPA Taken Dates

JUL | | 1 1995

Under the Leas at 1 so ticht, Fungicide, and incidenticide Act as amunded, for the perticide regionared under EPA Reg. No. 6836-235

BARQUAT 42Z-50

For the Control of Mollusks and Algae, Bacterial and Fungal slimes in Once-Through and Closed-Cycle Fresh and Sea Water Cooling Systems

Active Ingredients

Inert Ingredients

Alkyl (C_{14} , 60%; C_{14} , 30%; C_{12} , 5%; C_{14} , 5%) Dimethyl Benzyl Ammonium Chloride	25.0%
Alkyl (C ₁₂ , 68%; C ₁₄ , 32%) Dimethyl Ethylbenzyl Ammonium Chloride	25.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

6836-

50.0%

100.0%

EPA Establishment No.

6836-IL-1

Net Contents

Manufactured by: LONZA INC., 17-17 Route 208, Fair Lawn, NJ 07410

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply BARQUAT 42Z-50 with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

FOR THE CONTROL OF MOLLUSCA, BACTERIA, FUNGI AND ALGAE When used as directed, BARQUAT 42Z-50 helps to effectively control algae, bacteria, fungi and macrofouling species such as clams, barnacles, and mussels in commercial and industrial recirculating and once-through cooling water systems, influent water systems, brewery pasteurizers, auxiliary water systems and waste water systems. Product addition should be made with a metering pump. Product may be fed continuously or on an intermittent basis depending on the degree of system fouling and retention time.

BACTERIAL, FUNGAL, AND ALGAE CONTROL IN RECIRCULATING, AUXILIARY AND WASTE WATER SYSTEMS, AND PASTEURIZERS INITIAL DOSE: Add BARQUAT 42Z-50 at an initial dosage of 0.2-0.4 gallons per 5,000 gallons of system water (40-80 ppm, 20-40 ppm a.i.). Repeat until the desired level of control is achieved. Heavily contaminated systems must be precleaned.

SUSSEQUENT DOSE: Once control is achieved, add maintenance dosages of quarts BARQUAT 42Z-50 per 5,000 gallons of system water (10-40 ppm, ,pm a.i.) weekly or as needed to maintain control. Apply BARQUAT 42Z-50 to a point in the system where it will be uniformly mixed and distributed, such as the tower sump.

MACROFOULING CONTROL IN RECIRCULATING AUXILIARY COOLING WATER AND WASTE WATER SYSTEMS

INITIAL DOSE: For the control of macrofouling growth such as clams, barnacles, and mussels, add 0.3-2.6 fluid ounces of BARQUAT 42Z-50 per 1,000 gailons of system water (2-20 ppm, 1-10 ppm a.i.). Repeat as necessary to achieve control. SUBSEQUENT DOSE: When control is evident, add 0.3-1.3 fluid ounces of BARQUAT 42Z-50 per 1,000 gallons of system water (2-10 ppm, 1-5 ppm a.i.) as needed to maintain control.

ſ.

ASSEPTED WITH COMMENTS IN ELA LAKER PRICE

JUL 1 1995
Under the formal his holds, Furnishe, and Redeminde Act in manded, for the problem in 1936-1836-235

INTERMITTENT FEED INITIAL DOSE: When the system is noticeably fouled, add BARQUAT 42Z-50 at

a dosage of 0.3-2.6 fluid ounces per 1,000 gallons of water (2-20 ppm, 1-10 ppm

a.i.) based on system flow rates. The minimum treatment period should be 6 to

24 hours. Repeat as necessary to achieve control. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm clay to 1 ppm product.

SUBSEQUENT DOSE: When control is evident, add BARQUAT 42Z-50 at a dosage of 0.15-1.3 fluid ounces per 1,000 gallons of water (1-10 ppm, 0.5-5 ppm a.i.) based on system flow rates on an as needed basis to maintain control. Frequency of feed should be tied to an in-plant monitoring program for macrofouling growth. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm clay to 1 ppm

ONCE-THROUGH COOLING WATER SYSTEMS CONTINUOUS FEED

product.

INITIAL DOSE: When the system is noticeably fouled, add BARQUAT 42Z-50 at a dosage of 0.15-1.3 fluid ounces per 1,000 gallons of water (1-10 ppm, 0.5-5 ppm a.i.) based on system flow rates. Continue to feed until needed control is achieved. Deactivation must be conducted prior to discharge from the system by using bentonite day at a minimum ratio of 5 ppm day to 1 ppm product. SUBSEQUENT DOSE: Maintenance control can be effective through continuous feed of BARQUAT 42Z-50 at a dosage of 0.05-0.5 fluid ounces per 1,000 gallons of water (0.4-4 ppm, 0.2-2 ppm a.i.) based on system flow rates. Deactivation must be conducted prior to discharge from the system by using bentonite day at a minimum ratio of 5 ppm day to 1 ppm product.

BARQUAT 42Z-50 IS INTENDED FOR INDUSTRIAL USE ONLY

Do not apply to potable or domestic water systems. Do not use water containing residues from use of this product to irrigate crops used for food or feed.

Use of the product in either public/municipal or single or multiple family private/residential potable/drinking water systems is strictly prohibited. Use of the product in any cooling water system that discharges effluent within 1/4 mile of either a public/municipal or single or multiple family private/residential potable/drinking water intake is strictly prohibited.

4/14/95