



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 1, 2026

Abbi Turner
Regulatory Affairs Manager
Arxada
abbi.turner@arxada.com

Subject: Label Amendment Halohydantoins Registration Review Interim Decision
Risk Mitigation
Product Name: DANTOBROM RW GRANULAR
EPA Registration Number: 6836-237
Received Date: 9/21/2021
Action Code Case Number: 00324043

Dear Abbi Turner:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Halohydantoins Interim Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Stephen Savage via email at savage.stephen@epa.gov.

Sincerely,



Kimberly Whitesell
Senior Environmental Protection Specialist
Reevaluation Branch
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Stamped Label

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.


The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

DANTOBROM® RW GRANULAR

Active Ingredients:

1-bromo-3-chloro-5,5-dimethylhydantoin	54.2%
1,3-dichloro-5,5-dimethylhydantoin	28.9%
1,3-dichloro-5-ethyl-5-methylhydantoin	15.9%
Other Ingredients.....	1.0%
Total:.....	100.0%



Total Available Halogen as Bromine: 141%
(and/or)

Total Available Halogen as Chlorine: 62.8%

EPA Reg. No. 6836-237

EPA Est. No. 6836-PA-01

NET [WEIGHT] [Contents]: (as marked on container) X[XXX] [LBs] [kg]

[Country of origin (insert country)]

[DOT Symbols]

[Manufactured in (insert country)]

[Barcode]

KEEP OUT OF REACH OF CHILDREN DANGER

See side / back / right / left panel for Precautionary Statements and First Aid

{Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements, as prescribed, will appear on the front panel of the label if it is Toxicity Category I by any route of exposure .} **FIRST AID**

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

[Manufactured] [Distributed] [Sold] [Packed] [By] [For]

Arxada, LLC

412 Mount Kemble Avenue, Suite 200S, Morristown, NJ 07960

[Tel] [1-973-443-4200] [1-XXX-XXX-XXXX] [Emergency Tel [24 hr.]] [1-800-424-9300] [or] [1-XXX-XXX-XXXX] [CCN 864796]

For more ingredient information visit

[Expiration] [Expiry] [Expires] [Exp] [Date] [insert date]

Emergency Contact Number: (_____)

DANTOBROM RW GRANULAR

EPA REG. NO. 6836-237

EPA SUBMITTED 04/29/2026

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

{PRIA V Bilingual Labeling}

- Scan [QR Code] for Spanish [Label] [SDS] {Note to Reviewer: This language can be used in addition or replaced with a Spanish translation. This link could go to the Spanish Safety Data Sheet or PRIA V Spanish label translation}
 - (insert QR Code)
- [For] [more information] [See link to] Spanish [translation] [see] (insert website) {Note to Reviewer: This link could go to the Spanish Safety Data Sheet or PRIA V Spanish label translation}
- {Note to Reviewer: Spanish Translation may also be placed directly on market place label}

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. HIGHLY CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Do not take internally. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or on clothing. Wear protective clothing, chemical resistant gloves, protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

FOR INDUSTRIAL USE

Technical advice regarding specific on site problems are available from [Arxada, LLC] {insert company name}. A Material Safety Data Sheet relative to the use of this product is also available upon request.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Halohydantoin products formulated as powders and granules must be applied by occupational handlers using a closed loading system.

RECIRCULATING COOLING WATER SYSTEMS AND SEWAGE SYSTEMS

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water towers, influent systems such as flow through filters, industrial water scrubbing systems, brewery pasteurizers, sewage systems (septic tanks, leach fields, tank lines, sewers, lagoons, and sewage effluent water), photo processing wash water and paper and paperboard process water.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI

Intermittent or Slug Method

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pounds per 1000 gallons (or 12 to 120 ppm) of the water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When a system is noticeably fouled, add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain dosage of 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system.

FOR CONTROL OF ALGAE

Intermittent or Slug Method

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algae control is evident add 0.1 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.12 to 0.75 pounds per 1000 gallons (or 12 to 90 ppm) of water in the system.

AIRWASHERS

For use only in industrial airwasher systems that maintain effective mist eliminating components.

This product controls slime forming bacteria, fungi and algae in industrial airwasher systems. Add **this product** at the rate of 0.1 to 1.0 pound (12 to 120 ppm) per 1000 gallons of water in the system, depending upon the severity of the contamination.

Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1.0 ppm as free chlorine.

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When system is noticeably fouled add to airwasher sump or chill water sump to ensure uniform mixing. Add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.60 pounds per 1000 gallons (or 12 to 72 ppm) of water.

CONTINUOUS FEED METHOD

INITIAL DOSE: When system is noticeably fouled add to airwasher sump or chill water sump to ensure uniform mixing. Add 0.1 to 1.0 pound per 1000 gallons (or 12 to 120 ppm) of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.6 pounds per 1000 gallons (or 12 to 72 ppm) of water.

ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

When used as directed, **this product** effectively controls algal, bacterial, fungal slimes and mollusks in open or closed-cycle, fresh or salt water, once-through cooling systems. Treat cooling water with **this product** at the system intake or other critical areas, where mixing is uniform.

DOSAGE RATES

INITIAL DOSE: When system is noticeably fouled, add 0.2 to 0.6 pounds per 1000 gallons of water contained in the system. Repeat initial dosage until one to three ppm (mg/L) bromine residual is established for at least 4 hours.

SUBSEQUENT DOSE: When microbial control is evident, add 0.1 to 0.3 pounds per 1000 gallons of water contained in the system. Repeat as needed to maintain one to three ppm bromine residual for at least 4 hours.

FOR USE IN CANISTERS

TO INSTALL CANISTER: Take feeder cap off. Remove canister cut offs. Hold canister so the open end faces down. Insert into feeder. The end of the canister must align with the L-key located inside the feeder at the bottom. DO NOT FORCE. Replace feeder cap. To achieve the proper halogen residual, turn the control dial to the appropriate setting and add the required product dosage. Refer to use directions for recirculating cooling water systems and sewage systems or airwasher systems, as appropriate.

Check the canister periodically and replace when empty. Do not attempt to open or refill this canister. DO NOT REUSE.

PRECAUTION:

The warranty will be void if this canister is not used with the appropriate feeder. Fire or explosion may result if this canister is used with an incorrect chemical feeder.

NOTE: Some settling may occur during shipment.

FOR USE IN SOLV-ALL FEEDERS

To Install/Replace Chemical Cartridge (Jar): Turn off water supply valve on feeder. Remove empty cartridge (jar) and properly discard per label directions. Remove cartridge (jar) lid from full unit and insert, top down, into mixing bowl. Re-open water supply valve. Adjust the pump setting to achieve proper halogen residual. Refer to use directions for recirculating cooling water systems and sewage systems or airwasher systems, as appropriate.

Check the cartridge (jar) periodically and replace when empty.

DO NOT ATTEMPT TO OPEN OR REFILL THIS UNIT.

DO NOT REUSE.

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

PHOTO PROCESSING WASH WATER

The photo processing system should first be properly cleaned with a mild hypochlorite solution following manufacturer's instructions. The use of **this product** IS NOT intended to remove an existing buildup of biological growth. **This product** slowly releases both hypobromous and hypochlorous acid when exposed to a flow of water. To prevent or substantially reduce biological growth, **this product** may be introduced into the wash water by suspending **this product** directly in the wash tanks as far as possible from film or paper and away from areas of extreme turbulence. Begin by placing **this product** in the wash tank. If biological growth is observed, add more [of] **this product** waiting several hours between additions. To prevent film damage, rinse **this product** in water before placing into wash tank. It is intended that 1.0 to 3.0 ppm of residual bromine be introduced into the water supply line. Three to nine grams of **this product** will introduce 1.0 to 3.0 ppm residual bromine in 1,000 gallons of water. Actual use will depend on the amount of biological fouling. To avoid excess introduction of bromine into the processor wash tanks, a bromine test kit should be used to periodically test the water in the wash tanks. If a residual above 3.0 ppm is indicated, remove **this product** until the residual drops to 1.0 ppm. If the processor is turned off for any extended period of time, [the] {insert brand name} in the wash tanks should be removed.

NOTE: Seller liability under all warranties, expressed or implied, is limited to replacement of defective product and seller shall have no liability for consequential damages.

PAPER AND PAPERBOARD PROCESS WATER

This product is a patented biocidal formulation for application in the paper industry.

This product prevents bacterial slime formation and deposition through the rapid delivery of an ideal balance of free and combined halogen. When used properly, **this product** can reduce microbiologically induced corrosion, paper spots, holes, breaks and odors. By limiting microbial growth and bacterial slime formation, **this product** increases machine runnability reducing unscheduled maintenance and lost production.

The patented **this product** composition provides high solubility, fast dissolution and high halogen content without added binders or inert materials for maximum efficiency and product delivery.

This product can be used in the manufacture of both food and non-food contact paper and paperboard.

APPLICATION

This product should be added to process water streams at or immediately prior to a point of sufficient mixing such as the fan pump or wire pit.

Standard dissolution feeders can be used for **this product** applications. Make-up, machine white waters and returning clarified dilution waters are examples of acceptable treatment waters.

INITIAL DOSE: When the system is noticeably fouled apply 0.5 - 2.0 pounds of **this product** per ton of paper produced to achieve 0.1-1.0 ppm total available halogen as chlorine. Repeat treatment until residual is achieved.

SUBSEQUENT DOSE: When microbial control is evident, apply 0.5 – 2.0 pounds of **this product** per ton of paper produced to achieve 0.1-1.0 ppm total available halogen as chlorine. Repeat periodically as needed to maintain control.

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as the tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

(Note to reviewer: For Nonrefillable Containers, Product is non-dilutable solid)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container tightly closed. Store in a cool, dry, well-ventilated place. Do not store in direct sunlight. Do not store at temperatures above 100°F.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions contact your State pesticide or environmental control agent or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

(Metal and plastic containers:) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn if allowed by State and local authorities. If burned, stay out of smoke. If not tripled rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

(Metal containers only:) DO NOT cut or weld metal containers.

(Fiber drums and liners:) Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by State and local authorities. Do not reuse empty drum or liner.

(Bulk Bag/Super Sack Container:) Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. If not emptied in this manner, the bag may be considered an acute hazardous waste and must be disposed in accordance with local, state and federal regulations. When completely empty, offer for recycling if available or dispose of bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Note to Reviewer:

Bracketed information is denoted as: [optional text], {informational purposes}, (insert as noted), <<must choose one of the "or" options>>

The term "this product" used throughout this document may be replaced with the marketed product brand name.

Qualifiers/Footnotes may be replaced with other symbols as long as they tie to the corresponding text.

The term "X" is a place holder for a number between 0 to 100.

The term "Y" is a place holder for a character A – Z.

(Note to reviewer: For Refillable Commercial/Industrial/Institutional Use Containers, Product is non-dilutable solid)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Refillable container. Refill this container with [this product] only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller.

(Metal and plastic containers:) Attach tamper evident devices (seals) to all openings, except vents, and return to the manufacturer for refilling.

(Tote Containers:) Empty tote container must be returned to a tote collection agent.

PESTICIDE STORAGE: Keep container tightly closed. Store in a cool, dry, well-ventilated place. Do not store in direct sunlight. Do not store at temperatures above 100°F.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions contact your State pesticide or environmental control agent or the hazardous waste representative at the nearest EPA regional office for guidance.

FINAL CONTAINER DISPOSAL: Cleaning the container before final disposal is the responsibility of the person disposing of the container.

(Metal and plastic containers:)

To clean the container before final disposal empty remaining contents from container for use according to use directions and triple rinse promptly after emptying. Triple rinse (or equivalent).

(Tote Containers:)

To clean the container before final disposal empty remaining contents from container for use according to use directions and triple rinse promptly after emptying. Triple rinse (or equivalent). For additional container disposal information, contact product supplier.