

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER CORROSIVE. Causes irreversible eye damage and skin burns

This product may cause skin sensitization reactions in some people harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders and others exposed to methylisothiazolinone products must wear:

- protective eyewear
- chemical-resistant gloves
- long-sleeve shirt and long pants
- chemical-resistant apron
- shoes plus socks

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.


USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly.

ENVIRONMENTAL HAZARDS

This chemical is toxic to terrestrial and aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.



ISOCIL IG

**MICROBICIDE
IN-CONTAINER AND INDUSTRIAL PRESERVATIVE**

Active Ingredients:

5-chloro-2-methyl-4-isothiazolin-3-one	1.18%
2-methyl-4-isothiazolin-3-one	0.40%
Inert Ingredients:	98.42%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

LOT
DRUM

MANUFACTURED FOR:
LONZA INC.
17-17 ROUTE 208
FAIR LAWN, NJ 07410

EPA Reg. No. 6836-241
EPA Est. No. (insert EPA Est. No. here)

Net Contents: _____

6836-241

11/18/2003

1/2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

Isocil IG is recommended as an in-container preservative for the control of bacteria and fungi in industrial and household consumer products including all-purpose liquid cleaners; polishes and anti-tarnish products; air fresheners and carpet shampoos; pre-splotters; liquid dishwashing detergents; automotive appearance products such as cleaners, wax and polishes; liquid laundry products; package utility products such as pre-moistened sponges and mops; paints and coatings. Add 0.5 to 4.0 lbs. Isocil IG (227-1814 g) to each 1000 lbs. (453.6 kg) of product to be treated with to provide 8-63 ppm active isothiazolones. To ensure uniform distribution, slowly disperse Isocil IG into product with agitation. Mix thoroughly until evenly dispersed throughout product. Isocil IG also preserves and controls the growth of bacteria and fungi in adhesives, polymer emulsions, surfactant solutions, and mineral slurries. Add 0.5 to 4.0 lbs. Isocil IG (227-1814 g) to each 1000 lbs. (453.6 kg) of product to be treated to provide 8-63 ppm active isothiazolones. To ensure uniform distribution, slowly disperse Isocil IG into product with agitation. Mix thoroughly until evenly dispersed throughout product. Isocil IG can be used as a preservative for pesticide products applied to growing crops. Add up to 0.14 lbs. to each 1000 lbs. of product (2.25 ppm active isothiazolones).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Do not store on side. Avoid creasing or impacting of side walls. The product as supplied evolves gas (largely carbon dioxide) slowly. To prevent buildup of pressure, the product is packaged in a specially vented container. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

