

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

November 26, 2007

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Georgia Anastasiou
Agent for Lonza, Inc.
c/o Lewis & Harrison
122 C St., NW Suite 740
Washington, DC 20001

Subject: Dantochlor TBS-3
EPA Registration No. 6836-279
Application Date: November 1, 2007
Receipt Date: November 2, 2007

Dear Ms. Anastasiou:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- Removal of inadvertently added statement, "Bowl water not harmful to children or pets. However, it is not recommended that pets regularly drink from the toilet."

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL	7510P	7510P					
JRNAME	E. Berg	E. Mitchell					
DATE	11/26/07	11/27/07					

285

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

 EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other:	OPP Identifier Number
--	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 6836-279	2. EPA Product Manager Emily Mitchell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dantochlor TBS-3	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Lonza, Inc. 90 Boroline Rd. Allendale, NJ 07401 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Application for Notification to removed statement that was inadvertently added to the label.
Please reference cover letter for details.

Notification of MINOR LABELCHANGES in Accordance With PR Notice 98-10

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be the subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Signature: 

Date: 11/01/07

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product					
<input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV


1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Georgia Anastasiou, Lewis & Harrison, LLC, 122 C Street NW, Ste. 740, Washington, DC 20001	Title Agent for Lonza, Inc.	Telephone No. (Include Area Code) 202-393-3903 x19
--	---------------------------------------	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete; acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature 	3. Title Agent for Lonza, Inc.	
4. Typed Name Georgia Anastasiou	5. Date November 1, 2007	

32

LEWIS & HARRISON

Consultants in Government Affairs

122 C Street, N.W., Suite 740
Washington, D.C. 20001

telephone 202.393.3903
fax 202.393.3906

385

November 1, 2007

HAND DELIVERED

Document Processing Desk [NOTIF]
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

ATTENTION: **Emily Mitchell**
 Product Manager (32)

SUBJECT: **Lonza, Inc.**
 Dantochlor TBS-3 (EPA Reg. No. 6836-279)
 Notification of Minor Label Changes per PR Notice 98-10

Dear Ms. Mitchell:

As agent for Lonza, Inc., we are submitting a "Notification" pursuant to PR Notice 98-10 for the product **Dantochlor TBS-3 (EPA Reg. No. 6836-279)**. The purpose of this notification is to **remove** the following statement that was inadvertently included in the most recent notification.

"Bowl water not harmful to children or pets. However, it is not recommended that pets regularly drink water from the toilet."


Please note that it was never our intent to include this statement on the label.

Enclosed please find the following documents in support of this submission:

- A) Application for Pesticide Notification Form, which includes a signed statement certifying compliance with PR Notice 98-10;
- B) One (1) copy of the proposed label with changes highlighted; and,
- C) Two (2) copies of the proposed labeling.

Thank you for your assistance with this submission. If you have any questions please feel free to contact me at 202-393-3903 ext. 19.

Sincerely,


Georgia Anastasiou
Agent for,
Lonza, Inc.

cc: Robert Sloan (LONZA, Inc.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Highly corrosive. May be fatal if swallowed. **DO NOT TAKE INTERNALLY.** Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling and wash thoroughly after handling.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS:

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Keep away from heat or flame. Mix only with water.

STORAGE AND DISPOSAL:

Store in original container in areas inaccessible to children in a cool, dry, well-ventilated area. Do not store at elevated temperatures. Discard empty container in trash.

If tablet must be removed before it is completely dissolved, flush toilet and before tank refills, remove from tank (wear gloves). Place in plastic bag. Avoid dripping.

Questions? Comments? Call (insert telephone number here)

This product contains no phosphates or phosphorous compounds.

No mess.

Does not harm plumbing or septic tanks (when used as directed).

Concentrated.

Leaves bowl 99.9% (germ)(bacteria) free.

~~Bowl water not harmful to children or pets. However, it is not recommended that pets regularly drink water from the toilet.~~

DANTOCHLOR TBS-3

*In-Tank Sanitizer for Homes, Schools and Hospitals
In-Tank Automatic Toilet Bowl Cleaner
Sanitizes Toilet Bowl Water After Each Flush
Kills 99.9% Of (Germs)(Bacteria) In Toilet Bowl
Water After Each Flush*

*Cleans and Deodorizes With Every Flush
Helps Keep Your Toilet Bowl Fresh and Clean
Recommended for frequently flushed toilets
Kills (germs)(bacteria) for over 1 month
Kills E. coli*

*Kills Staphylococcus aureus (staph)
Kills Salmonella choleraesuis (salmonella)
Kills Pseudomonas aeruginosa (pseudomonas)
Kills common household (germs)(bacteria)
Kills odor-causing (germs)(bacteria)*

Active Ingredients:

1,3-dichloro-5,5-dimethylhydantoin	52.7%
1,3-dichloro-5-ethyl-5-methylhydantoin	10.5%
Other Ingredients:.....	36.8%
Total:	100.0%

Minimum available chlorine 44.2%

KEEP OUT OF REACH OF CHILDREN

DANGER

See Side / Back Panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-279
EPA Est. No. (insert EPA Est. No. here)
Net Weight: 50 grams (1.7 oz) (each)
(Twin Pack) (Total net wt 3.4 oz) (100g)

Manufactured by:
LONZA Inc.,
90 Boroline Road
Allendale, NJ 07401

When used as directed, **Dantochlor TBS-3** will sanitize toilet bowl water, keeping it clean, clear and free of odor. **Dantochlor TBS-3** gives the effectiveness of chlorine without the chlorine odor.

Dantochlor TBS-3 sanitizes toilet bowl water by killing 99.9% of (germs) (bacteria) within 15 minutes after each flush. Each tablet sanitizes for one month. Eliminates 99.9% of (germs)(bacteria) within 15 minutes after each flush.


Remove tank cover and cut open package.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Sanitize, Clean, and Deodorize:

1. Clean toilet bowl thoroughly, including under the rim.
2. Remove toilet tank top. Hold plastic pouch away from face. Cut pouch open with scissors (on dotted lines). **Do not touch tablet.**
3. Flush toilet. Before tank refills, hold plastic pouch over tank and drop only the Dantochlor TBS-3 tablet into right rear corner of the tank. (See diagram) Discard plastic pouch and wash hands thoroughly.
4. No removal necessary. Each tablet sanitizes for one month. When tablet has dissolved, replace with a new tablet. Product should only be used in a toilet that is flushed (regularly) (at least once a week).



(OPTIONAL MARKETING LANGUAGE):

- Antibacterial
- (Antibacterial) Toilet Bowl Cleaner
- Quick Clean
- Deep Clean
- CHLORINE CLEAR with Bleach
- Sanitizing Formula Cleans & Deodorizes
- Cleans (& Deodorizes) with Bleach
- Keeps water crystal clear
- Easy to Use – Just drop in tank
- Kills 99.9% of (germs)(bacteria) for one month! In Toilet Bowl Water after each flush
- Not harmful to Plumbing or Septic Systems
- Leaves bowl sanitary
- Makes cleaning easy
- Controls odor causing (germs)(bacteria) in the bowl water.
- Controls the growth of (germs)(bacteria) that cause odors
- Controls odors caused by odor-causing (germs)(bacteria)
- Fights tough stains
- Keeps your toilet bowl stain-free
- Continuous real bleach cleaning and deodorizing
- No mess in tank
- Bleach cleaning
- (OK) For colored toilets
- The Bathroom X-pert™
- TWIN PACK
- 2 TABLETS – 2 USES

FROM QUICK TOUCH-UPS TO SERIOUS DEEP CLEANING, X-14® IS THE BATHROOM EXPERT.

Try these other products from < *The Bathroom X-pert tagline*™ logo here>:

- X-14® Mold & Mildew Remover.....for a deep clean – use on tough jobs
- X-14® Bathroom Cleaner.....for a deep clean – use on tough jobs
- X-14® Foaming Bathroom Cleaner.....for a deep clean – use on tough jobs
- X-14® Daily Shower Cleaner.....for a quick clean - just spray daily, no wiping