

6836-310

9/15/2010

1/12

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

Joanna Holcombe,
Lonza Inc.
90 Boroline Road
Allendale, NJ 07401, USA

SEP 15 2010

Subject: Barquat 50-65B P & S
Registration No.: 6836-310
Date Submitted: August 16, 2010
Date Received: August 18, 2010
Submission #: 880999

Dear Ms. Holcombe,

This letter acknowledges receipt of your notification submitted under the provision of the Federal Insecticide, Fungicide and Rodenticide Act. (FIFRA). PR Notice 2007-4.

Proposed Notification:

- Add optional marketing language.

General Comments:

Based on a review of the submitted materials your application for Barquat 50-65B P & S Reg # 6836-310, as listed, is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble PM Team 31 at (703) 308-6233 or Jamil Mixon at (703) 308-8032.

Sincerely,

Velma Noble,
Product Manager, Team 31
Regulatory Management Branch
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

BARQUAT 50-65B P&S

**Swimming Pool and Spa Algaecide (Algicide)
Outstanding Algae Growth Depressant**

Active Ingredient:

Alkyl (C ₁₂ -67%; C ₁₄ -25%; C ₁₆ -7%; C ₁₈ -1%) dimethyl benzyl ammonium chloride	50.0%
Other (Inert) Ingredients:	50.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.


Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See (left) (side) (right) (back) panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-310
EPA Est. No. 6836-IL-1
[Country of origin (insert country)]
[Manufactured in (insert country)]

Manufactured By:
Lonza Inc.
90 Boroline Rd.
Allendale, NJ 07401



5
12

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. Corrosive, causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Harmful if absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear safety glasses when applying. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or flame.

6
12

(Optional Marketing language)

What? *{For use on front panel of label as a header above/beside product name.}*

Why? *{For use on front panel of label as a header above/beside marketing statements chosen from accepted label text that relates to the consumer features and benefits of product.}*

Barquat 50-65B P&S is efficient, economical and stable in use dilution.

Barquat 50-65B P&S is compatible with most chemicals used in pool water and will not damage tile, concrete, metal or plastics.

Barquat 50-65B P&S keeps pool water free and sparkling, clear of visible green and bluegreen algae, slime and green brown colors.

Barquat 50-65B P&S improves filter operation and reduces need for other chemicals.

Barquat 50-65B P&S imparts tone to swimming pool water.

Barquat 50-65B P&S is effective in controlling the growth of the following types of algae: *Chlorella protothecoides* (green algae), *Phormidium inundatum* (blue-green algae) and *Phormidium autumnale*.

Prevents (against) algae growth

Prevents and controls algae growth

Weekly use prevents algae growth

Suitable for all pool types

Reduces growth of green and blue-green algae in pools

(Green) algae control for (inground) (and) (above ground) pools

Kills (green) algae

Keeps water clear and free of visible (green) algae

For visible green algae

For Treatment of green algae

For green algae

Suitable for opening pools

(Optional Marketing language)

Can be used in salt pools


Compatible with salt pools

Made in USA (other country of origin)


When? *{For use on front panel of label as a header above/beside text chosen from accepted label text that relates to the consumer anticipated frequency of product use.}*

As Needed *{For use on front panel of label that relates to the consumer anticipated frequency of product use.}*

{The "Pool Essentials System" box below may be placed on the label to allow easy product category identification by consumers.}



{The "4-step System" box below may be placed on the label to allow easy product category identification by consumers.}



(Optional marketing language that may be used with winter algaecide)

Winter Algae Preventative

Reduces growth of green and blue-green algae in pools over the winter months

Reduces growth of green algae in pools during the winter

Suitable for closing your pool

(Optional Marketing language)

Step 4

Algae Preventer

Controls the Growth of Algae in Swimming Pools

Effective both as a preventative and as a corrective treatment on most forms of algae

Highly Concentrated

Will not stain

Step 4 Algae Control and Prevention

[Product] is a very low foaming algaecide.

[Product] can be used to control algae where foam is a concern.

[Product] controls algae without foam problems.

[Product] controls algae without creating foam problems.

[Product] kills (green) algae without foam problems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOLS AND OUTDOOR SPAS

Barquat 50-65B P&S must be added along pool edges while filter and pump are in operation. To provide time for even distribution in the pool water, bathers should wait a minimum of 15 minutes after Barquat 50-65B P&S addition before entering the pool.

Initial Application:

Pools and Spas with Visible Algae

For pools and spas with visible algae, add 14 fluid ounces of Barquat 50-65B P&S for every 10,000 gallons of water (5 ppm active quaternary). After 24 hours, remove dead algae by cleaning. If algae is still present, repeat dosage as necessary.

Clean Pools and Spas

For initial treatment of clean pools and spas, add 5 to 8 fluid ounces of Barquat 50-65B P&S for every 10,000 gallons of water (2 to 3 ppm active quaternary).

Maintenance Dose:

Maintenance additions of 2 to 3 fluid ounces per 10,000 gallons (0.5 to 1 ppm active quaternary) must be added every 7 days, or more frequently depending on water and use factors. A booster dose of 2 fluid ounces per 10,000 gallons (0.5 ppm active quaternary) must be provided after each rain.

Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use, all affect the rate of chlorine loss. Always maintain chlorine levels between 1-3 ppm. Check water alkalinity, pH and calcium hardness with a test kit or test strip. Ensure all pool equipment is working properly. Clean or backwash the filter following manufactures directions.

FOR WINTERIZATION

1. Barquat 50-65B P&S aids in the prevention of algae in swimming pools during the winter months, when the pool is out of service.
2. Test water for hardness, alkalinity, pH and the presence of metals. Take corrective action if necessary.
3. Superchlorinate the pool using a recommended winter shock treatment according to label directions.
4. Apply Barquat 50-65B P&S directly to the pool water, pouring along the edges of the pool. Use 14 fluid ounces per 10,000 gallons of water (5 ppm active quaternary) and allow to circulate 2 to 4 hours. Pools without covers may need a second treatment in mid-winter or just prior to freezing.
5. Clean pool piping and filter. In geographical areas that experience freezing, drain pool equipment and plumbing lines, or use an antifreeze recommended for swimming pool plumbing and equipment.

{Simplified use directions covering product use as a swimming pool algaecide and for a swimming pool winter algaecide (to close pool).}

[How?]

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Kill Green Algae:

- Test and balance water before using this product. Visit [the Aqua Chem Web Site] {or} [www.aquachem.com] {or} [the Pool Time website] {or} [www.pooltime.com] for complete pool balancing instructions.
- Add 14 fluid ounces for every 10,000 gallons along pool edges with filter and pump operating.
- If algae is still present after 72 hours, repeat dosage.
- Wait at least 15 minutes after adding product before entering the pool.
- This product may foam; do not use in spas, pools with attached spas, or water features.

To Close Pools:

- Add 14 fluid ounces per 10,000 gallons along pool edges and allow filter and pump to operate for 2-4 hours.

[Visit [the Aqua Chem Web Site] {or} [www.aquachem.com] {or} [the Pool Time website] {or} [www.pooltime.com] for complete pool closing instructions.]

Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use, all affect the rate of chlorine loss. Always maintain chlorine levels between 1-3 ppm. Check water alkalinity, pH and calcium hardness with a test kit or test strip. Ensure all pool equipment is working properly. Clean or backwash the filter following manufactures directions.

(Note to reviewer: For Nonrefillable Containers, Ready to Use Household/Residential Use Products)

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children.

Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

(or)

Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

(Note to reviewer: Nonrefillable Containers, Ready-To-Use Products for Commercial/Institutional/Industrial Uses— no new container rinsing directions, not a dilutable per PRN 2007-4)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container.

(Plastic Containers:) Triple rinse (or equivalent). Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

(Metal Containers:) Triple rinse (or equivalent). Offer for recycling if available or puncture and dispose of in sanitary landfill or by other procedures approved by state and local authorities. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. DO NOT cut or weld metal containers.

(Bag in Box Containers:) Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

12
12

(Note to reviewer: For Refillable Containers. Chapter 13, Table 6 of the Label Review Manual states that for "All products in containers that could be burned," the registrant has the option to "Remain silent on burning;" therefore, no incineration language is provided for plastic containers.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before refilling is the responsibility of the refiller. Cleaning the container before final disposal is the responsibility of the person disposing of the container.

(Plastic or Metal Containers:) To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in sanitary landfill. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

(For metal containers only: DO NOT cut or weld metal containers.)