Ruth Trager Manager, Regulatory Services Lonza, Inc. 5560 New Northside Drive, Suite 1100 Atlanta, GA 30328

20 2013

SUBJECT:

Barquat 50-65B P&S

EPA Registration Number: 6836-310 Application Dated: April 23, 2013 Receipt Date: April 24, 2013

Dear Ms. Trager:

This letter acknowledges receipt of the notification identified above submitted under the provisions of section 3 (c) 9 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10 and 40 CFR 152.46.

- Add The Lonza emergency phone number as optional to the First Aid section.
- Add note to reviewer above Environmental Hazards to allow only the first sentence for containers less than 5 gallons.
- Add or revise optional marketing language on page 3.
- On page 5, make "and outdoor spas" and "or spa" optional for pool products.
- Add optional marketing language on page 5.
- Also on page 5, add "fl. oz." as an option for "fluid ounces" and make "or use an antifreeze recommended for swimming pool plumbing and equipment" optional.

General Comments

Based on a review of the submitted information, this notification is acceptable. A copy has been inserted in your file for future reference. Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0199 or Velma Noble at (703) 308-6233.

Singerely

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510P)

CONCURRENCES										
SYMBOL		·					• ••••			
SURNAME)										
DATE										
EPA Form 1320-1A (1/90)			Printed on Recycles		OFFICIAL FILE COP					

riease read instructions on reverse before co	mpleting Joint, - Politi Applo	vcu, OND NO.	2070 0000, 11ppioval	CXPIICS 5- 11-26			
	United 🔄		☐ Registra	tion (OPP Identifier Number		
EPA Environ	nmental Protection Age	gency Amendment		nent			
	Washington, DC 20460	◯ Other					
	Annlicati	on for Pest	icide - Section 1				
Company/Product Number	Пррпош			· · · · · · · · · · · · · · · · · · ·	Proposed Classification		
6836-310		2. EPA Product Manager Velma Noble			3. Troposed Classification		
4. Company/Product (Name)	PM#			None Restricted			
Barquat 50-65B P&S		31					
5. Name and Address of Applicant (Include Lonza Inc.	ZIP Code)	6. Expedited Review . In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to:					
90 Boroline Road	•	. Samuel of the same of the					
Allendale, NJ 07401		EPA Reg. No.					
		Product N	Name	•			
Check if this is a new address		<u></u>	 -	<u> </u>			
	·	Section	– II	•			
Amendment - Explain below.			Final printed lab	els in response to Ag	ency letter dated		
Resubmission in response to Agency	y letter dated		"Me Too" Applic	cation	···		
Notification - Explain below.		Other - Explain	below				
Explanation: Use additional pag							
	No	t Subject	t to PRIA				
Lahel Notification	to add marketing tex	rt and othe	ar ravisions as i	indicated in the	cover letter		
This notification is consistent with							
changes have been made to the							
violation of 18 U.S.C. Sec. 1001							
consistent with the terms of PR I				y be in violation	of FIFRA and I may be		
subject to enforcement action ar	nd penalties under sect	ions 12 and					
Signature:	rager		Date:	1-23-13			
	Ó	Section	— III				
Material This Product Will Be Package	ed In:	"	• • • • • • • • • • • • • • • • • • • •				
Child-Resistant Packaging	Unit Packaging	Water Soluble Packaging			2. Type of Container		
Yes*	Yes	Yes			Metal 1		
∐ No	⊠ No	No No			Plastic ·		
*Certification must be		No. per container	If "Yes" No. per Package wgt. container		Glass		
submitted		, omanier	r dokago Wgt.	Container	Paper		
2 1 6 6 1 6 1 6 1 6 1 6 1	4. Ci(-) P-4-11				Other (Specify) Bag-in-box		
3. Location of Net Contents Information Label	4. Size(s) Retail	Container		On Label	Label Directions		
Z Laber Z Containe	Various				g accompanying product		
6. Manner in Which Label is Affixed to I	Product \(\sum \) Lithogra	ph	Other	_ Z On labelin	g accompanying product		
	Paper gl	glued			((((
	Stencile	d					
	Z Stellene				((((
	Z Stellene	Section -	– IV		((((
1. Contact Point (Complete items directly				, to process this appl	((()		
Name	v below for identification of inc	lividual to be c	ontacted, if necessary	1	ication) (
	v below for identification of inc	lividual to be c		1	ication) Control of the Code (Include Area Code) 201-316-9327		
Name	v below for identification of inc Title N	lividual to be c	ontacted, if necessary	1	ication) Telephone Nof (Incipute Area Code) 201-316-9327		
Name Ruth Trager	v below for identification of inc Title N Certification	lividual to be c	ontacted, if necessary	ces	ication) Telephone No. (Include Area Code) 201-316-9327		
Name	v below for identification of inc Title N Certification on this form and all attachment	lividual to be c	egulatory Servi	lete. I acknowledge	ication) Continue Area Code) 201-316-9327		
Name Ruth Trager I certify that the statements I have made of	Certification of incomposition of incomposition this form and all attachment attement may be punishable by	lividual to be callanager, R	egulatory Servi	lete. I acknowledge	ication) Telephone Nof (Inciude Area Code) 201-316-9327 6. Date Application Received		
Name Ruth Trager I certify that the statements I have made of that any knowingly false or misleading statements.	Certification of incomposition of incomposition this form and all attachment attement may be punishable by	lanager, R s thereto are tru fine or impriso title lanager, Re	egulatory Servi	lete. I acknowledge	ication) Telephone Nof (Inciude Area Code) 201-316-9327 6. Date Application Received		



Via FedEx

Ms. Velma Noble, PM-31
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2227 S. Crystal Drive
Arlington, VA 22202

Lonza Inc. 90 Boroline Road Allendale, NJ 07401

Ruth Trager Manager, Regulatory Services

Tel 201-316-9327 Fax 201-696-3560 Ruth.trager@lonza.com

April 23, 2013

SUBJECT:

Barquat 50-65B P&S, EPA Reg. No. 6836-310

Application for Label Notification

Dear Ms. Noble:

In response to the EPA rejection letter dated April 9, 2013, Lonza is resubmitting a notification to make the following changes to the above mentioned label:

- Add The Lonza emergency phone number as optional to the First Aid section.
- Add note to reviewer above Environmental Hazards to allow only the first sentence for containers less than 5 gallons.
- Add or revise optional marketing language on page 3.
 - Revise "Barquat 50-65B P&S is compatible with most chemicals used in pool water and will not damage tile, concrete, metal or plastics." to read "Barquat 50-65B P&S can be used with tile, concrete, metal or plastic surfaces."
 - Revise "Barquat 50-65B P&S keeps pool water free and sparkling, clear of visible green and bluegreen algae, slime and green brown colors." to read "Barquat 50-65B P&S keeps pool water free and clear of visible green and bluegreen algae."
- Add optional marketing language on page 5.
 - o [Step] 1 Balance
 - o [Step] 2 Sanitize
 - o [Step] 3 Shock
 - o [Step] 4 Prevent Algae (This step is highlighted)
 - o 50% strength
 - o Non-foaming formula
 - Advanced non-foaming additive
 - [For crystal clear pool water, follow the HTH 4-step pool care program: Step 1: Test and balance, Step 2: Sanitize, Step 3: Shock weekly, and Step 4: Add algaecide as cirected.]
- On page 5, make "and outdoor spas" and "or spa" optional for pool products.
- Also on page 5, add "fl. oz." as an option for "fluid ounces" and make "or use an antifreeze commended for swimming pool plumbing and equipment" optional.

2/2, 12 March 2013, Barquat 50-65B P&S, EPA Reg. No. 6836-310, Label Notification

Please find the enclosed documents in support of this notification:

- Application for Notification;
- · Certification with Respect to Label Integrity;
- CD with label; and
- One copy of the proposed label with changes highlighted.

If you have any questions or need any additional information, please feel free to contact me at 201-316-9327 or ruth.trager@lonza.com.

Sincerely, Lonza Inc.

Ruth Trager

Manager, Regulatory Services

Note to reviewer:

[Items in brackets [AAA] are optional and may/may not be included on final label] {Items in braces {AAA} are for information purposes and will not appear on final label}

BARQUAT 50-65B P&S

Swimming Pool and Spa Algaecide [Algicide] Outstanding Algae Growth Depressant

KEEP OUT OF REACH OF CHILDREN

DANGER [PELIGRO]

{Note to reviewer: Although this product has a "Danger" signal word, as per the EPA label review manual "The Agency may permit reasonable variations in the placement of the First Aid statement as long as the reference statement, "See First Aid (or Statement of Practical Treatment) on (identify appropriate panel)" appears on the front panel." If the First Aid Statements are placed on the front panel of the final graphic label, the statement below will not reference First Aid:}

See [left] [side] [right] [back] panel for Precautionary Statements [and First Aid]

EPA Reg. No. 6836-310 EPA Est. No. 6836-IL-1 Net Contents (insert container size here)

[DOT symbols]
[Country of origin (insert country)]
[Manufactured in (insert country)]
[Barcode]

Manufactured By: Lonza Inc. 90 Boroline Rd. Allendale, NJ 07401

Date Reviewed: 20013

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive, causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Harmful if absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear safety glasses when applying. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

[IN CASE OF EMERGENCY CALL 1-800-654-6911]

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

{Environmental hazards statement for end-use products in containers less than 5 gallons (liquid) use only the first sentence; all others use the full paragraph.}

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or flame.

((((

{Optional Marketing language}

What? {For use on front panel of label as a header above/beside product name.}

Why? {For use on front panel of label as a header above/beside marketing statements chosen from accepted label text that relates to the consumer features and benefits of product.}

Barquat 50-65B P&S is efficient, economical and stable in use dilution.

Barquat 50-65B P&S can be used with tile, concrete, metal or plastic surfaces.

Barquat 50-65B P&S keeps pool water free and clear of visible green and bluegreen algae.

Barquat 50-65B P&S is effective in controlling the growth of the following types of algae: *Chlorella protothecoides* [green algae], *Phormidium inundatum* [blue-green algae] and *Phormidium autumnale*.

Prevents [against] algae growth

Prevents and controls algae growth

Weekly use prevents algae growth Suitable for all pool types

Reduces growth of green and blue-green algae in pools

[Green] algae control for [inground] [and] [above ground] pools]

Kills [green] algae

Keeps water clear and free of visible [green] algae

For visible green algae

For Treatment of green algae

For green algae

Suitable for opening pools

Can be used in salt pools

Compatible with salt pools


Made in USA [other country of origin]

When? {For use on front panel of label as a header above/beside text chosen from accepted label text that relates to the consumer anticipated frequency of product use.}


As Needed {For use on front panel of label that relates to the consumer anticipated frequency of productuse.}

[Optional Marketing language]

{The "Pool Essentials System" box below may be placed on the label to allow easy product category identification by consumers.}



{The "4-step System" box below may be placed on the label to allow easy product category identification by consumers.}



[Optional marketing language that may be used with winter algaecide]

Winter Algae Preventative

Reduces growth of green and blue-green algae in pools over the winter months

Reduces growth of green algae in pools during the winter

Suitable for closing your pool

Step 4

Algae Preventer

Controls the Growth of Algae in Swimming Pools

Effective both as a preventative and as a corrective treatment on most forms of algae

Highly Concentrated

Will not stain

Step 4 Algae Control and Prevention

[Product] is a very low foaming algaecide.

[Product] can be used to control algae where foam is a concern.

[Product] controls algae without foam problems.

[Product] controls algae without creating foam problems.

Barquat 50-65B P&S EPA Reg. No. 6836-310 EPA Stamped label 3-28-08 with 12-18-08, 12-17-09, 6-25-10, 9-15-10 & 7-13-12 Notifications 4-23-13 draft Page 4 of 8 [Optional Marketing language]

[Product] kills [green] algae without foam problems.

[2 x ½ gallons] [1 gallon] will give an initial treatment for up to 256,000 gallons of pool water.

[2 x ½ gallons] [1 gallon] will provide maintenance treatment for up to 640,000 gallons.

[2 x ½ gallons] [1 gallon] will provide weekly treatment for up to 640,000 gallons.

Will treat 10,000 gallons of water for 40 weeks. [use with 2 x ½ gallon package]

Will treat 20,000 gallons for 20 weeks [use with 2 x ½ gallon package]

Will treat 15,000 gallons for 30 weeks [use with 2 x ½ gallon package]

[Step] 1 Balance

[Step] 2 Sanitize

[Step] 3 Shock

[Step] 4 Prevent Algae {This step is highlighted}

50% strength

Non-foaming formula

Advanced non-foaming additive

{If the following Spanish statement is used, it must appear directly above DIRECTIONS FOR USE.} Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand the label, find someone to explain it to you in detail.]

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOLS [AND OUTDOOR SPAS]

Barquat 50-65B P&S must be added along pool [or spa] edges while filter and pump are in operation. To provide time for even distribution in the pool[or spa] water, bathers should wait a minimum of 15 minutes after Barquat 50-65B P&S addition before entering the pool[or spa].

[For crystal clear pool water, follow the HTH 4-step pool care program: Step 1: Test and balance, Step 2: Sanitize, Step 3: Shock weekly, and Step 4: Add algaecide as directed.]

Initial Application:

Pools [and Spas] with Visible Algae

For pools [and spas] with visible algae, add 14 [fluid ounces] {or} [fl. oz.] of Barquat 50-65B P&S for every, 10,000 gallons of water [5 ppm active quaternary]. After 24 hours, remove dead algae by cleaning. If algae are still present, repeat dosage as necessary.

Clean Pools [and Spas]

For initial treatment of clean pools [and spas], add 5 to 8 [fluid ounces] {or} [fl. oz.] of Barquat 50-65B P&S for every 10,000 gallons of water [2 to 3 ppm active quaternary].

Barquat 50-65B P&S EPA Reg. No. 6836-310

EPA Stamped label 3-28-08 with 12-18-08, 12-17-09, 6-25-10, 9-15-10 & 7-13-12 Notifications 4-23-13 draft
Page 5 of 8

Maintenance Dose:

Maintenance additions of 2 to 3 [fluid ounces] {or} [fl. oz.] per 10,000 gallons [0.5 to 1 ppm active quaternary] must be added every 7 days, or more frequently depending on water and use factors. A booster dose of 2 [fluid ounces] {or} [fl. oz.] per 10,000 gallons [0.5 ppm active quaternary] must be provided after each rain.

Sunlight, rainfall, temperature, number of swimmers, and frequency of pool [or spa] use, all affect the rate of chlorine loss. Always maintain chlorine levels between 1-3 ppm. Check water alkalinity, pH and calcium hardness with a test kit or test strip. Ensure all pool [or spa] equipment is working properly. Clean or backwash the filter following manufactures directions.

[FOR WINTERIZATION [OF POOLS]

- 1. Barquat 50-65B P&S aids in the prevention of algae in swimming pools during the winter months, when the pool is out of service.
- 2. Test water for hardness, alkalinity, pH and the presence of metals. Take corrective action if necessary.
- 3. Superchlorinate the pool using a recommended winter shock treatment according to label directions.
- 4. Apply Barquat 50-65B P&S directly to the pool water, pouring along the edges of the pool. Use 14 [fluid ounces] {or} [fl. oz.] per 10,000 gallons of water [5 ppm active quaternary] and allow to circulate 2 to 4 hours. Pools without covers may need a second treatment in mid-winter or just prior to freezing.
- 5. Clean pool piping and filter. In geographical areas that experience freezing, drain pool equipment and plumbing lines[, or use an antifreeze recommended for swimming pool plumbing and equipment].]

{Simplified use directions covering product use as a swimming pool algaecide and for a swimming pool winter algaecide [to close pool].}

[How?]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Kill Green Algae:

- Test and balance water before using this product. Visit [the Aqua Chem Web Site] {or}
 [www.aquachem.com] {or} [the Pool Time website] {or} [www.pooltime.com] for complete pool balancing instructions.
- Add 14 fluid ounces for every 10,000 gallons along pool edges with filter and pump operating.
- If algae is still present after 72 hours, repeat dosage.
- Wait at least 15 minutes after adding product before entering the pool.
- This product may foam; do not use in spas, pools with attached spas, or water features.

To Close Pools:

• Add 14 fluid ounces per 10,000 gallons along pool edges and allow filter and pump to operate fer ຂໍ້ເຂົ້າ hours.

[Visit [the Aqua Chem Web Site] {or} [www.aquachem.com] {or} [the Pool Time website] {or} [www.pooltime.com] for complete pool closing instructions.]]

Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use, all affect the rate of chlorine loss. Always maintain chlorine levels between 1-3 ppm. Check water alkalinity, pH and calcium hardness with a test kit or test strip. Ensure all pool equipment is working properly. Clean or backwash the filter following manufactures directions.

Barquat 50-65B P&S EPA Reg. No. 6836-310 EPA Stamped label 3-28-08 with 12-18-08, 12-17-09, 6-25-10, 9-15-10 & 7-13-12 Notifications 4-23-13 draft Page 6 of 8

6666

....

(Note to reviewer: For Nonrefillable Containers, Ready to Use Household/Residential Use Products)

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

(or

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

{Note to reviewer: Nonrefillable Containers, Ready-To-Use Products for Commercial/Institutional/Industrial Uses—no new container rinsing directions, not a dilutable per PRN 2007-4}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container.

[Plastic Containers:] Triple rinse [or equivalent]. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

[Metal Containers:] Triple rinse [or equivalent]. Offer for recycling if available or puncture and dispose of in sanitary landfill or by other procedures approved by state and local authorities. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. DO NOT cut or weld metal containers.

[Bag in Box Containers:] Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

{Note to reviewer: For Refillable Containers. Chapter 13, Table 6 of the Label Review Manual states that for "All products in containers that could be burned," the registrant has the option to "Remain silent on burning;" therefore, no incineration language is provided for plastic containers.}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or ricsates is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions; contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Barquat 50-65B P&S EPA Reg. No. 6836-310

EPA Stamped label 3-28-08 with 12-18-08, 12-17-09, 6-25-10, 9-15-10 & 7-13-12 Notifications 4-23-13 draft
Page 7 of 8

Container Disposal:

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before refilling is the responsibility of the refiller. Cleaning the container before final disposal is the responsibility of the person disposing of the container.

[Plastic or Metal Containers:] To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in sanitary landfill. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. [For metal containers only: DO NOT cut or weld metal containers.]