1/5



EPA Reg. Number:

6836-323

SEP 7

Term of bauance:

CONDITIONAL

Name of Perticide Product:

CARBOSERVE

U.S. ENVIRONMENTALEPROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration

____ Re-registration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP code):

Lonza, Inc

90 Boroline Road

Allendale, NJ 07401

on the basis of "Morroton" in disted by the registionst. the above named posticide is herony registered/reregistered under the Pederal Insecticide, Pongucide, and Accepticide Act. as amended.

Registration is 10 no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, say at any time suspend or cancel the registration of a posticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as young the registrant a significant as significant of the none of the name of the last life in the been covered by others.

This product is conditionally registered in accordance with FIFRA Section 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA Section 4.
 - 2. Make the following labeling changes:
 - Revise the EPA Registration Number to read "EPA Reg. No. 6836-323".

Signature of Approving Official

)atc

Velma Noble.

Product Manager, Team 31, Regulatory Management Branch I, Antimierobials Division

SEP 7 T

9/5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Page 2 EPA Reg. No. 6836-323

Submit three copies of a final printed label within 90 days.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of the label stamped "Accepted" is enclosed for your records.

If you have any questions regarding this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely,


Velma Noble

Product Manager 31

Regulatory Management Branch 1 Antimicrobial Division (7510C)

Enclosure:

Occupational Exposure Assessment Environmental Hazard Assessment Stamped Accepted Label



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGERI CORROSIVE. Causes irreversible eve damage and skin burns. May be fatal if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Do not breathe vapor. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Harmful if absorbed through skin. Wear protective eyewear (goggles or face shield), protective ciothing and protective (rubber or chemical resistant) gloves. Wear a respirator with an organic vaporremoving cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-TC14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R. P or HE prefitter.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Plinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INVALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poleon control center or doctor for further treatment advice. Have the product container or label with you when calling a poleon control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

ENVIRONMENTAL HAZARDS

This peaticide is toxic to fish and squatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE OR STORE NEAR HEAT OR FLAME!

CARBOSERVE

PRESERVATIVE
FOR USE IN OIL FIELD WATER
FLOOD SYSTEMS, METAL WORKING FLUIDS
INDUSTRIAL AND CONSUMER PRODUCTS

Active Ingredients:	
Didecyl dimethyl ammonium carbonate and [Didecyl
dimethyl ammonium bicarbonate	
Other Ingredients:	
Total:	100.0%

DANGER

EPA Registration No. 6836-XXX EPA Establishment No. 6836-IL-01 Net Weight (As marked on container)

	O	
t:margangy	Contact Number	ŧ

Manufactured by: Lonza Inc. 90 Boroline Road Allendale, NJ 07401



Carboserve
EPA Reg. No. 6836-XXX
Proposed Label dated 11-07-05 (This label supersedes all lebels previous to 11-07-05)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

OIL FIELD WATER FLOOD SYSTEMS

(Do not apply in Marine or Estuarine Oil Fields!)

For the control of slime forming and sulfate reducing bacteria in oil field water flood or salt water disposal systems, add 1.5 to 3.0 gallons of CARBOSERVE per 3000 barrels of water (5-10 ppm a.i.) continuously. Levels for effective control will vary depending on conditions at the site.

Product addition must be made with a metering pump. This product must be applied where it will dispense most rapidly and uniformly to the desired area of treatment. Product must be slug fed then fed continuously or on an intermittent basis depending on the degree of system fouling.

Heavily fouled system must be precleaned.

Slug: Apply 1.5 to 6.0 gallons of **CAPIBQSERVE** per 3000 barrels (5 - 20 ppm a.i) of water for 4 - 8 hours per day until desired level of control is achieved. To maintain the system in an acceptable manner, utilize a continuous treatment with **CARBOSERVE** or apply intermittent doses.

Intermittent Feed: The frequency of intermittent doses will vary with individual systems. Apply 1.5 to 6.0 gallons of CARBOSERVE per 3000 barrels (5 - 20 ppm a.i.) of water for 4 - 8 hours per day, one to four times a week as needed to maintain control.

Continuous Feed: Fouled systems must be slug treated to get initial control, followed by continuous treatment to maintain control. Apply 1.5 to 3.0 gallons of **CARBOSERVE** per 3000 barrels of water (5 - 10 ppm a.i) continuously.

CARBOSERVE weighs 8.00 lbs./gallon (at 20°C).

METALWORKING FLUIDS

To inhibit becteriei and fungel growth add an initial dose of 500 - 2500 ppm a.i. (1.0 to 5.0 lbs. per 1,000 lbs.) of CARBOSERVE to the fluid to be preserved and subsequent maintenance doses of 500 - 2500 ppm a.l. every 7 - 10 days or as needed. This product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after it is put into use. If it is added to the reservoir, the fluid should be circulated after addition to ensure mixing. Contaminated fluid systems should be cleaned prior to the initial addition of this product. Drain the system, clean with a cleaner designed for this purpose, rinse with water and refill with fresh fluid containing this product (up to 2500 ppm a.i.). Frequent checks (at least once a week) of the bacterial and fungal population in the system should be made using standard microbiological plate count procedures or any of the commercial "dip-stick" type devices. When the bacterial count reaches 107 and/or the fungal count reaches 103 organisms per mi, add additional product according to the above directions. If this does not reduce the bacterial and/or fungal count below the above value in 12 24 hours, the fluid should be discarded and replaced after cleaning the system. Add this product to the fresh fluid according to the above directions. When adding fresh, diluted fluid to compensate for dragout or other losses, add this product to make up fluid according to the above directions. CARBOSERVE may also be incomporated by the manufacturer of the fluid concentrate so as to achieve a concentration of 500-2500 ppm of active ingredients in the diluted fluid. The exact amount of CARBOSERVE to be incorporated will depend on the dilution factor recommended to be used when the concentrate is diluted for use.

5/5

INDUSTRIAL AND CONSUMER PRODUCTS

CARBOSERVE preserves and aids in the control of the growth of bacteria and fungi in Paints, Petroleum Products, Decorative Coatings and Cleaning and Related Products that are packaged in Aerosol Cans. CARBOSERVE is to be used during the formulation or manufacture of the above products. For products packaged in aerosol cans and petroleum products, add CARBOSERVE to the formulation to be preserved at a rate of 1.0 to 5.0 lbs. per 1,000 lbs (500 – 2500 ppm a.i.). For paints and decorative coatings, add CARBOSERVE to the formulation to be preserved at a rate of 0.2 to 1.0 lb per 1000 lbs (100-500 ppm a.i.).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Do not store on side. Avoid creasing or impacting of side walls.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.