SEP 3 2013

Ms. Joanna Holcombe Sr. Commercial Regulatory Services Associate Lonza Inc. 90 Boroline Road Allendale, NJ 07401

Subject:

Carbosan 7.5

EPA Registration Number 6836-332

Notification Application Dated August 9, 2012

EPA Received Date August 12, 2012

Dear Ms. Holcombe:

This will knowledge receipt of your notification, submitted under the provisions of FIFRA section 3c 9. Based on a review of the submitted material the following comment apply.

Proposed Amendment:

Add "Not for Use in California qualifier"

General Comments:

Based on a review of the material submitted, the following comment apply:

The notification is acceptable. A copy has been inserted in your file for future reference.

Sincerely.

Should you have any questions or comments concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Product Manager REGIOS Regulatory Management Branch I SYMBOL Antimicrobials Division (7510P) SURNAME OFFICIAL FILE C EPA Form 1320-1A (1/90) Printed on Recycled Paper

ease read instructions on rev	erse before completing	g form. Form Appr	roved, OMB N	0. 20)70-0060, Approval	expires 05-31-98			2
&EPA	U	nited §			Registrat	ion (OPP Identifi	er Number
DLPA	Environmenta	al Protection Ag	gency		☐ Amendm	ent			
,	Washir	igton, DC 20460			Other				
		Applicat	tion for Pes	tic	ide - Section 1				·
Company/Product Num	ber		2. EPA Pro		•			3. Proposed Classif	fication
6836-332 . Company/Product (Name)			Velma Noble			_	1 p. p.		
Carbosan 7.5			31			İ	None Restricted		
. Name and Address of Applicant (Include ZIP Code)			6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(1), my product is similar						
Lonza Inc.			or identical	ın c	omposition and labe	ling to:			
90 Boroline Road			EPA Reg. No.						
Allendale, NJ 07401			Product Name						
Check if this is a new address									
			Section	1 –	II		· · ·		
Amendment - Explair	below.	 			Final printed labe	els in response to	Agend	cy letter dated	
Resubmission in resp	onse to Agency letter	dated	<u>_</u> _] "Me Too" Applic	ation			
Notification - Explain	below.				Other - Explain b	elow			
Explanation: Use ad	ditional page(s) if	necessary. (For	Section I an	d S	ection II.)				
•	•	*No	ot Subjec	t t	o PRIA*				
1 . 1 1			i O.lif.	:			 .	1 . 4 . 31	
Labei	Notification to	add Not for Us	e iii Caiiio	1111	a quaimer. Se	e cover lett	erio	i details.	
plation of 18 U.S.C. nsistent with the ter bject to enforcemen	ms of PR Notice	98-10 and 40 C	CFR 152.46	, th	is product may I4 of FIFRA.	be in violation	on of		
Signature:	anna d	Holcomk	20		Date:	8-9-13	<u> </u>		
U			Section	ı — .	III				
1. Material This Product V Child-Resistant Packaging	_	Packaging		ν.	Vater Soluble Packa	aina	2	Type of Container	
Yes*	· · · · · · · · · · · · · · · · · · ·	Yes		Yes Yes		Buig	Ž.	Metal	
No		No			⊠ No			Plastic	
*Certification must b			No. per		f "Yes"	No. per	F	Glass	
submitted	Unit	Packaging wgt.	container	P	ackage wgt.	container	F	Paper	
							F	Other (Specify)	
3. Location of Net Conten	ts Information	4. Size(s) Retai	l Container			5. Location	of Lab	el Directions	
∑ Label					On Lab	On Label			
		Various				On labe	eling a	ccompanying product	t .
6. Manner in Which Label	is Affixed to Product	∠ Lithog			Other			6 4	
		⊠ Paper						ີເອັ	
		⊠ Stenci				(((<u> </u>	
			Section	_ J	IV	· 	ر کداساک ک	i cence	
	24 mars n. d2 41. 1 1			cont	acted, if necessary,	to process this ap			
1. Contact Point (Complete	tiems airectly below j					r,	T. Te	lephone No. (Include	
		Titl		tor	y Services Ass	sociate d		78-627-2336	Area Code)
Contact Point (Complete ame Joanna Holcombe			Sr. Regula	tor	y Services Ass	sociate d		((((((((((((((((((((
_{ame} Joanna Holcombe		Certification	Sr. Regula				ં ડે	6. Dáte Applicatio	
Joanna Holcombe	I have made on this f	Certification or and all attachmen	Sr. Regular on nts thereto are t	rue,	accurate and compl	ete. I acknowldg	ં ડે	((((((((((((((((((((n Received
Joanna Holcombe I certify that the statements that any knowingly false or	I have made on this f	Certification or and all attachment may be punishable by 3.	Sr. Regulation on ints thereto are to by fine or impri	rue,	accurate and compl nent or both under a	ete. I acknowldg pplicable law.	ં ડે	6. Dáce Applicatio	n Received
Joanna Holcombe I certify that the statements that any knowingly false or	I have made on this f	Certification or and all attachment may be punishable by 3.	Sr. Regulation on ints thereto are to by fine or impri	rue,	accurate and compl	ete. I acknowldg pplicable law.	ં ડે	6. Dáce Applicatio	n Received
ame	I have made on this for misleading statement	Certification or and all attachment may be punishable to 3	Sr. Regulation on ints thereto are to by fine or impri	crue, sonr	accurate and complement or both under a	ete. I acknowldg pplicable law.	ં ડે	6. Dáce Applicatio	n Received



Via FedEx

Ms. Velma Noble, PM-31 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2227 S. Crystal Drive Arlington, VA 22202 Lonza Inc. 90 Boroline Road Allendale, NJ 07401, USA

Joanna Holcombe Specialty Ingredients Regulatory Services

Tel 678-627-2336 Fax 678-627-2081 joanna.holcombe@lonza.com

August 9, 2013

SUBJECT:

Carbosan 7.5, EPA Reg. No. 6836-332 Application for Label Notification

Dear Ms. Noble:

Lonza is submitting an application to add the Not for Use in California qualifier on pages 1 and 10 of the label. Please find the enclosed documents in support of this notification:

- · Application for Notification;
- · Certification with Respect to Label Integrity;
- · CD with label; and
- One copy of the proposed label with changes highlighted.

If you have any questions or need any additional information, please feel free to contact me at 678-627-2336.

Sincerely, Lonza Inc.

Joanna Holcombe

Sr. Regulatory Services Associate

Note to Reviewer:

[Items in brackets [AAA] are optional and may/may not be included on final label] {Items in braces {AAA} are for information purposes and will not appear on final label}

CARBOSAN 7.5

Sanitizer - Deodorizer

For Food, Dairy, Beverage, Meat, Poultry, Egg and Seafood Processing and Farm Use

For Farm, School, Dairy, Restaurant, Food Handling and Processing Areas, Bar and Institutional Kitchen Use

For use in federally inspected meat and poultry plants

An effective sanitizer for use on food contact surfaces

A biocide for use in controlling slime forming bacteria, fungi and algae in cooling water and heat transfer systems [{Not For Use in California}]

Active Ingredients:

Didecyl dimethyl ammonium carbonate and Didecyl dimethyl ammonium bicarbonate	· 7.5%
Other Ingredients	<u>92.5%</u>
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER [PELIGRO]

See [left] [side] [right] [back] panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-332

EPA Est. No. (insert EPA Est. No. here) Net Contents: (as indicated on container)

[DOT symbols]
[Country of origin (i

[Country of origin (insert country)]
[Manufactured in (insert country)]

[BARCODE]

Manufactured by:

LONZA INC., 90 Boroline Road, Allendale, NJ 07401



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Do not breathe vapor. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Harmful if absorbed through skin. Wear protective eyewear (goggles or face shield), protective clothing and protective (rubber or chemical resistant) gloves.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

{If container size is 5 gallons or greater, use the following Environmental Hazards statement:} ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.



- Concentrate [Concentrated]
- Deodorizes [Deodorizer]
- [Carbosan 7.5] Contains no [phosphates] phosphorous [or phosphorous compounds].

Carbosan 7.5

- delivers non-acid performance in an economical concentrate.
- is an economical concentrate
- can be diluted for use with a mop and bucket, trigger sprayers, sponge or by soaking.
- improves labor results by effectively controlling odors.
- deodorizes by killing microorganisms that cause offensive odors.
- is formulated for use in daily maintenance programs.
- is a complete, chemically balanced sanitizer that provides clear use solutions even in the presence of hard water.
- meets AOAC Germicidal & Detergent standards for sanitizing previously cleaned food-contact surfaces.
- has been cleared by the EPA in 40 CFR §180.940(a) for use on food processing equipment, utensils and other food-contact articles [at a concentration of 150 240 ppm active].
- is a sanitizer for use in all federally inspected meat and poultry plants, institutional and industrial facilities.
- can be used on food contact surfaces [in a concentration range of 150 240 ppm active].
- Carbosan 7.5 is an effective sanitizer.

Carbosan 7.5 [Kills] [Eliminates] [Removes] [Destroys] (Insert pathogen or pathogens from lists on page 6) on [pre-cleaned] environmental surfaces

Cross-contamination is of major [housekeeping] [food safety] concern. **Carbosan 7.5** has been formulated to aid in the reduction of cross-contamination in schools, institutions, and industry.

Use Carbosan 7.5:

- for sanitizing of ultrasound transducers, probes, mammography compressor plates and other hard nonporous surfaces. Will not cause swelling of transducer membrane or harm compressor plates.
- to sanitize salon / barber tools and instruments: combs, brushes, scissors, blades and manicure instruments.
- in kitchens and other household areas.
- as a sanitizer for all surfaces not always requiring a rinse in official establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.
- as a sanitizer on dishes, glassware, and utensils.
- as a sanitizer in bottling and beverage dispensing equipment.
- as a sanitizer in sanitary filling of bottles and cans.
- in sanitizing bottles or cans in the final rinse application, and for external spraying of filler and closing
 machines.
- as a sanitizer in beer fermentation and holding tanks.
- as a Food-Grade Shell-Egg sanitizer, with best results achieved in water temperatures ranging from 78°F. 110°F. Carbosan 7.5 may be applied through automatic washing systems, immersion tanks, foaming apparatus, and low pressure sprayers.
- in federally inspected meat and poultry facilities [as a sanitizer for all surfaces not always requiring a finse].

IAREAS OF USE:1

Use Carbosan 7.5 in:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding area of use. The graphics will only represent individual objects or outsides or insides of buildings as described below. No people, animal, or food will be depicted in graphics.}

Kitchens

Day care centers

Nurseries

Bagel Stores

Bars

Beer fermentation and holding tanks

Bottling or pre-mix dispensing equipment

Bottle Washing

Cafeterias

Cheese factories

Citrus processing plants

Coffee Shops

Convenience stores

Dairies

Dairy Farms

Dairy product dispensing equipment.

Donut shops

Drinking fountains

Egg Processing plants

Fast food operations

Fisheries

Fish processing plants

Food establishments

Food processing plants

Food preparation areas

Food storage areas

Ice cream processing plants

Institutional facilities

Institutional kitchens

Liquor stores

Meat processing plants

Meat producing facilities

Milk processing plants

Milk storage and handling systems

Milk tanks [bulk]

Milk pail inflations and tubing,

Pizza parlors

Poultry processing plants

Poultry producing facilities

Processing Plants [Milk, Citrus, Ice Cream]

Restaurants

USDA inspected food processing facilities

Wineries



ITYPES OF SURFACES:1

Use Carbosan 7.5 on washable hard, nonporous surfaces of:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding type of surface. No people, animal, or food will be depicted in graphics. Only exteriors of microwaves and refrigerators will be depicted. Toy graphics will be submitted to Agency for review.}

Appliances, exteriors

Beer fermentation and holding tanks

Blenders

Bottling or premix dispensing equipment

Citrus processing equipment and holding tanks

Coffee Pots Coffee Urns

Cooking utensils

Coolers

Counters [countertops]
Countertop laminates

Chopping blocks, plastic and other nonporous

Cutlery

Cutting Boards, plastic and other nonporous

Dishes

Drinking fountains Eating Utensils Exhaust fans

Food processors

Frozen Beverage Machines

Glassware [glasses]

Highchairs Ice Chests Ice Machines Kitchen equipment Microwave ovens

Plastic Food Storage Containers

Refrigerators

Refrigerator bins used for meat, fruit, vegetables and

eggs

Refrigerated storage and display equipment

Silverware Sinks

Stoves [stovetops]
Tables [picnic tables]

Tableware Tea dispensers

Utensils

Water dispensers [hot]

[TYPES OF SURFACES:]

Use Carbosan 7.5 on washable hard, nonporous surfaces of:

Chrome

Enamel

Fiberglass sinks

Glass

Glazed ceramic

Glazed enameled surfaces

Glazed porcelain

Laminated surfaces

Metal

Plastic [such as polystyrene or polypropylene]

Sealed granite
Sealed limestone
Sealed marble
Sealed Slate
Sealed Stone

Sealed Terra cotta Sealed Terrazzo

Stainless steel

Upholstery, vinyl and plastic

Woodwork, finished

Carbosan 7.5 is an effective sanitizer for use on food contact surfaces in 500 ppm hard water against:

Campylobacter jejuni [ATCC 33560]

Escherichia coli [ATCC 11229]

Escherichia coli O157:H7 [ATCC 33150]

Klebsiella pneumoniae [ATCC 4352]

Listeria monocytogenes [ATCC 19115]

Salmonella typhimurim [ATCC 23564]

Staphylococcus aureus [ATCC 6538]

Yersinia enterocolitica [ATCC 23715]

Regular, effective cleaning and sanitizing of equipment, utensils, and work or dining surfaces which could harbor food poisoning microorganisms minimizes the probability of contaminating food during preparation, storage or service. Effective cleaning will remove soil and prevent the accumulation of food residues, which may decompose or support the rapid development of food poisoning organisms or toxins. Application of effective sanitizing procedures reduces the number of those disease organisms which may be present on equipment and utensils after cleaning, and reduces the potential for the transfer, either directly through tableware such as glasses, cups and flatware or indirectly through food.


To prevent cross-contamination, kitchenware and food-contact surfaces of equipment must be washed, rinsed with potable water and sanitized after each use and following any interruption of operation during which time contamination may have occurred.

Where equipment and utensils are used for the preparation of foods on a continuous or production-line basis, utensils and the food-contact surfaces of equipment must be washed, rinsed with potable water and sanitized at intervals throughout the day on a schedule based on food temperature, type of food, and amount of food particle accumulation.

Articles that can be immersed in solution must remain in solution for 60 seconds.

Articles or surfaces too large for immersing must be thoroughly wetted or flooded by rinsing, spraying or swabbing.

Allow all sanitized surfaces to drain [and air dry]. **Carbosan 7.5** fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 2003 Recommendations of the U.S. Public Health Services in waters up to 500 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method.



{If the following Spanish statement is used, it must appear directly above DIRECTIONS FOR USE.} Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand the label, find someone to explain it to you in detail.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Food Contact Surfaces, Food Processing Equipment and Utensils in Dairies and Public Eating Establishments and Food Contact Surfaces, Food Processing Equipment and Utensils in Food Processing Plants (40 CFR 180.940 (a)):

{Note to reviewer. On a final printed label, only one of the following dilution rates will be used in the sanitization sections below:}

2 oz. of **Carbosan 7.5** per 7 3/4 gallons of water [1/4 oz. [0.26 oz.] of **Carbosan 7.5** per gallon of water] [150 ppm active quat]

01

1 oz. of **Carbosan 7.5** per 3 gallons of water [0.34 oz. of **Carbosan 7.5** per gallon of water] [200 ppm active quat]

or

1 oz. of **Carbosan 7.5** per 2 1/2 gallons of water [0.40 oz. of **Carbosan 7.5** per gallon of water] [240 ppm active quat]

or

2 oz. of Carbosan 7.5 per 6-7 3/4 gallons of water [0.26-0.34 oz. of Carbosan 7.5 per gallon of water [150-200 ppm active quat]

10

1 oz. of **Carbosan 7.5** per 2 1/2 - 3 gallons of water [0.34 – 0.40 oz. of **Carbosan 7.5** per gallon of water] [200 – 240 ppm active quat]

or

2 oz. of **Carbosan 7.5** per 5-7 3/4 gallons of water [0.26-0.40 oz. of **Carbosan 7.5** per gallon of water [150-240 ppm active quat]

TO SANITIZE FOOD CONTACT SURFACES:

{or}

TO SANITIZE FOOD CONTACT SURFACES, FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD PROCESSING LOCATIONS, DAIRIES, RESTAURANTS AND BARS [IN A THREE COMPARTMENT SINK]:

For sanitizing hard non-porous surfaces of food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard nonporous surfaces.

Prior to application, remove gross food particles and soil by a pre-flush, or pre-scrape and, when necessary, pre-soak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

Apply a use-solution of (insert appropriate dilution from box here) [or equivalent dilution] to the pre-cleaned hard surface, with a cloth, mop, sponge, [coarse] sprayer or by immersion, thoroughly wetting surfaces. Surfaces must remain wet for at least [one minute] [60 seconds] followed by adequate draining [and air drying]. Do not rinse.

Prepare fresh solution daily or more often if the use solution becomes diluted or soiled. For mechanical applications, use-solution may not be reused for sanitizing applications but may be reused for other purposes such as cleaning.

Apply to sink tops, counter tops, refrigerated storage and display equipment and other stationary surfaces by cloth, sponge [or] brush [or coarse spray].

Carbosan 7.5 EPA Reg. No. 6836-332 EPA Stamped Label 2013-06-05, **Draft 2013-08-09** Immerse pre-cleaned glassware, dishes, silverware, cooking utensils and other similar size food processing equipment in a solution of *(insert appropriate dilution here)* [or equivalent dilution] for at least 60 seconds. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

TO SANITIZE FOOD PROCESSING EQUIPMENT, UTENSILS, AND OTHER FOOD CONTACT ARTICLES REGULATED BY 40 CFR § 180.940(a) [IN A THREE COMPARTMENT SINK]:

- 1. Scrape, flush, or presoak articles (whether mobile or stationary) to remove gross food particles and soil.
- 2. Thoroughly wash articles with an appropriate detergent or cleaner.
- 3. Rinse articles thoroughly with potable water.
- 4. Sanitize by immersing articles with a use-solution of *(insert appropriate dilution here)* for at least 60 seconds. Articles too large for immersing must be thoroughly wetted by rinsing, spraying, or swabbing.
- 5. Remove immersed items from solution to drain [and then air dry]. Non-immersed items should be allowed to air dry. Do not rinse.

Carbosan 7.5 can be used in accordance with the U.S. Public Health Service food service sanitization recommendations.

U.S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS CLEANING AND SANITIZING:

Equipment and utensils must be thoroughly pre-flushed or pre-scraped and when necessary, pre-soaked to remove gross food particles and soil.


- 1. Thoroughly wash equipment and utensils in hot detergent solution.
- 2. Rinse utensils and equipment thoroughly with potable water.
- 3. Sanitize equipment and utensils by immersion in a use solution of (insert appropriate dilution here) [or equivalent dilution] for at least 60 seconds at a temperature of 75°F.
- 4. For equipment and utensils too large to sanitize by immersion, apply a use-solution of *(insert appropriate dilution here)* [or equivalent dilution] by rinsing, spraying or swabbing until thoroughly wet.
- 5. Allow sanitized surface to drain [and air dry]. Do not rinse.

WISCONSIN STATE BOARD OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS

- 1. Scrape and pre-wash utensils and glasses whenever possible.
- 2. Wash with a good detergent or compatible cleaner.
- 3. Rinse with clean water.
- 4. Sanitize in a solution of (insert a dilution of 200 ppm active or higher dilution from box above here). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
- 5. Place sanitized utensils on a rack or drain board [to air-dry].

NOTE: A clean potable water rinse following sanitization is not permitted under HFS 196, Appendix 7-204.11 of the Wisconsin Administrative Code (reference 40 CFR 180.940 (a)).

{Note to reviewer: The following graphic or a graphic of similar content may accompany any of the above food contact sanitization sections}



Carbosan 7.5 EPA Reg. No. 6836-332 EPA Stamped Label 2013-06-05,**Draft 2013-08-09** cccc

TO SANITIZE [SOFT SERVE] [FOOD] [AND] [FROZEN] [BEVERAGE] DISPENSING EQUIPMENT:

- 1. Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing.
- 2. Fill equipment with a solution of (insert appropriate dilution here) [or equivalent dilution].
- 3. Allow solution to remain in equipment for at least 60 seconds.
- 4. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

TO SANITIZE ICE MACHINES:

- 1. Turn off refrigeration
- 2. Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing.
- 3. Apply a solution of (insert appropriate dilution here) [or equivalent dilution] by mechanical spray, directly pouring, or by recirculating through the system.
- 4. Allow surfaces to remain wet or solution to remain in equipment for at least 60 seconds.
- 5. Drain thoroughly before reuse and allow to air dry.

TO SANITIZE SANITARY FILLING EQUIPMENT:

Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing. Prepare a use-solution of (insert appropriate dilution here) [or equivalent dilution] for final washer and rinser applications. Allow surfaces to remain wet for at least 60 seconds. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

TO SANITIZE BEER FERMENTATION AND STORAGE TANKS:

Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing. Prepare a use-solution of (insert appropriate dilution here) [or equivalent dilution] for mechanical or automated systems. Allow surfaces to remain wet for at least 60 seconds. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

WATERPROOF GLOVE SANITIZING DIRECTIONS

To prevent cross contamination into processing areas of food plants, waterproof gloves must be sanitized prior to entering or re-entering those areas. Remove gross contamination from gloves before sanitizing. Then place gloved hand in a use-solution of (insert appropriate dilution from box above here) for sixty seconds. Change the solution in the bath at least daily or more often if the solution appears visibly diluted or soiled.

SANITIZING - NON-POROUS GLOVED HANDS:

To prevent the spreading of organisms into animal areas and the packaging and storage areas of food plants, dip, soak or spray pre-washed (plastic, latex or other synthetic rubber) gloved hands so that there is enough sanitizing solution to cover the gloved area. Do not let sanitizing solution come in contact with exposed skin. Make up the sanitizing solution by adding (insert appropriate dilution from box above here). Dip, soak or spray in solution and allow gloved hands to remain wet for at least 60 seconds. No potable water rinse is allowed. Change the sanitizing solution in the bath at least daily or when solution appears dirty.

TO SANITIZE EGG SHELLS INTENDED FOR FOOD:

To sanitize previously cleaned food-grade eggs in shell egg and egg product processing plants, spray with a use-solution of (insert appropriate dilution here) [or equivalent dilution]. The solution must be equal to or warrier than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be broken immediately for use in the manufacture of egg products. Eggs must be reasonably dry before casing or breaking. The solution must not be re-used for sanitizing eggs.

Note: Only clean, whole eggs can be sanitized. Dirty, cracked or punctured eggs cannot the sanitized.

Carbosan 7.5 EPA Reg. No. 6836-332 EPA Stamped Label 2013-06-05, **Draft 2013-08-09**

FOR CONTINUOUS TREATMENT OF CONVEYORS:

Remove gross food particles and excess soil by a pre-flush or pre-scrape. Wash with a good detergent or compatible cleaner. Rinse equipment thoroughly with potable water, then rinse equipment with a sanitizing solution. During processing, apply **Carbosan 7.5** at (insert appropriate dilution from box above here) to conveyors with MIKRO MASTER or other suitable feeding equipment. Controlled volumes of sanitizer are applied to return portion of conveyor through nozzles so located as to permit maximum drainage of sanitizer from equipment and to prevent puddles on top of belt. During interruptions in operation, coarse spray equipment, peelers, collators, slicers and saws with MIKRO MASTER dispensed **Carbosan 7.5** solution of (insert appropriate dilution from box above here). Conveyors and other equipment must be free of product when applying this coarse spray. Use (insert appropriate dilution from box above here. Must be 200 ppm Al Minimum) in Wisconsin dairy processing facilities.

{For food processing or other facilities that have installed entryway sanitizing systems:}

ENTRYWAY SANITIZING SYSTEMS: To prevent cross contamination from area to area, set the system to deliver [0.68 – 1.36 oz. per gallon of water] [or equivalent dilution] [400 – 800 ppm active] of sanitizing solution. The [spray] [foam] must cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor.

Do not mix other foam additives to the sanitizing solution.

SHOE BATH SANITIZER DIRECTIONS: To prevent cross contamination into animal areas [and the packaging and storage areas of food plants], shoe baths containing one inch of freshly made sanitizing solution must be placed at all entrances to buildings [and hatcheries). Scrape waterproof work [boots] [shoes] and place in a use-solution of 0.68 oz. of Carbosan 7.5 per gallon of water [or equivalent dilution] [400 ppm] for 60 seconds prior to entering area. [{This Optional Statement is Not for Use in California:} If there is a heavy soil load or excessive traffic place work [boots] [shoes] in a use-solution of 1.02 – 1.36 oz. per gallon of water [or equivalent dilution] [600 – 800 ppm active quat]. Change the solution in the bath at least daily or more often if the solution appears diluted or soiled.

SHOE FOAM SANITIZER DIRECTIONS: To prevent cross contamination into animal areas, and the packaging and storage areas of food plants. Apply a foam layer approximately 1/2 to 2 inches thick made from a solution of 1.36 to 2.04 oz. of **Carbosan 7.5** per gallon of water [or equivalent dilution] [800 to 1200 ppm active], at all entrances to buildings, hatcheries, production and packaging rooms by using a foam generating machine or aerator to apply the foam layer. Follow the foaming directions as specified by the manufacturer of the foam generator or aerator. Scrape waterproof [work boots] [shoes]. Stand or walk through foamed area for 60 seconds prior to entering area. Foam area must be washed and foam replaced at least daily or more often if the foam appears visibly diluted or soiled.

RECIRCULATING COOLING WATER SYSTEMS AND HEAT TRANSFER SYSTEMS [{Not For Use in California}]

Examples of heat transfer systems are Evaporative Condensers, Dairy Sweetwater Systems, Hydrostatic Sterilizers and Retorts, Cooling Canals, Pasteurizers, Tunnel Coolers and Warmers, Closed and Once-Through Cooling Systems and COW Water Systems. For control of bacteria, algae and fungi in recirculating cooling water systems add Carbosan 7.5 to the tower basin, distribution box or some other point to insure uniform mixing. For heat transfer systems, the product should be added to the system at a point of uniform mixing such as a basin area, sump area or other reservoir or collecting area from which the treated water will be circulated uniformly throughout the system.

INTERMITTENT OR SLUG METHOD

Initial Dose: When the system is noticeably fouled, apply 10 to 20 ppm active Carbosan 7 เรีย [17 to 34 ดันครั้ง per 1,000 gallons of water in the system] weekly or as needed to maintain control. Badly fooled systems must be cleaned before treatment is begun.

Subsequent Dose: After microbial control is evident, 10 to 20 ppm **Carbosan 7.5** [17 to 34 ounces per 1,000 gallons of water in the system] weekly or as needed to maintain microbial control. Badly fouled systems must be cleaned before treatment is begun.

CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled apply 10 to 20 ppm **Carbosan 7.5** [17 to 34 ounces 1,000 gallons of water in the system] weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 10 to 20 ppm **Carbosan 7.5** [17 to 34 ounces per 1,000 gallons of makeup water added to the system]. Badly fouled systems must be cleaned before treatment is begun.

TO DEODORIZE: [Mix] [Use] [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] of **Carbosan 7.5** per gallon of water to deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

Carbosan 7.5 is effective at eliminating odors on porous surfaces such as upholstery, drapes, carpets, bedding, shower curtains, mattresses and non-porous surfaces such as walls and floors. Excellent for fire restoration.

Other suggested Uses: Homes, Veterinary Clinics, Fish Markets, Kennels, Trash Compactors, Offices, Beauty Salons, Locker Rooms, Health Spas, Conference rooms, Elevators, Smoking Areas, Lounges, Day Care Centers, Dry Cleaners, Theaters, Farms, Auditoriums and Churches.

DEODORIZING DIRECTIONS:

Nursing Homes, Hospitals, Hotels, Schools, Restaurants: Using [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors.

Mopping Solutions, Automatic Scrubbers: Use [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] per gallon of cleaning solution eliminates undesirable odors.

Laundry: [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] per load added during the final rinse cycle deodorizes all offensive odors.

Air Freshener/Automotive Uses: 4 oz. per gallon of water or desired concentration will effectively neutralize damp musty odors caused by mildew in storage areas, basements, closets and bathrooms. Effective on smoking and cooking odors (garlic, fish, onions, etc.). Automobile odors from tobacco, musty carpet smell and beverage smells will be eliminated.

Carpets: [$\frac{1}{2}$ - 1 oz.] or [$\frac{1}{2}$ - 2 oz.] per gallon of shampoo solution eliminates odors associated with urine, vomit, smoke, and mildew. Reapply after cleaning for freshening effects. Allow to dry.

RV Holding Tanks: Toilet waste: cover bottom of holding tank with water and add [1 oz.] or [1 - 2 oz.] to the tank. Kitchen waste: [1 oz.] or [1 - 2 oz.] or [1 - 2 oz.] or [1 - 2 oz.] or [1 - 4 oz.] of **Carbosan 7.5** to gray water tank as needed to control malodors created by dirty dish water.

Pet Odors: Use 4 - 6 oz. per gallon of water or desired concentration, for urine, feces, and vomit, in carpet and upholstery. Clean prior to application then spray onto affected areas. Test hidden area for colorfastness. Allow 10 minutes contact time. Then blot with clean cloth. Allow to dry. Also effective on pet pedding and litter boxes.

Sewage Backup, Water Damage: Use 2 – 4 oz. per gallon of water or desired concentration. Spray over affected areas before and after cleaning and extraction. Allow ten minutes contact time. Use proper ventilation; open windows.

Cleaning Solution: Dilute [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications.

{Note to reviewer: For Nonrefillable Containers, Label has Household and Residential Uses}

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

{or}

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

{Note to reviewer: For Nonrefillable Containers for commercial, industrial, and institutional uses – all sizes – No Reuse Rinsate Statement for Public Health Use products. Chapter 13, Table 6 of the Label Review Manual states that for "All products in containers that could be burned," the registrant has the option to "Remain silent on burning;" therefore, no incineration language is provided for plastic containers.}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. **[Plastic and Metal Containers:]** Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

[Metal containers only:] DO NOT cut or weld metal containers.

[Bag in Box Containers:] Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

{Note to reviewer: Several packaging options are designed for use dilution systems with sealed containers or bottles to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these sealed container types:}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and discard in trash [or offer for recycling].

Carbosan 7.5 EPA Reg. No. 6836-332 EPA Stamped Label 2013-06-05, **Draft 2013-08-09**

{For Bag-in-Box Containers:}

For Bag - In - Box Containers:

How to use this package:

This package is designed to be used with dilution control systems only. Open package and connect to dispenser according to directions on box top.

Trigger Sprayers:

Fill bottle from dispenser.

Apply to surfaces as specified in directions above.

Mop Buckets:


Fill bucket from dispenser.

Set up "Wet Floor" signs.

Mop floor surface as specified in directions above

OPENING INSTRUCTIONS

- 1. Position box with perforation up.
- 2. Press in circle.
- 3. Lift hapriess song perforation.
- 4. Retrieve litting on bag.
- 5. Remove clear dust-cap from bag fining.
- Twist dispenser to mocror onto pagfitting.
- T. Place bag in-box into position on dispenser shelf.
- 8. Close dispenser (if applicable).



INSTRUCCIONES PARA ABRIR

- 1. Ponge la caja con la perforación hacea amba.
- I. Empuje el circulo recla exerure.
- Il laverire le pessone arranchiadoùs de la caja alo largo de la perforación.
- 4. Sacrus el acaptactor que este en la bolisti.
- 5. Cuite la lapa transperente contra el polyoque dese el acaptación de bolsa,
- S. Exosque el conectador destaciandos H esapredos.
- 7. Ponta la Targ-in-bez (conta en raja) en posición en el mostrador de despecho.
- a. Cierre si despeciador (si correspondi).

PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL

FOR SANITIZATION

{Note to reviewer: the following will be used for 3 oz. of concentrate: MIX EACH PACKET WITH 5 GALLONS OF WATER}

{If other packet sizes are desired, new packet label will be identical and the only things that will vary are the net contents, amount of water to dilute with and ppm active quat. Those 3 items will have to match or be equivalent to the dilution chart that is shown on page 7.}

CARBOSAN 7.5

KEEP OUT OF REACH OF CHILDREN

DANGER [PELIGRO]

See outer container for Precautionary Statements and Use directions

Disposal: Do not reuse packet. Wrap and put in trash.

EPA. Reg. No. 6836-332

EPA. Est. No. (insert EPA Est. No. here)

Net Contents:

Lonza Inc. 90 Boroline Road, Allendale, NJ 07401