

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

Ms. Ruth Trager
Lonza Inc.

90 Boroline Road Allendale. NJ 07401 OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JUL -8 2013

SUBJECT:

Lonzagard RCS-256 Plus

EPA Registration Number: 6836-349 Application Dated: June 25, 2013 Receipt Date: June 26, 2013

Dear Ms. Trager:

This letter acknowledges receipt of the notification identified above submitted under the provisions of section 3 (c) 9 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10 and 40 CFR 152.46.

• To reinstate 4 organisms that were incorrectly requested to be removed from the last stamped label:

Adenovirus, Type 5
Adenovirus, Type 7
ESBL Escherichia coli
Legionella pneumophilia

Based on a review of the submitted information, this notification is acceptable. A copy has been inserted in your file for future reference.

General Comments

Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0119 or Velma Noble at (703) 308-6233.

Sincerely

Velma Noble

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510P)

Please read instructions on reverse	before completing	m Approved, OMB	No. 2070-0060, Approval	exp5-31-98			
QTD A	United States		☐ Registra	tion	OPP Identifier Number		
SEPA	Environmental Protection	on Agency	☐ Amendr	nent			
•	Washington, DC 204	60	Other	•			
Application for Pesticide - Section 1							
Company/Product Number			Product Manager		Proposed Classification		
6836-349		Velm	Velma Noble				
4. Company/Product (Name)		PM# 31			None Restricted		
Lonzagard RCS-256 Plus 5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Review. In accordance with FIFRA Section		on 3(c)(3)(b)(I), my product is similar		
Lonza Inc.			or identical in composition and labeling to:				
90 Boroline Road							
Allendale, NJ 07401		1					
Check if this is a new addre	SS		·				
		Secti	on – II				
Amendment - Explain bel	ow			els in response to Ag	ency letter dated		
·	to Agency letter dated		"Me Too" Applie	. •	oney fetter dated		
Notification - Explain belo		_	Other - Explain				
Explanation: Use additi	ional page(s) if necessary.		and Section II.)				
Notification to reinstate	e 4 organisms. See cove	er letter for det	ails.				
This notification is consis	tent with the provisions	of PR-Notice (98-10 and FPA red	ulations at 40 C	FR 152 46, and no other		
changes have been mad							
violation of 18 U.S.C. Se							
				may be in viola	ation of FIFRA and I may be		
subject to enforcement a	ction and penalties unde	er sections 12	and 14 of FIFRA.				
^	1				•		
Signature:	Trager		D (05 0040			
Signature:	. ()		Date:June	25, 2013			
		Section	on – III				
Material This Product Will	Be Packaged In:		311 111				
Child-Resistant Packaging	Unit Packaging		Water Soluble Pack	aging	2. Type of Container		
Yes*	Yes		Yes		Metal		
M₀	≥ No		⊠ No		Plastic		
*Certification must be	If "Yes" Unit Packaging wg	No. per t. container	If "Yes" Package wgt.	No. per container	Glass		
submitted	Ome I downering wigh	c. committee	Tuonago rigi.	1	Paper		
	6	N 110 11			Other (Specify) bag-in-box Label Directions		
Location of Net Contents In Label X	Container 4. Size(s) Retail Container		On Label	Laber Directions		
Label Z	Various	S) =	g accompanying product		
6. Manner in Which Label is A	Affixed to Product	Lithograph	Other_		8		
		Paper glued	,—		0000		
	⊠	Stenciled	IV		c coc		
		~	on – IV		, e e e e		
	ns directly below for identificatio		e contacted, if necessary,		ation) Telephone No. (Include Area Code)		
Name Title de descriptione No. (Include Area Ruth Trager Manager, Regulatory Services 20€-316-9327° c							
•					0000 0 00		
T 4'C.41 4.1 4.1 4.1		fication		I a alm l - l -	6.6 Date Application Received		
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge edge to that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.							
2. Signature	3. Title		60000				
0.00		Manager,	Manager, Regulatory Services		C.		
Kush Trager					υ ο υ υ ο υ		
4. Typed Name Ruth Trager	•	5. Date June 25 ,	2013				
Nuui ilagei		Julie 20,	LUIU		1		

Lonza

Via Email

Ms. Velma Noble, PM-31
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2227 S. Crystal Drive
Arlington, VA 22202

Lonza Inc. 90 Boroline Road Allendale, NJ 07401, USA

Ruth Trager Lonza Microbial Control Manager, Regulatory Services

Tel 201-316-9327 Fax 201-696-3560 ruth.trager@lonza.com

June 25, 2013

SUBJECT: Applications for Pesticide Notification
Lonzagard RCS-256 Plus, EPA Reg. No. 6836-349
Lonzagard RCS-256, EPA Reg. No. 6836-346,
Lonzagard RCS-128 Plus, EPA Reg. No. 6836-348
Lonzagard RCS-128, EPA Reg. No. 6836-347

Dear Ms. Noble:

As per the phone call with you, Dennis Edwards, Drusilla Copeland and myself on June 12, 2013, Lonza is submitting a notification to reinstate 4 organisms that were incorrectly requested to be removed from the last stamped label for the above listed registrations. The 4 organisms are:

Adenovirus, Type 5 Adenovirus Type 7 ESBL Escherichia coli Legionella pneumophilia

In addition, Dennis had indicated that the labels will receive expedited approvals.

In support of this notification enclosed are the following:

- a. Application for Pesticide Notification for each of the registrations;
- b. Copy of the proposed product label with the additions highlighted.

2/2, June 25, 2013

If you have any questions or need any additional information, please feel free to contact me at 201-316-9327 or email at ruth.trager@lonza.com.

Sincerely, Lonza Inc.

Rush Trager

Ruth Trager Manager, Regulatory Services Note to reviewer:

[Items in brackets [AAA] are optional and may/may not be included on final label] {Items in braces {AAA} are for information purposes and will not appear on final label}

LONZAGARD RCS-256 PLUS

One-Step Disinfectant

[Cleaner - Sanitizer - Fungicide - Mildewstat - Virucide* - Deodorizer] [for Homes, Restaurants, Hospitals, Institutional and Industrial Use]

[Effective in hard water up to 250 ppm hardness (calculated as CaCO₃) in the presence of 5% serum contamination]

[[Citrus], [Floral], [Fresh], [Lavender], [Lemon], [Lime], [Mint], [Peppermint], [Pine], [Woody] [Scent] [Scented] [Fragrance] [Odor]]

- [Formulated for Effective Farm Premise Sanitation]
- [Formulated for Effective Poultry Premise Sanitation]
- [Formulated for Effective Swine Premise Sanitation]
- [Formulated for Effective Mushroom Farm Sanitation]
- [Formulated for Veterinary Practice / Animal Care / Animal Laboratory Disinfection]
- [For use in federally inspected meat and poultry plants]
- [• Staphylocidal Pseudomonacidal Bactericidal Salmonellacidal Fungicidal Virucidal*]

Active Ingredients:

Octyl decyl dimethyl ammonium chloride	6.67%
Dioctyl dimethyl ammonium chloride	
Didecyl dimethyl ammonium chloride	
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	8.90%
Other Ingredients:	
Total:	

KEEP OUT OF REACH OF CHILDREN

[PELIGRO] DANGER

See [left] [side] [right] [back] panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-349

EPA Est. No. (insert EPA Establishment No. here)

Net Contents (insert container size here)

[DOT symbols]

[Country of origin (insert country)]

[Manufactured in (insert country)]

[Barcode]


Manufactured by:

Lonza Inc.

90 Boroline Road

Allendale, NJ 07401

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349 EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25















PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

{Note to reviewer: If container size is 5 gallons or larger, the following Environmental Hazards statements will be used:}

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349 EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25

Page 2 of 19

Concentrate [Concentrated]
Disinfects [Disinfectant]
Cleans [Cleaner]
Deodorizes [Deodorant]
This product contains no [phosphates] [or] [phosphorous compounds].

Lonzagard RCS-256 Plus:

- delivers non-acid disinfectant and cleaning performance in an economical concentrate.
- is effective yet economical.
- is an economical concentrate that can be diluted for use with [trigger sprayers], [and or] [pressure sprayers].
- [is a heavy duty disinfectant cleaner that] cleans, disinfects and deodorizes in one labor saving step.
- · deodorizes by killing microorganisms that cause offensive odors.
- [improves labor results by] effectively controls [controlling] malodors.
- will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.
- is formulated for use in daily maintenance programs with a balance of detergents, biocides and malodor counteractants that deliver effective cleaning, disinfecting and malodor control.
- is a complete, chemically balanced disinfectant [and sanitizer] [that provides clear use solutions even in the presence of hard water].
- · will not leave grit or soap scum.
- is a [versatile] disinfectant and sanitizer for hard, nonporous nonfood contact surfaces in Veterinarian, Animal care and Farm Premise applications.
- is a [concentrated] [one-step] [Hospital Use] disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* [including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C Virus], fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed.
- is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.
- meets AOAC efficacy standards for hospital disinfectants.
- meets Sanitizer Test standards for non-food contact sanitizers.
- is a proven "one-step" disinfectant cleaner sanitizer fungicide mildewstat virucide* which is effective in water up to 250 ppm hardness in the presence of 5% serum contamination.
- eliminates 99.9% of Staphylococcus aureus and Klebsiella pneumoniae in 15 seconds.
- kills Norovirus [in 5 minutes] at 1:128 dilution [1 oz. per gallon]
- kills Rotavirus [in 3 minutes]
- is effective at controlling mold and mildew odor on mattresses, pillows and shower curtains. {Not for Use in California}
- leaves a clean fresh scent.
- provides long lasting freshness against tough [pet] odors such as odors from litter boxes and pet accidents.
- [Kills] [Eliminates] [Removes] [Destroys] (Insert pathogen or pathogens from lists on pages 13-14) on [precleaned] environmental surfaces
- [Kills] [Eliminates] [Removes] [Destroys] [Germs] [Bacteria] [Viruses*] [on [pre-cleaned] environmental of surfaces]

Cross-contamination is of major housekeeping concern. Lonzagard RCS-256 Plus has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but in serios institutions, and industry.

This product is effective at controlling mold and mildew on shower curtains.

This product may be applied through low-pressure sprayers.

This product is for use in household and commercial humidifiers. Use of this product will control unpleasant [malodors] odors.

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349 EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25 CC

e e gele e

Use this product to clean, sanitize and disinfectant non-porous ambulance equipment and surfaces. Rinse with clean water all equipment that will come in prolonged contact with skin before reuse.

This product may be used to deodorize coolers, buckets, garbage pails and other areas where strong odors may develop.

[Quickly] Cleans [and disinfects] every day kitchen messes.

Cuts through tough grease [and grime].

To disinfect food processing facilities: Spray surfaces with solution and allow to remain wet for 3 minutes. Rinse food contact surfaces with potable water prior to reuse.

Use [on] [to clean and disinfect] nonporous athletic mats, wrestling mats, gymnastic mats, exercise equipment and training tables.

Lonzagard RCS-256 Plus is a phosphate free, germicidal detergent effective in the presence of a moderate amount of organic soil on hard nonporous surfaces found at mushroom farms. **Lonzagard RCS-256 Plus** has been designed for use between mushroom crops. Areas of intended use include breezeways and track alleys before spawning, inside and outside walls of mushroom houses, lofts, floors, storage sheds and casing rings. Use of **Lonzagard RCS-256 Plus** must be limited to areas where compost and mushrooms are not present.

Lonzagard RCS-256 Plus is a sanitizer for hard nonporous non-food contact surfaces at 1:256 dilution [½ oz. per gallon] according to the method for Sanitizers – Non-food Contact surfaces, modified in the presence of 250 ppm hard water plus 5% organic serum in 15 seconds against:

Enterobacter aerogenes Klebsiella pneumoniae Listeria monocytogenes Staphylococcus aureus Staphylococcus aureus—Methicillin-Resistant [MRSA]

Lonzagard RCS-256 Plus eliminates 99.9% of Staphylococcus aureus and Klebsiella pneumoniae in 15 seconds.

Lonzagard RCS-256 Plus is effective on hard nonporous surface at 1:256 dilution [½ oz. per gallon] according to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum in 3 minutes against:

Canine Distemper Virus Newcastle's Disease Virus

Lonzagard RCS-256 Plus is effective on hard nonporous surface at 1:128 dilution [1 oz. per gallon] ສະເວດ ding to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum in 5 minutes against Feline Calicivirus.

Lonzagard RCS-256 Plus is a mildewstat and will effectively inhibit the growth of mold and goldew and fine odors caused by them when applied to hard nonporous surfaces.

00000 00000

Use Lonzagard RCS-256 Plus

- in federally inspected Meat & Poultry Plants as a disinfectant or non-food contact sanitizer on all surfaces in inedible product processing areas, nonprocessing areas and / or exterior areas.
- · as a disinfectant on hard, nonporous surfaces.
- in kitchens, bathrooms and other household areas.
- to clean and disinfect finished floors, sinks and tubs.
- with trigger sprayer, pressure sprayers.
- for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls.
- to clean and disinfect nonporous salon / barber tools and instruments: combs, brushes, scissors, blades and manicure instruments.
- for sanitizing and disinfecting of ultrasound transducers, probes, mammography compressor plates and other hard nonporous surfaces.
- to clean and disinfect finished floors. Cleans and disinfects without dulling gloss.
- on coils and drain pans of air conditioning and refrigeration equipment and heat pumps. Follow the directions for sanitization of non-food contact surfaces.
- to clean and disinfect nonporous fire fighting bunker / turnout gear; trousers; overcoats, gloves, boots, hoods, helmets, air masks.
- to clean, sanitize and disinfect nonporous personal protective safety equipment: protective headgear, hard
 hats, half-mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields,
 hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin before
 reuse with clean warm water (about 120°F), and allow to air dry. (Precaution: Cleaning at 120°F
 temperature will avoid overheating and distortion of the personal safety equipment which would necessitate
 replacement).
- for Poultry Premise Sanitation [Hatcheries]: Egg Receiving Area, Egg Holding Area; Setter Room, Tray Dumping Area, Trays, Buggies, Racks, Egg Flats, Chick Holding Room, Hatchery Room, Chick Processing Area, Chick Loading Area, Poultry Buildings, Ceilings, Sidewalls and Floors, Drinkers and other Poultry House related equipment, and all other hard, nonporous surfaces in the Hatchery environment.
- for Swine Premise Sanitation: Waterers and Feeders, Hauling Equipment, Dressing Plants, Loading Equipment, Farrowing Barns and areas, Nursery blocks, Creep area, Chutes.
- for Farm Premise Sanitation of hard nonporous surfaces: floors, walls, feed racks, mangers, troughs, automatic feeders, fountains and waterers, forks, shovels, scrapers and other nonporous surfaces in barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.
- in the laundry to control odors on musty bedding and linens. Test on a small inconspicuous area before using. **{Not for Use in California}**
- on mildew stains in damp areas such as bathrooms, showers, kitchens, basements and laundry rooms.
- in work areas such as tool rooms and garages for odor control and light duty cleaning.
- to remove odors caused by flooding.
- to clean and sanitize tables, chairs, and countertops

Lonzagard RCS-256 Plus is effective at eliminating odors on porous surfaces such as upholstery, drapes, carpets, bedding, shower curtains, mattresses and non-porous surfaces such as walls and floors.

Other suggested Uses: Homes, Veterinary Clinics, Fish Markets, Kennels, Trash Compactors, Offices, Beauty Salons, Locker Rooms, Health Spas, Conference rooms, Elevators, Smoking Areas, Lounges, Day Care Centers, Dry Cleaners, Theaters, Farms, Auditoriums and Churches.

[AREAS OF USE:]

Use Lonzagard RCS-256 Plus in:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding area of use. The graphics will only represent individual objects or outsides or insides of buildings as described below. No people, animal or food will be depicted in graphics.}

Bathrooms

Homes [Households]

Kitchens

Clinics

Dental offices

Health Care Facilities

Hospitals

Medical Offices

Medical Related facilities

Nursing homes

Sick Rooms

Day care centers

Nurseries

Bars

Cafeterias

Convenience stores

Food processing plants

Food storage areas

Institutional kitchens

Restaurants [Front of House]

USDA inspected food processing facilities

Athletic facilities

Barber shops

Business and office buildings

Colleges

Correctional facilities

Dressing rooms

Exercise facilities

Factories

Hotels

Institutional facilities

Institutions

Locker rooms

Motels

Prisons

Public facilities

Public rest rooms.

Schools

Shower and bath areas

Salons [Beauty] [Tanning]

Universities

Camp grounds

Play ground equipment

Animal laboratories

Dairy farms

Farms

Hog farms

Kennels

Mushroom Farms

Poultry farms

Pet animal quarters

Pet shops

Turkey farms

Zoos

Airplanes

Airports

Ambulances

Boats

Buses

Campers

Corc

Cars

Emergency [Police] [EMS] [Fire] [Rescue] vehicles

Mobile homes

Ships

Taxis

Trailers

Trains

Transportation terminals

[TYPES OF SURFACES:]

Use Lonzagard RCS-256 Plus on washable hard, nonporous surfaces of:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding type of surface. No people, animal or food will be depicted in graphics. Only exteriors of microwaves and refrigerators will be depicted. Toy graphics will be submitted to Agency for review.}

Appliances, exteriors Bathroom fixtures Bathtubs [fiberglass]

Cabinets Cages Chairs

Coils and drain pans of air conditioning and refrigeration equipment and heat pumps

Conductive flooring Counters [Countertops] Countertop laminates

Desks
Doorknobs
Floors
Foot Spas
Garbage cans
Highchairs
Kennel runs

Microwave ovens, exteriors

Outdoor [patio] furniture except cushions and wood

frames

Refrigerators, exteriors

Refrigerated storage and display equipment

Showers Shower stalls

[Fiberglass] Shower stalls

[Fiberglass] Sinks [bathroom] [kitchen]

Sinks [bathroom] [kitchen]

Stoves [stovetops]

Tables, [Non-wooden picnic tables]

Telephones
Toilets
Toilet bowls
Toilet bowl surfaces
Tubs [Fiberglass]

Tiles, glazed Ultrasonic baths

Urinals Walls

Whirlpool [bathtubs] [tubs] [units]

Non-critical medical device surfaces:

Beds [Medical] [Hospital]

Bed frames Bed rails Crutches Defibrillators Gurneys

Non-critical [hospital] [medical] equipment surfaces:

[Medical] Examining tables [Medical] [Hospital] Lamps

Rescue tools Resuscitators

[Medical] [Hospital] Scales

Stands Stretchers Stethoscopes Walkers Wheel chairs

Other hard nonporous surfaces made of:

Glazed ceramic

Glazed enameled surfaces.

Glazed porcelain Laminated surfaces

Metal

Plastic [such as polystyrene or polypropylene]

Sealed stone Stainless steel

Upholstery, vinyl and plastic

Woodwork, finished

Dilution:

Disinfection [1:256]	 er
Disinfection [1:128]	
Disinfection [1:64]	
Virucidal:	
Sanitizer [1:256]	

{If the following Spanish statement is used, it must appear directly above DIRECTIONS FOR USE.} Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand the label, find someone to explain it to you in detail.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Preparation of Disinfectant Use-Solution:

[Add] [mix] ½ oz. per gallon of water [1:256] or [½ -- 1 oz. per gallon of water] or [½ -- 2 oz. per gallon of water]. For heavy duty use, add [mix] 2 oz. per gallon of water [1:64]. Use 1 oz. per gallon of water to kill Norovirus. Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a sprayer. Treated surfaces must remain wet for contact time indicated on the label. {Note to reviewer: Contact times are indicated on the organism list found on pages 14-15 of this master label.} Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

For fungicidal activity: Lonzagard RCS-256 Plus is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

Lonzagard RCS-256 Plus is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum.

For mold and mildew: At 1/2 oz. per gallon or $[\frac{1}{2}$ -- 1 oz. per gallon] or $[\frac{1}{2}$ -- 2 oz. per gallon], Lonzagard RCS-256 Plus will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

{Note for reviewer: For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used:}

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. [This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection]. {or}

This product is not for use on medical device surfaces.

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349 EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25 Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled.

FOR USE ON FINISHED FLOORS: To limit gloss reduction use **Lonzagard RCS-256 Plus** at ½ oz. per gallon or [½ -- 1 oz. per gallon]. Spray onto floor. Allow surface to remain wet for contact time indicated on the label. Wipe or allow to air dry. Do not use on floor finish at 2 oz. per gallon.

*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.

Personal Protection: Cleanup must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of Lonzagard RCS-256 Plus.

Contact Time: Leave surface wet for 1 minute [60 seconds] for HIV-1 and 3 minutes for HBV and HCV with a $\frac{1}{2}$ oz. or [$\frac{1}{2}$ - 1 oz.] or [$\frac{1}{2}$ - 2 oz.] per gallon use-solution. Use contact time indicated on the label for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS: From Use Solution:

Empty toilet bowl or urinal and apply a $\frac{1}{2}$ oz. per gallon or [$\frac{1}{2}$ -- 1 oz. per gallon] or [$\frac{1}{2}$ -- 2 oz. per gallon] use-solution to exposed surfaces and under the rim with a sprayer. [Use 1 oz. per gallon of water to kill Norovirus]. [Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.] Brush or swab thoroughly, allow to stand for contact time indicated on the label and flush.

For Heavy Duty Use:

Empty toilet bowl or urinal and apply a 2 oz. per gallon use-solution to exposed surfaces including under the rim with a sprayer. Brush or swab thoroughly, allow to stand for contact time indicated on the label and flush.

SALON / BARBER INSTRUMENTS AND TOOLS DISINFECTION [BACTERICIDE] / VIRUCIDE / FUNGICIDE DIRECTIONS:

Mix $\frac{1}{2}$ oz. or [$\frac{1}{4}$ -- 2 oz.] of Lonzagard RCS-256 Plus per gallon of water [$\frac{1}{4}$ oz. or [$\frac{1}{4}$ - 1 oz.] of Lonzagard RCS-256 Plus per 2 quarts of water] to disinfect hard, nonporous instruments and tools.

[Use 1 oz. per gallon of water to kill Norovirus]. [Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.] Spray combs, brushes, plastic rollers, manicure and other salon instruments and tools and allow them remain wet for contact time indicated on the label. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use.

Note: Stainless steel shears and instruments must be rinsed and dried after 3 minutes and kept in a clean, non-contaminated receptacle. Prolonged contact with the disinfectant solution may cause damage to metal instruments.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS [/VIRUCIDAL*] DISINFECTION DIRECTIONS:

For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces by spraying with a use-solution of ½ oz. or [½ -- 1 oz.] or [½ -- 2 oz.] of Lonzagard RCS-256 Plus per gallon of water (or equivalent dilution) for contact time indicated on the label. [Use 1 oz. per gallon of water to kill Feline Calicivirus.] [Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.] Wipe or allow to air dry. Immerse all animal halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

FARM PREMISE USE:

Remove all animals and feed from premises, vehicles, coops, crates and other enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces by spraying with a use-solution of ½ oz. or [1½ -- 1 oz.] or [½ -- 2 oz.] of Lonzagard RCS-256 Plus per gallon of water (or equivalent dilution) for contact time indicated on the label. [Use 1 oz. per gallon of water to kill Feline Calicivirus.] [Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.] Spray all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Ventilate treated buildings, vehicles, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

HATCHERIES: Use ½ oz. or [½ -- 1 oz.] or [½ -- 2 oz.] of Lonzagard RCS-256 Plus per gallon of water to treat the following hard nonporous surfaces: hatchers, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces wet contact time indicated on the label. Then allow to air dry.

VEHICLES: Treat all vehicles including mats, crates, cabs and wheels with water and Lonzagard RCS-256 Plus. Use ½ oz. or [½ -- 1 oz.] or [½ -- 2 oz.] of Lonzagard RCS-256 Plus per gallon of water to treat all vehicles. [Use 1 oz. per gallon of water to kill Norovirus.] [Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.] Leave all treated surfaces wet for contact time indicated on the label; allow to air dry.

DRESSING PLANT DISINFECTANT DIRECTIONS: Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect all rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all heavy soils prior to application. Saturate all surfaces with a ½ oz. or [½ -- 1 oz.] or [½ -- 2 oz.] of Lonzagard RCS-256 Plus per gallon of water solution. [Use 1 oz. per gallon of water to kill Norovirus.] [Use 2 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.] Scrub to loosen all soils. Surfaces must remain wet for contact time indicated on the label, then thoroughly rinsed with potable water before operations are resumed.

MUSHROOM FARM PREMISE USE:

Site Preparation: The first step in any on-going sanitation program must be the removal of gross contamination and debris. This may be accomplished by using a shovel, broom, or vacuum, depending on the area to be disinfected.

Cleaning and Disinfection: For general cleaning and disinfection, use $\frac{1}{2}$ oz. or $\frac{1}{2}$ - 1 oz.] or $\frac{1}{2}$ - 2 oz.] of Lonzagard RCS-256 Plus per gallon of water (or equivalent dilution). Apply use solution using a sprayer to thoroughly wet the surfaces. Treated surfaces must be allowed to remain wet for contact time indicated on the label. Wipe or allow to air dry. For heavily soiled areas, preclean first.

For Heavy Duty Cleaning: When greater cleaning is desired, use 1 oz. of Lonzagard RCS-256 Plus per gallon of water. Heavily soiled areas may require repeated cleaning before treatment.

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349 EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25 DO NOT APPLY USE-SOLUTION TO THE MUSHROOM CROP, COMPOST OR CASING. Rinse treated surfaces with potable water before they contact the crop, compost or casing.

TO SANITIZE NON-FOOD CONTACT SURFACES:

Add [mix] ½ oz. of Lonzagard RCS-256 Plus per gallon of water to sanitize hard nonporous surfaces. Treated surfaces must remain wet for 15 seconds. Wipe dry with a sponge, mop or cloth or allow to air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware or utensils.

TO SANITIZE BARBER / SALON INSTRUMENTS AND TOOLS: Spray precleaned barber / salon instruments and tools (such as combs, brushes, razors, scissors, blades and manicure instruments) using a use-solution of ½ oz. of Lonzagard RCS-256 Plus per 1 gallon of water (or equivalent dilution) and allow them to remain wet for at least 15 seconds. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if solution becomes visibly diluted, cloudy or soiled.

NOTE: Plastics require no rinsing. Stainless steel shears and instruments should be rinsed and dried after 15 seconds and kept in a clean non-contaminated receptacle. Prolonged contact with the sanitizing solution may cause damage to metal instruments.

WATER DAMAGE RESTORATION AGAINST ODOR-CAUSING BACTERIA AND FUNGI FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE: {NOT FOR USE IN CALIFORNIA}

This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushions, subfloors, drywall, trim and frame lumber, tackless strip and paneling. Using appropriate dilution, saturate the affected materials with enough product to remain wet for at least 3 minutes.

Sewer Backup and River Flooding: During mitigation procedures, dilute ½ -- 1 oz. of the concentrate per gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction.

Carpets, Carpet Cushions and Other Porous Materials such as Subfloors, Drywall, Trim and Frame Lumber, Tackless Strip and Paneling: For water damage from a clean source, extract excess water. Test hidden area for colorfastness. Dilute ½ -- 1 oz. of the concentrate per gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Saturate all affected areas with a coarse spray device. Roll, brush or agitate into the materials and allow materials to remain wet for 3 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

Special instructions For Cleaning Carpet Against Odor Causing Bacteria: Use this product in industrial and institutional areas such as homes, motels, hotels, nursing homes, schools, and hospitals. Use on wet-cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for colorfastness. For portable extraction units: Mix ½ oz. of concentrate per gallon of water. For truck mounted extraction machines: Mix ½ -- 1 oz. of concentrate per gallon of water and meter at 4 gallons per hour.

TO CLEAN AND DEODORIZE: Mix $\frac{1}{2}$ oz. [of Lonzagard RCS-256 Plus] per gallon of water or $\frac{1}{2}$ -- 1 oz. per gallon] or $\frac{1}{2}$ -- 2 oz. per gallon] to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry.

DEODORIZING DIRECTIONS:

Spray Solutions: ½ -- 1 oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry.

Air Freshener/Automotive Uses: 2 ounces per gallon of water or desired concentration will effectively neutralize damp musty odors caused by mildew in storage areas, basements, closets and bathrooms. Effective on smoking and cooking odors (garlic, fish, onions, etc.). Automobile odors from tobacco, musty carpet smell and beverage smells will be eliminated.

Carpets: ½ -- 1 oz. per gallon of water eliminates odors associated with urine, vomit, smoke, and mildew. Reapply using a spray device after cleaning for freshening effects. Allow to dry.

Pet Odors: Use 2 - 3 oz. per gallon of water or desired concentration, for urine, feces, and vomit, in carpet and upholstery. Clean prior to application then spray onto affected areas. Test hidden area for colorfastness. Allow 3 minutes contact time. Then blot with clean cloth. Allow to dry. Also effective on pet bedding and litter boxes.

Sewage Backup, Water Damage: 1 – 2 oz. per gallon of water or desired concentration. Spray over affected areas before and after cleaning and extraction. Allow ten minutes contact time. Use proper ventilation; open windows.

Cleaning Solution: Dilute ½ -- 1 oz. per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, floors and large routine applications. Apply to surfaces using trigger spray or other spray device. Remove excess liquid or allow surfaces to air dry.

[Organisms]

Lonzagard RCS-256 Plus is a [one-step] [Hospital use] disinfectant, Bactericidal according to the current AOAC Germicidal Spray Test Method and Virucidal* according to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum against: {or}

Lonzagard RCS-256 Plus is effective against:

1 MINUTE CONTACT TIME:

[Viruses:]

*HIV-1 [AIDS Virus]

*Influenza Type A / Hong Kong [Influenza]

3 MINUTE CONTACT TIME:

[Bacteria:]

Pseudomonas aeruginosa [Pseudomonas]

Salmonella enterica [Salmonella]

Staphylococcus aureus [Staph]

Acinetobacter baumannii [Acinetobacter]

Bordetella bronchiseptica [Kennel cough]

Bordetella pertussis [whooping cough]

Campylobacter jejuni [Campylobacter]

Enterococcus faecalis [Enterococcus]

Enterococcus faecalis - Vancomycin resistant [VRE]

Escherichia coli [E. coli]

Escherichia coli O157:H7

Klebsiella pneumoniae [Klebsiella]

Klebsiella pneumoniae, Carbapenem-resistant

Listeria monocytogenes

Proteus vulgaris

Shigella dysenteriae [Shigella]

Shigella flexneri serotype 1B

Shigella sonneii

Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300)

Staphylococcus aureus - Methicillin-Resistant [MRSA]

Staphylococcus aureus - Vancomycin Intermediate Resistant - [VISA]

Streptococcus pyogenes [Strep] [a cause of scarlet fever]

Vibrio cholerae

Yersinia enterocolitica

[Viruses:]

*Hepatitis B Virus [HBV]

*Hepatitis C Virus [HCV]

*Herpes Simplex Virus Type 1

*Herpes Simplex Virus Type 2

*Human Coronavirus

*Respiratory Syncytial Virus [RSV]

*Rotavirus

*Vaccinia [Pox Virus]

[Animal Viruses:]

Canine Distemper Virus

Newcastle's Disease Virus

[Fungi:]

Candida albicans

Trichophyton mentagrophytes [the Athlete's Foot Fungus] [A cause of Ringworm] [A cause of Ringworm of the foot]

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349

EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25

5 MINUTE CONTACT TIME:

[Virus:]

*Norwalk Virus – Norovirus - Feline Calicivirus at 1:128 dilution [1 oz. per gallon of water]

[Animal Virus:]

Feline Calicivirus at 1:128 dilution [1 oz. per gallon of water]

10 MINUTE CONTACT TIME:

[Bacteria:]

ESBL Escherichia coli [Extended spectrum beta-lactamase producing E. coli]

Legionella pneumophilia

Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS123) (USA400) Staphylococcus aureus - Multi-Drug Resistant

[Viruses*:]

*Adenovirus Type 5 [Adenovirus]

*Adenovirus Type 7 [Adenovirus]

*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome]

- Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by influenza A virus. This product [Product Name] is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza Type A / Hong Kong and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.
- This product has demonstrated effectiveness against Influenza Type A / Hong Kong and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus.

{Note to reviewer: For Nonrefillable Containers, Label has Household and Residential Uses}

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

(or

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

{Note to reviewer: For Nonrefillable Containers for commercial, industrial, and institutional uses — all sizes — No Reuse Rinsate Statement for Public Health Use products. Chapter 13, Table 6 of the Label Review Manual states that for "All products in containers that could be burned," the registrant has the option to "Remain silent on burning;" therefore, no incineration language is provided for plastic containers.}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. *{Plastic and Metal Containers:}* Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

{Metal containers only:} DO NOT cut or weld metal containers.

{Bag in Box Containers:} Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

{Note to reviewer: For Nonrefillable Sealed Containers: Several packaging options are designed for use dilution systems with sealed containers or bottles to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these sealed container types:}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

Lonzagard RCS-256 Plus EPA Reg. No. 6836-349 EPA Stamped Label 2013-04-18 w/ draft Notification 2013-06-25

Page 15 of 19

(Note to reviewer: For Refillable Containers for Household and Residential Use:)

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children.

Refillable container. Do not reuse or refill this container except as described in the directions for use. Wrap [container] and put in trash or offer for recycling if available.

(or

Refillable container. Do not reuse or refill this container except as described in the directions for use. Wrap [container] and put in trash or offer for reconditioning if appropriate.

{Note to reviewer: For Refillable Containers for commercial, industrial, and institutional use:}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal:

Refillable container. Do not reuse or refill this container except as described in the directions for use. *{Plastic Containers:}* Triple rinse [or equivalent]. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(Metal Containers:) Triple rinse [or equivalent]. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities.

{PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL}

FOR DISINFECTION

Note to reviewer: the following will be used for 1/8 oz. of concentrate: MIX EACH PACKET WITH [1 QUART] OF WATER

Note to reviewer: the following will be used for 1 oz. of concentrate: MIX EACH PACKET WITH [2 GALLONS] OF WATER

Note to reviewer: the following will be used for 2 oz. of concentrate: MIX EACH PACKET WITH [4 GALLONS] OF WATER

Note to reviewer: the following will be used for 4 oz. of concentrate: MIX EACH PACKET WITH [8 GALLONS] OF WATER

{If other packet sizes are desired, new packet label will be identical and the only things that will vary are the net contents, amount of water to dilute with and ppm active quat. Those 3 items will have to match or be equivalent to the dilution chart that is shown on page 8.}

LONZAGARD RCS-256 PLUS

Active Ingredients:	
Octyl decyl dimethyl ammonium chloride	6.67%
Dioctyl dimethyl ammonium chloride	2.67%
Didecyl dimethyl ammonium chloride	4.00%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	8.90%
Other Ingredients:	
Total:	

KEEP OUT OF REACH OF CHILDREN

DANGER [PELIGRO]

See outer container for Precautionary Statements and Use directions

Disposal: Nonrefillable container. Do not reuse packet. Wrap and put in trash.

EPA Reg. No. 6836-xxx EPA Est. No. (as indicated on container) Net Contents: (insert container size here)

Lonza Inc. 90 Boroline Road Allendale, NJ 07401

{SECONDARY CONTAINER LABEL}

{Note to reviewer: This secondary container label will be used only when the product is diluted at ½ oz. per gallon of water}

LONZAGARD RCS-256 PLUS

Active Ingredients:	
Octyl decyl dimethyl ammonium chloride	6.67%
Dioctyl dimethyl ammonium chloride	
Didecyl dimethyl ammonium chloride	
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	8.90%
Other Ingredients:	
Total:	

The product in this container is diluted as directed on the pesticide product label.

KEEP OUT OF REACH OF CHILDREN

CAUTION [PRECAUCIÓN]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Follow the directions for use on the pesticide label when applying this product

EPA Reg. No. 6836-xxx EPA Est. No. (as indicated on container)

Lonza Inc. 90 Boroline Road Allendale, NJ 07401

{Note to reviewer. The following may be used only if the supplemental registrant has obtained an NSF listing. Allowed on back or side panel only.}



{or} (NSF_®

[NSF Listed] (Insert 6-Digit NSF Listing Number here)

{Note to reviewer. The following may be used only if the supplemental registrant has obtained a Kosher Certification.}

[Any Kosher Symbol such as:]









[Kosher]