

6836-358

7/15/2014

1/17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Shelly Turula  
Regulatory Specialist  
Lonza Inc.  
Allendale  
90 Boroline RD  
Allendale, NJ 07401

JUL 15 2014

SUBJECT: Lonza Carbosan 7.5D, Carbosan 20D, Carbosan 50D  
EPA Registration Number: 6836-356, 6836-357, 6836-358  
Application Dated: February 27, 2014  
Receipt Date: February 28, 2014

Dear Ms. Turula:

This letter acknowledges receipt of the amendment identified above submitted under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended.

- Electronic label amendment with confirmatory efficacy testing data for *Staphylococcus aureus* (ATCC 6538).
- Remove limited disinfection claims.

Based on a review of the submitted Efficacy testing data for *Staphylococcus aureus* dated 02/27/14 this amendment is acceptable. This formulation will be made part of the record for this file. Should you have any questions concerning this letter, please contact Velma Noble at (703) 308-6233 or John Cowden at (703) 347-0259.

Sincerely,

*John Cowden*

for  
Velma Noble  
Product Manager (31)  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

7510P:J.Cowden:7/14/2014:6836-356,6836-357,6836-358 acceptable CSF

Note to Reviewer:

{Items in brackets [AAA] are optional and may/may not be included on final label}

{Items in braces {AAA} are for information purposes and will not appear on final label}

<b>ACCEPTED</b>
7/15/2014
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 6836-258

# CARBOSAN 7.5D

Disinfectant - Sanitizer - Deodorizer

Effective as a disinfectant in the presence of 5% serum contamination

For Home, Commercial, Institutional and Industrial Use

For Food, Dairy, Beverage, Meat, Poultry, Egg and Seafood Processing and Farm Use

For Farm, School, Dairy, Restaurant, Food Handling and Processing Areas, Bar and Institutional Kitchen Use

For use in federally inspected meat and poultry plants

An effective sanitizer for use on food contact surfaces

Active Ingredients:

Didecyl dimethyl ammonium carbonate and Didecyl dimethyl ammonium bicarbonate .....	7.5%
Other Ingredients.....	92.5%
Total.....	100.0%

**KEEP OUT OF REACH OF CHILDREN**

## DANGER [PELIGRO]

See [left] [side] [right] [back] panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-358

EPA Est. No. (insert EPA Est. No. here)

Net Contents: (as indicated on container)

[DOT symbols]

[Country of origin (insert country)]

[Manufactured in (insert country)]

[BARCODE]

Manufactured by:

LONZA INC.  
90 Boroline Road  
Allendale, NJ 07401

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Do not breathe vapor. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Harmful if absorbed through skin. Wear protective eyewear (goggles or face shield), protective clothing and protective (rubber or chemical resistant) gloves.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

*{If container size is 5 gallons or greater, use the following Environmental Hazards statement:}*

**ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

{Note to reviewer: The following is considered optional marketing language.}

- Concentrate [Concentrated]
- Deodorizes [Deodorizer]
- [Carbosan 7.5D] Contains no [phosphates] phosphorous [or phosphorous compounds].
- This product may be applied through low-pressure sprayers
- Use this product to clean, sanitize and disinfect non-porous ambulance equipment and surfaces. Rinse with clean water all equipment that will come in prolonged contact with skin before reuse.
- This product may be used to deodorize coolers, buckets, garbage pails and other areas where strong odors may develop.
- [Quickly] Cleans [and disinfects] every day kitchen messes.
- Cuts through tough grease [and grime].
- Use [on] [to clean and disinfect] nonporous athletic mats, wrestling mats, gymnastic mats, exercise equipment and training tables.
- [Lower][less] [corrosive][corrosion] on metal surfaces

#### **Carbosan 7.5D**

- delivers non-acid performance in an economical concentrate.
- is an economical concentrate
- for use with trigger sprayers
- improves labor results by effectively controlling odors.
- deodorizes by killing microorganisms that cause offensive odors.
- cleans, disinfects and deodorizes in one labor saving step.
- is formulated for use in daily maintenance programs.
- will not leave grit or soap scum.
- is a complete, chemically balanced sanitizer that provides clear use solutions even in the presence of hard water.
- meets AOAC Germicidal & Detergent standards for sanitizing previously cleaned food-contact surfaces.
- meets AOAC efficacy standards for disinfectants.
- is a proven "one-step" disinfectant - cleaner which is effective in water up to 200 ppm hardness in the presence of 5% serum contamination.
- has been cleared by the EPA in 40 CFR §180.940(a) for use on food processing equipment, utensils and other food-contact articles [at a concentration of 150 – 400 ppm active].
- is a sanitizer for use in all federally inspected meat and poultry plants, institutional and industrial facilities.
- can be used on food contact surfaces [in a concentration range of 150 – 400 ppm active].
- is an effective sanitizer.
- [Kills] [Eliminates] [Removes] [Destroys] (*Insert pathogen or pathogens from lists on page 7*) on [pre-cleaned] environmental surfaces

Cross-contamination is of major [housekeeping] [food safety] concern. **Carbosan 7.5D** has been formulated to aid in the reduction of cross-contamination on treated surfaces in schools, institutions, and industry.

Regular, effective cleaning and sanitizing of equipment, utensils, and work or dining surfaces which could harbor food poisoning microorganisms minimizes the probability of contaminating food during preparation, storage or service. Effective cleaning will remove soil and prevent the accumulation of food residues, which may decompose or support the rapid development of food poisoning organisms or toxins. Application of effective sanitizing procedures reduces the number of those disease organisms which may be present on equipment and utensils after cleaning, and reduces the potential for the transfer, either directly through tableware such as glasses, cups and flatware or indirectly through food.

To prevent cross-contamination, kitchenware and food-contact surfaces of equipment must be washed, rinsed with potable water and sanitized after each use and following any interruption of operation during which time contamination may have occurred.

{Note to reviewer: The following is considered optional marketing language.}

Where equipment and utensils are used for the preparation of foods on a continuous or production-line basis, utensils and the food-contact surfaces of equipment must be washed, rinsed with potable water and sanitized at intervals throughout the day on a schedule based on food temperature, type of food, and amount of food particle accumulation.

Articles that can be immersed in solution must remain in solution for 60 seconds.

Articles or surfaces too large for immersing must be thoroughly wetted or flooded by rinsing, spraying or swabbing.

Allow all sanitized surfaces to drain [and air dry].

**Carbosan 7.5D** fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances Recommendations of the U.S. Public Health Services in waters up to 500 ppm of hardness calculated as CaCO<sub>3</sub> when evaluated by the AOAC Germicidal and Detergent Sanitizer Method.

**Use Carbosan 7.5D:**

- for sanitizing of ultrasound transducers, probes, mammography compressor plates and other hard nonporous surfaces. Will not cause swelling of transducer membrane or harm compressor plates.
- to sanitize salon / barber tools and instruments: combs, brushes, scissors, blades and manicure instruments.
- in kitchens and other household areas.
- as a sanitizer for all surfaces not always requiring a rinse in official establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.
- as a sanitizer on dishes, glassware, and utensils.
- as a sanitizer in bottling and beverage dispensing equipment.
- as a sanitizer in sanitary filling of bottles and cans.
- in sanitizing bottles or cans in the final rinse application, and for external spraying of filler and closing machines.
- as a sanitizer in beer fermentation and holding tanks.
- as a Food-Grade Shell-Egg sanitizer, with best results achieved in water temperatures ranging from 78°F. – 110°F. **Carbosan 7.5D** may be applied through automatic washing systems, immersion tanks, foaming apparatus, and low pressure sprayers.
- in federally inspected meat and poultry facilities [as a sanitizer for all surfaces not always requiring a rinse].

{Note to reviewer: The following is considered optional marketing language.}

**[AREAS OF USE:]**

Use **Carbosan 7.5D** in:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding area of use. The graphics will only represent individual objects or outsides or insides of buildings as described below. No people, animal or food will be depicted in graphics.}

Homes [households]  
Kitchens  
Day care centers  
Nurseries

Airplanes  
Airports  
Bagel Stores  
Bars  
Bathrooms  
Beer fermentation and holding tanks  
Beverage Plants  
Boats  
Bottling or pre-mix dispensing equipment  
Bottle Washing  
Buses  
Cafeterias  
Campers  
Camp grounds

Cheese factories  
Citrus processing plants  
Coffee shops  
Colleges  
Convenience stores  
Correctional facilities  
Dairies  
Dairy Farms  
Dairy product dispensing equipment  
Donut shops  
Drinking fountains  
Egg processing plants  
Factories  
Fast food operations

Fisheries  
Fish processing plants  
Food establishments  
Food processing plants  
Food preparation areas  
Food storage areas  
Hotels  
Ice cream processing plants  
Institutional facilities  
Institutional kitchens  
Institutions  
Liquor stores  
Meat processing plants  
Meat producing facilities  
Milk processing plants  
Milk storage and handling systems  
Milk tanks [bulk]  
Milk pain inflations and tubing  
Mobile homes  
Motels  
Pizza parlors  
Poultry processing plants  
Poultry producing facilities  
Prisons  
Processing plants [Milk, Citrus, Ice Cream]  
Public facilities  
Restaurants  
Schools  
Ships  
Trains  
Universities  
USDA inspected food processing facilities  
Wineries

Other suggested Uses: Homes, Veterinary Clinics, Fish Markets, Kennels, Trash Compactors, Offices, Beauty Salons, Locker Rooms, Health Spas, Conference rooms, Elevators, Smoking Areas, Lounges, Day Care Centers, Dry Cleaners, Theaters, Farms, Auditoriums and Churches.

{Note to reviewer: The following is considered optional marketing language.}

**[TYPES OF SURFACES:]**

Use **Carbosan 7.5D** on washable hard, nonporous surfaces of:

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding type of surface. No people, animal or food will be depicted in graphics. Only exteriors of microwaves and refrigerators will be depicted. Toy graphics will be submitted to Agency for review.}

- |   |  |
|---|--|
| Appliances, exteriors                                       | Refrigerated storage and display equipment     |
| Beer fermentation and holding tanks                         | Silverware                                     |
| Blenders  | Sinks  |
| Bottling or premix dispensing equipment                     | Stoves [stovetops]                             |
| Citrus processing equipment and holding tanks               | Tables [picnic tables]                         |
| Coffee Pots   | Tableware                                      |
| Coffee Urns   | Tea dispensers                                 |
| Cooking utensils  | Utensils                                       |
| Coolers   | Water dispensers [hot]                         |
| Counters [countertops]                                      | Chrome   |
| Countertop laminates  | Enamel   |
| Chopping blocks, plastic and other nonporous                | Fiberglass sinks                               |
| Cutlery   | Glass  |
| Cutting Boards, plastic and other nonporous                 | Glazed ceramic                                 |
| Dishes  | Glazed enameled surfaces                       |
| Drinking fountains  | Glazed porcelain                               |
| Eating Utensils   | Laminated surfaces                             |
| Exhaust fans  | Metal  |
| Food processors   | Plastic [such as polystyrene or polypropylene] |
| Frozen Beverage Machines                                    | Sealed granite                                 |
| Glassware [glasses]   | Sealed limestone                               |
| Highchairs  | Sealed marble                                  |
| Ice Chests  | Sealed Slate                                   |
| Ice Machines  | Sealed Stone                                   |
| Kitchen equipment   | Sealed Terra cotta                             |
| Microwave ovens   | Sealed Terrazzo                                |
| Plastic Food Storage Containers                             | Stainless steel                                |
| Refrigerators   | Upholstery, vinyl and plastic                  |
| Refrigerator bins used for meat, fruit, vegetables and eggs | Woodwork, finished                             |

{Note to reviewer: The following is considered optional marketing language.}

**Carbosan 7.5D** is an effective sanitizer for use on food contact surfaces in 60 seconds at 150 ppm – 400 active and 500 ppm hard water against:

- Campylobacter jejuni [ATCC 33560]
- Escherichia coli [ATCC 11229]
- Escherichia coli O157:H7 [ATCC 33150]
- Klebsiella pneumoniae [ATCC 4352]
- Listeria monocytogenes [ATCC 19115]
- Salmonella typhimurim [ATCC 23564]
- Staphylococcus aureus [ATCC 6538]
- Yersinia enterocolitica [ATCC 23715]

**Carbosan 7.5D** is a [one-step] disinfectant, Bactericidal according to the current AOAC Germicidal Spray Test Method in the presence of 200 ppm hard water plus 5% organic serum.

**Carbosan 7.5D** is effective against:

- [Bacteria:]
- Salmonella enterica [Salmonella]
- Escherichia coli O157:H7 [Pathogenic E. coli] [E. coli O157:H7]
- Staphylococcus aureus



**Dilution:**

Disinfection [1:128] .....	1 oz. per gallon of water
Sanitizer [1:188] .....	1.0 oz. per 1.5 gallons of water
.....	[400 ppm active quat]
Sanitizer [1:375] .....	0.5 oz. per 1.5 gallons of water
.....	[200 ppm active quat]
Sanitizer [1:500] .....	0.5 oz. per 2 gallons of water
.....	[150 ppm active quat]

*{If the following Spanish statement is used, it must appear directly above DIRECTIONS FOR USE.}  
 Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand the label, find someone to explain it to you in detail.]*

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DISINFECTION DIRECTIONS:**

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

**Preparation of Disinfectant Use-Solution:**

[Add] [mix] 1 oz. of **Carbosan 7.5D** per gallon of water [1:128] or [1 - 2 oz. per gallon of water] or [1 - 4 oz. per gallon of water]. Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a coarse trigger sprayer. Treated surfaces must remain wet for 5 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, pre-clean first.

Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray. Note: Cover or remove all food products.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant.

Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

**For Sanitizing Food Contact Surfaces, Food Processing Equipment and Utensils in Dairies and Public Eating Establishments and Food Contact Surfaces, Food Processing Equipment and Utensils in Food Processing Plants (40 CFR 180.940 (a)):**

{Note to reviewer. On a final printed label, only one of the following dilution rates will be used in the sanitization sections below:}

2 oz. of **Carbosan 7.5D** per 7 3/4 gallons of water [0.26 oz. of **Carbosan 7.5D** per gallon of water] [150 ppm active quat]

or

1 oz. of **Carbosan 7.5D** per 3 gallons of water [0.34 oz. of **Carbosan 7.5D** per gallon of water] [200 ppm active quat]

or

1 oz. of **Carbosan 7.5D** per 1 1/2 gallons of water [0.69 oz. of **Carbosan 7.5D** per gallon of water] [400 ppm active quat]

or

2 oz. of **Carbosan 7.5D** per 6 – 7 3/4 gallons of water [0.26 – 0.34 oz. of **Carbosan 7.5D** per gallon of water] [150 – 200 ppm active quat]

or

1 oz. of **Carbosan 7.5D** per 1 1/2 - 3 gallons of water [0.34 – 0.69 oz. of **Carbosan 7.5D** per gallon of water] [200 – 400 ppm active quat]

or

2 oz. of **Carbosan 7.5D** per 3 – 7 3/4 gallons of water [0.26 – 0.69 oz. of **Carbosan 7.5D** per gallon of water] [150 – 400 ppm active quat]

**TO SANITIZE FOOD CONTACT SURFACES:**

{or}

**TO SANITIZE FOOD CONTACT SURFACES, FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD PROCESSING LOCATIONS, DAIRIES, RESTAURANTS AND BARS [IN A THREE COMPARTMENT SINK]:**

For sanitizing hard non-porous surfaces of food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard nonporous surfaces.

Prior to application, remove gross food particles and soil by a pre-flush, or pre-scrape and, when necessary, pre-soak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

Apply a use-solution of (insert appropriate dilution from box here) [or equivalent dilution] to the pre-cleaned hard surface, with a cloth, mop, sponge, [coarse] sprayer or by immersion, thoroughly wetting surfaces. Surfaces must remain wet for at least [one minute] [60 seconds] followed by adequate draining [and air drying]. Do not rinse.

Prepare fresh solution daily or more often if the use solution becomes diluted or soiled. For mechanical applications, use-solution may not be reused for sanitizing applications but may be reused for other purposes such as cleaning.

Apply to sink tops, counter tops, refrigerated storage and display equipment and other stationary surfaces by cloth, sponge [or] brush [or coarse spray].

Immerse pre-cleaned glassware, dishes, silverware, cooking utensils and other similar size food processing equipment in a solution of (insert appropriate dilution here) [or equivalent dilution] for at least 60 seconds. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

**TO SANITIZE FOOD PROCESSING EQUIPMENT, UTENSILS, AND OTHER FOOD CONTACT ARTICLES REGULATED BY 40 CFR § 180.940(a) [IN A THREE COMPARTMENT SINK]:**

1. Scrape, flush, or presoak articles (whether mobile or stationary) to remove gross food particles and soil.
2. Thoroughly wash articles with an appropriate detergent or cleaner.
3. Rinse articles thoroughly with potable water.
4. Sanitize by immersing articles with a use-solution of *(insert appropriate dilution here)* for at least 60 seconds. Articles too large for immersing must be thoroughly wetted by rinsing, spraying, or swabbing.
5. Remove immersed items from solution to drain.
6. Allow all items to air dry. Do not rinse.

Carbosan 7.5D can be used in accordance with the U.S. Public Health Service food service sanitization recommendations.

**U.S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS CLEANING AND SANITIZING:**


1. Equipment and utensils must be thoroughly pre-flushed or pre-scraped and when necessary, pre-soaked to remove gross food particles and soil.
2. Thoroughly wash equipment and utensils in hot detergent solution.
3. Rinse utensils and equipment thoroughly with potable water.
4. Sanitize equipment and utensils by immersion in a use solution of *(insert appropriate dilution here)* [or equivalent dilution] for at least 60 seconds at a temperature of 75°F.
5. For equipment and utensils too large to sanitize by immersion, apply a use-solution of *(insert appropriate dilution here)* [or equivalent dilution] by rinsing, spraying or swabbing until thoroughly wet.
6. Allow sanitized surface to drain [and air dry]. Do not rinse.

**WISCONSIN STATE BOARD OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS**

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in a solution of *(insert appropriate dilution here)*. Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain board [to air-dry].
6. Prepare a fresh sanitizing solution at least daily or when visibly soiled or diluted.

NOTE: A clean potable water rinse following sanitization is not permitted under HFS 196, Appendix 7-204.11 of the Wisconsin Administrative Code (reference 40 CFR 180.940 (a)).

{Note to reviewer: The following graphic or a graphic of similar content may accompany any of the above food contact sanitization sections}



**TO SANITIZE [SOFT SERVE] [FOOD] [AND] [FROZEN] [BEVERAGE] DISPENSING EQUIPMENT:**

1. Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing.
2. Fill equipment with a solution of *(insert appropriate dilution here)* [or equivalent dilution].
3. Allow solution to remain in equipment for at least 60 seconds.
4. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

**TO SANITIZE ICE MACHINES:**

1. Turn off refrigeration
2. Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing.
3. Apply a solution of *(insert appropriate dilution here)* [or equivalent dilution] by mechanical spray, directly pouring, or by recirculating through the system.
4. Allow surfaces to remain wet or solution to remain in equipment for at least 60 seconds.
5. Drain thoroughly before reuse and allow to air dry.

**TO SANITIZE SANITARY FILLING EQUIPMENT:**

Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing. Prepare a use-solution of *(insert appropriate dilution here)* [or equivalent dilution] for final washer and rinser applications. Allow surfaces to remain wet for at least 60 seconds. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

**TO SANITIZE BEER FERMENTATION AND STORAGE TANKS:**

Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing. Prepare a use-solution of *(insert appropriate dilution here)* [or equivalent dilution] for mechanical or automated systems. Allow surfaces to remain wet for at least 60 seconds. Drain thoroughly [and allow to air dry] before reuse. Do not rinse.

**WATERPROOF GLOVE SANITIZING DIRECTIONS**

To prevent cross contamination into processing areas of food plants, waterproof gloves must be sanitized prior to entering or re-entering those areas. Remove gross contamination from gloves before sanitizing. Then place gloved hand in a use-solution of *(insert appropriate dilution from box above here)* for sixty seconds. Change the solution in the bath at least daily or more often if the solution appears visibly diluted or soiled.

**SANITIZING – NON-POROUS GLOVED HANDS:**

To prevent the spreading of organisms into animal areas and the packaging and storage areas of food plants, dip, soak or spray pre-washed (plastic, latex or other synthetic rubber) gloved hands so that there is enough sanitizing solution to cover the gloved area. Do not let sanitizing solution come in contact with exposed skin. Make up the sanitizing solution by adding *(insert appropriate dilution from box above here)*. Dip, soak or spray in solution and allow gloved hands to remain wet for at least 60 seconds. No potable water rinse is allowed. Change the sanitizing solution in the bath at least daily or when solution appears dirty.

**TO SANITIZE EGG SHELLS INTENDED FOR FOOD:**

To sanitize previously cleaned food-grade eggs in shell egg and egg product processing plants, spray with a use-solution of *(insert appropriate dilution here)* [or equivalent dilution]. The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be broken immediately for use in the manufacture of egg products. Eggs must be reasonably dry before casing or breaking. The solution must not be re-used for sanitizing eggs.

**Note:** Only clean, whole eggs can be sanitized. Dirty, cracked or punctured eggs cannot be sanitized.

**FOR CONTINUOUS TREATMENT OF CONVEYORS:**

Remove gross food particles and excess soil by a pre-flush or pre-scrape. Wash with a good detergent or compatible cleaner. Rinse equipment thoroughly with potable water, then rinse equipment with a sanitizing solution. During processing, apply **Carbosan 7.5D** at *(insert appropriate dilution from box above here)* to conveyors with MIKRO MASTER or other suitable feeding equipment. Controlled volumes of sanitizer are applied to return portion of conveyor through nozzles so located as to permit maximum drainage of sanitizer from equipment and to prevent puddles on top of belt. During interruptions in operation, coarse spray equipment, peelers, collators, slicers and saws with MIKRO MASTER dispensed **Carbosan 7.5D** solution of *(insert appropriate dilution from box above here)*. Conveyors and other equipment must be free of product when applying this coarse spray. Use *(insert appropriate dilution from box above here. Must be 200 ppm AI Minimum)* in Wisconsin dairy processing facilities.

*{For food processing or other facilities that have installed entryway sanitizing systems:}*

**ENTRYWAY SANITIZING SYSTEMS: {Not for Use in California}**

To prevent cross contamination from area to area, set the system to deliver [0.68 – 1.36 oz. per gallon of water] [or equivalent dilution] [400 – 800 ppm active] of sanitizing solution. The [spray] [foam] must cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor.

Do not mix other foam additives to the sanitizing solution.

**SHOE BATH SANITIZER DIRECTIONS:**

To prevent cross contamination into animal areas [and the packaging and storage areas of food plants], shoe baths containing one inch of freshly made sanitizing solution must be placed at all entrances to buildings [and hatcheries]. Scrape waterproof work [boots] [shoes] and place in a use-solution of 0.68 oz. of **Carbosan 7.5D** per gallon of water [or equivalent dilution] [400 ppm] for 60 seconds prior to entering area. **{This Optional Statement is Not for Use in California:}** If there is a heavy soil load or excessive traffic place work [boots] [shoes] in a use-solution of 1.02 – 1.36 oz. per gallon of water [or equivalent dilution] [600 – 800 ppm active quat].] Change the solution in the bath at least daily or more often if the solution appears diluted or soiled.

**SHOE FOAM SANITIZER DIRECTIONS: {Not for Use in California}**

To prevent cross contamination into animal areas, and the packaging and storage areas of food plants. Apply a foam layer approximately 1/2 to 2 inches thick made from a solution of 1.36 to 2.04 oz. of **Carbosan 7.5D** per gallon of water [or equivalent dilution] [800 to 1200 ppm active], at all entrances to buildings, hatcheries, production and packaging rooms by using a foam generating machine or aerator to apply the foam layer. Follow the foaming directions as specified by the manufacturer of the foam generator or aerator. Scrape waterproof [work boots] [shoes]. Stand or walk through foamed area for 60 seconds prior to entering area. Foam area must be washed and foam replaced at least daily or more often if the foam appears visibly diluted or soiled.

**SALON / BARBER INSTRUMENTS AND TOOLS DISINFECTION [BACTERICIDE] DIRECTIONS:**

Mix 1 oz. [30 ml] of Carbosan 7.5D per gallon of water [1/4 oz. [0.75 ml] of Carbosan 7.5D per quart of water] to disinfect hard nonporous instruments and tools. Completely immerse combs, brushes, rollers, manicure and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use. Fresh solution must be prepared daily or more often if solution becomes diluted or soiled.

**Note:** Stainless steel sheers & instruments and plastics may remain immersed until ready to use.

19/17

**TO DEODORIZE:** [Mix] [Use] [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] of **Carbosan 7.5D** per gallon of water to deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

**DEODORIZING DIRECTIONS:**

**Nursing Homes, Hospitals, Hotels, Schools, Restaurants:** Using [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors.

**Mopping Solutions, Automatic Scrubbers:** Use [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] per gallon of cleaning solution eliminates undesirable odors.

**Laundry:** [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] per load added during the final rinse cycle deodorizes all offensive odors.

**Air Freshener/Automotive Uses:** 4 oz. per gallon of water or desired concentration will effectively neutralize damp musty odors caused by mildew in storage areas, basements, closets and bathrooms. Effective on smoking and cooking odors (garlic, fish, onions, etc.). Automobile odors from tobacco, musty carpet smell and beverage smells will be eliminated.

**Carpets:** [1 - 2 oz.] per gallon of shampoo solution eliminates odors associated with urine, vomit, smoke, and mildew. Reapply after cleaning for freshening effects. Allow to dry.

**RV Holding Tanks:** Toilet waste: cover bottom of holding tank with water and add [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] If odors return before time to empty, simply add [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] to the tank. Kitchen waste: [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] of **Carbosan 7.5D** to gray water tank as needed to control malodors created by dirty dish water.

**Pet Odors:** Use 4 - 6 oz. per gallon of water or desired concentration, for urine, feces, and vomit, in carpet and upholstery. Clean prior to application then spray onto affected areas. Test hidden area for colorfastness. Allow 10 minutes contact time. Then blot with clean cloth. Allow to dry. Also effective on pet bedding and litter boxes.

**Sewage Backup, Water Damage:** Use 2 - 4 oz. per gallon of water or desired concentration. Spray over affected areas before and after cleaning and extraction. Allow ten minutes contact time. Use proper ventilation; open windows.

**CLEANING SOLUTION:** Dilute [1 oz.] or [1 - 2 oz.] or [1 - 4 oz.] per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications.

{Note to reviewer: For Nonrefillable Containers, Label has Household and Residential Uses}

**STORAGE AND DISPOSAL**

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

{or}

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for reconditioning if appropriate.

{Note to reviewer: For Nonrefillable Containers for commercial, industrial, and institutional uses – all sizes – No Reuse Rinsate Statement for Public Health Use products. Chapter 13, Table 6 of the Label Review Manual states that for “All products in containers that could be burned,” the registrant has the option to “Remain silent on burning;” therefore, no incineration language is provided for plastic containers.}

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Pesticide Disposal:**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:**

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

**[Plastic and Metal Containers:]** Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

**[Metal containers only:]** DO NOT cut or weld metal containers.

**[Bag in Box Containers:]** Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

{Note to reviewer: Several packaging options are designed for use dilution systems with sealed containers or bottles to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these sealed container types:}

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Wrap empty container and discard in trash [or offer for recycling].

{Note to reviewer: The following is considered optional graphics and marketing language.}

{For Bag-in-Box Containers:}

**For Bag – In – Box Containers:**

How to use this package:

This package is designed to be used with dilution control systems only. Open package and connect to dispenser according to directions on box top.


Trigger Sprayers:

Fill bottle from dispenser.

Apply to surfaces as specified in directions above.

**OPENING INSTRUCTIONS**

1. Position box with perforation up.
2. Press in circle.
3. Lift flap near along perforation.
4. Retrieve fitting on bag.
5. Remove clear dust-cap from bag fitting.
6. Twist dispenser connector onto bag fitting.
7. Place bag-in-box into position on dispenser shelf.
8. Close dispenser (if applicable).



**INSTRUCCIONES PARA ABRIR**

1. Ponga la caja con la perforación hacia arriba.
2. Empuje el círculo hacia adentro.
3. Levante la pestaña arrancándola de la caja a lo largo de la perforación.
4. Saque el adaptador que está en la bolsa.
5. Quite la tapa transparente contra el poro que tiene el adaptador de la bolsa.
6. Enrosque el conector desatascador al adaptador.
7. Ponga la "bag-in-box" (bolsa en caja) en posición en el mezclador de despacho.
8. Cierre el dispensador (si corresponde).



12/17

**PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL**

**FOR SANITIZATION**

{Note to reviewer: the following will be used for 3 oz of concentrate:  
MIX EACH PACKET WITH 5 GALLONS OF WATER}

{If other packet sizes are desired, new packet label will be identical and the only things that will vary are the net contents, amount of water to dilute with and ppm active quat. Those 3 items will have to match or be equivalent to the dilution chart that is shown on page 9.}

**CARBOSAN 7.5D**

Active Ingredients:

Didecyl dimethyl ammonium carbonate and Didecyl dimethyl ammonium bicarbonate .....	7.5%
Other Ingredients .....	92.5%
Total .....	100.0%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER [PELIGRO]**

See outer container for Precautionary Statements and Use directions

Disposal: Nonrefillable container. Do not reuse packet. Wrap and put in trash.

[Not for retail sale]

EPA Reg. No. 6836-358  
EPA Est. No. (insert EPA Est. No. here)  
Net Contents: (insert container size here)

Lonza Inc.  
90 Boroline Road  
Allendale, NJ 07401