



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

6836-393

Date of Issuance:

5/23/19

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Triadine 174 – Lonza

Name and Address of Registrant (include ZIP Code):

Stephanie Stephens
Lonza Inc
412 Mount Kemble Ave
Suite 200S
Morristown, NJ 07960

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Zeno Bain, Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Date:

5/23/19

2. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:

a. Hexahydro-1,3,5-tris (2-hydroxyethyl)-s-triazine GDCI- 083301-1554

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 6836-393.”

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 05/17/2019

If you have any questions, you may contact Aline Heffernan at 703-347-8602 or via email at Heffernan.Aline@epa.gov.

Enclosure: Stamped label

TRIADINE® 174 - LONZA

ALTERNATE BRAND NAMES:

TRIADINE® 174 – LONZA BACTERICIDE
TRIADINE® 3 – LONZA BACTERICIDE
TRIADINE® 3 – LONZA INDUSTRIAL MICROBIOSTAT

ACCEPTED

May 23, 2019

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 6836-393

ACTIVE INGREDIENT:

| | |
|---|--------|
| Hexahydro-1,3,5-tris (2-hydroxyethyl)-s-triazine..... | 78.5% |
| Inert Ingredients..... | 21.5% |
| Total..... | 100.0% |

EPA Reg. No.: 6836-NEW5
EPA Est. No.: 1258-NY-3

KEEP OUT OF REACH OF CHILDREN DANGER

[Note to Reviewer. The signal word for this product is "DANGER". The following components of this master label, at a minimum, will appear on the front panel of all distribution labels. If the distribution label has a single panel and multiple columns, these components will appear in the center column or in an immediately adjacent column: Product Brand Name, Ingredient Statement, Signal Word, Child Hazard Warning, First Aid Statement, Company Name and Address, EPA Registration Number, EPA Establishment Number.]

SEE PRECAUTIONARY STATEMENTS ON SIDE PANEL

MANUFACTURED FOR:

Lonza, Inc.
412 Mount Kemble Avenue, Suite 200S
Morristown, NJ 07960

Made in the USA.

TRIADINE® is a registered trademark of Lonza, Inc.

Net Weight _____

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. May be fatal if inhaled. Do not breathe vapor or spray mist. Harmful if swallowed or absorbed through the skin. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Users must wear a fit tested, NIOSH approved full face respirator with any N, R, P particulate filter with NIOSH approval number prefix TC-84A; or a NIOSH approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. Wash thoroughly with soap and water after handling and before, eating, drinking, chewing gum, using tobacco, or using the toilet.

Personal Protective Equipment

All mixers and other handlers must wear the following PPE:

- long-sleeved shirt and long pants,
- shoes plus socks,
- chemical-resistant gloves,
- goggles, face shield, or safety glasses,
- respirator (N, R, P particulate filter with NIOSH approval number prefix TC-84A; or a NIOSH approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C).

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency, for additional information call 1-800-654-6911.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS

Do not store or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well-ventilated area. Fumes caused by contamination may be hazardous.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Other Use Precautions

Use of this product in paints, stains, coatings, and institutional and household cleaning products is prohibited.

FOR THE IN- CAN PRESERVATION OF ¹ADHESIVES, ¹CAULKS, ¹SEALANTS, ¹GROUTS, ¹PATCHING COMPOUNDS, ¹WOOD FILLERS, ¹JOINT COMPOUNDS, ¹GLAZING COMPOUNDS, AND ¹FLOOR PREPARATION PLASTER/CEMENT COMPOUNDS. Addition of up to 1500 ppm of this product (0.15 lbs. of this product per 100 lbs. of formulation) will inhibit microbial growth (bacteria and fungi) in these products. This product can be added at any time during the formulation procedure.

¹FOR THE PRESERVATION OF AQUEOUS ANALYTICAL AND DIAGNOSTIC REAGENTS USED IN CHEMICAL AND CLINICAL ANALYSIS: Addition of up to 1500 ppm (0.15 lbs. of this product per 100 lbs. of formulation) can inhibit the growth of bacteria and fungi in aqueous analytical and diagnostic reagents. For example, isotonic diluents used in blood diagnostic analyzers can be preserved by addition of 500 ppm of this product (approximately 50 ml of the product into 100 liters of solution, or 6.5 ounces per 100 gallons of solution.).

Approval from the FDA must be secured before offering the end product for FDA regulated use.

¹TO CONTROL THE GROWTH OF BACTERIA ASSOCIATED WITH FREE AND DISPERSED WATER COMMONLY FOUND IN FUEL SYSTEMS: Add this product to fuel tanks to control microbial growth in diesel oil, fuel oil, gasoline or kerosene fuel systems. Treatment may be achieved by slug dosing or intermittent metering to provide the proper concentration of this product. If the volume of water is known, add 0.5 – 1.5 gallons of this product to each 1,000 gallons of water to achieve concentrations of 500 to 1,500 ppm in the water-phase.

If the volume of water in the system is unknown, add 20 ounces – 1 gallon of this product to each 1,000 gallons of fuel to achieve concentrations ranging between 150 ppm and 1,000 ppm. Concentrations of 150 - 500 ppm of this product are appropriate for preventive treatment. Concentrations of 1,000-1,500 ppm are appropriate for curative treatment. Since microbes tend to grow within biofilm communities, two or more curative treatments introduced at one-two day intervals may be required to treat heavily contaminated fuel tanks successfully. Since this product is not particularly hydrocarbon soluble, there is no adverse effect if some excess accumulates in tank bottoms. It will function as a corrosion inhibitor at higher concentrations. Do not exceed labeled application rates.

¹Not approved for use in California

1TO SCAVENGE HYDROGEN SULFIDE (H2S) FROM AIR STREAMS: This product effectively scavenges H2S from air streams. This product is not aggressive to the equipment (as a caustic material like NaOH or KOH would be) and is preferred over other amine systems because it regenerates. The reaction of this product with H2S is stoichiometric, so the amount of this product required is determined by the level of H2S normally present. Add 6.44 pounds of this product per pound of H2S.

IN AQUEOUS METALWORKING FLUIDS: To inhibit the growth of bacteria add this product according to the following directions: Add 0.15% (v/v of this product) to the use dilution (15 gallons per 10,000 gallons of fluid). The fluids may be diluted with from 5-100 parts of water. Contaminated fluid systems should be cleaned prior to the initial addition of this product. Drain the system, clean with a cleaner designed for this purpose, rinse with water and refill with fresh fluid containing this product at the above concentration. Frequent checks (at least once a week) of the bacterial population in the system should be made using standard microbiological plate count procedures or any of the commercial “dip-stick” type devices. When the bacterial count reaches previously established limits for your particular system or fluid, add this product at the initial dose. The fluid should be checked at least once a day with a refractometer (or other suitable means) to determine if water loss by evaporation has occurred. Make-up water should be added daily to compensate for such losses. The fluid should be monitored at least once a week (depending on the metalworking operation involved) for the following: Tramp oil, pH, odor, oil droplet size, and anticorrosion properties. If any of these parameters are outside of the specifications established for the system in question, they should be brought up to the specifications by the addition of suitable additives or the fluid should be discarded and replaced after cleaning the system. Add this product to the fresh fluid according to the above directions. For metal working fluids, the maximum use concentration is 500 parts per million (ppm) of active ingredient.

1TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN METALWORKING, CUTTING, COOLING AND LUBRICATING FLUID CONCENTRATES: Add an amount that will give up to a 2000 ppm solution. The amount required in the concentrate will depend on the end use dilution. For metal working fluids, the maximum use concentration is 500 parts per million (ppm) of active ingredient.

To calculate the correct amount of this product to incorporate into the concentrate:

1. Determine the desired dose of this product required for the dilute fluid (i.e., 0.2% or 2000 ppm).
2. Determine end-use concentration of the fluid (i.e., 0.05 or 5%).
3. Divide the required dose of this product by the end-use concentration of the fluid (i.e., $0.2/0.05 = 4$), then 4% (by weight based on total batch weight of coolant concentrate) is the amount of this product to incorporate into the fluid concentrate so that a 5% dilution will contain 2000 ppm of this product.

The following chart describes other dilutions:

| Level of Triadine® 174 – Lonza Desired In End-Use Diluted Fluid | End Use Dilution of Conc | Amt. Of Triadine® 174 - Lonza to Add to Concentrate |
|--|--------------------------|--|
| 2000 ppm | 5% | 4% (40,000ppm) 40 gal./1000 gal.Conc |
| 1500 ppm | 5% | 3% (30,000ppm) 30 gal./1000 gal. Conc. |
| 1000 ppm | 5% | 2% (20,000ppm) 20 gal./1000 gal. Conc. |
| 2000 ppm | 4% | 5% (50,000ppm) 50 gal./1000 gal. Conc. |
| 1500 ppm | 4% | 3.75% (37500ppm) 37.5gal./1000.gal. Conc. |
| 1000 ppm | 4% | 2.5% (25,000ppm) 25 gal./1000 gal. Conc. |

¹Not approved for use in California

STORAGE AND DISPOSAL: This pesticide is a chelating agent and should not be used with other chelating agents or chlorine. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store above 100 degrees F. (38 deg. C.). Keep container tightly closed when not in use. Do not store with strong oxidizing agents.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities

[For containers > 5 gallons] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[For containers ≤ 5 gallons] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

[For Non-Rigid Containers] Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. If not emptied in this manner, the bag may be considered an acute hazardous waste and must be disposed in accordance with local, state and federal regulations. When completely empty, offer for recycling if available, or dispose of bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.