

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 04, 2025

Teri Muchow teri.muchow@lonza.com ARXADA, LLC

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment - Removing uses

from label

Product Name: ZINC OMADINE ZOE DISPERSION MILDEWCIDE

Admin Number: 6836-474 EPA Receipt Date: 08/09/2021 Action Case Number: 00315798

Dear Teri Muchow:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have questions, please contact Linda Amar via email at amar.linda@epa.gov. Sincerely,

Steven Snyderman

Steven Snyderman, Product Manager, Team 33 RMB 2, AD
Office of Pesticide Programs

ZINC OMADINE® ZOE DISPERSION MILDEWCIDE

ALTERNATE BRAND NAMES:

ZINC OMADINE® WB ZINC OMADINE® ZOE 2X MILDEWCIDE ZINC OMADINE® ZOE ANTIMICROBIAL

ACTIVE INGREDIENT:

ACCEPTED

11/04/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No.

6836-474

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

[Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements, as prescribed, will appear on the front panel of the product label.]

SEE [SIDE] [BACK] [RIGHT] [LEFT] PANEL FOR PRECAUTIONARY STATEMENTS

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to -mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. In case of emergency or for additional information call Chemtrec.

Inside North America: 1-800-424-9300

Outside North America for products exported from America: 1-703- 527-3887.

Contract Number: 864796 Net Weight [Enter Net Weight]

MANUFACTURED FOR/BY:

Arxada, LLC.

412 Mount Kemble Avenue, Suite 200S

Morristown, NJ 07960

Made in the USA.

EPA Reg. No. 6836-474 EPA Est. No. [Enter EPA Establishment number]

OMADINE® is a registered trademark of Arxada, LLC.

Note: Text in {Curly Brackets} are notes to the label reviewer. Text in [Square Brackets] is optional.

Zinc Omadine® ZOE Dispersion Mildewcide

EPA Reg. No: 6836-474

ESL: 2019-07-31; Amend Draft Label: 2025-11-03

Page 1 of 5

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: CORROSIVE. Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or spray mist. Users must wear protective eyewear (goggles, safety glasses, or face shield), long sleeved shirt and long pants, socks, chemical resistant gloves and chemical resistant footwear. Users must wear a fit tested, NIOSH approved full face respirator equipped with a combination organic vapor/P-100 prefilter. When mixing and loading, or cleaning equipment, wear a chemical resistant apron. Wash thoroughly after handling with soap and water, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS: Do not store or mix with strong oxidizing agents on strong (concentrated) acids. In case of contamination do not reseal container. If possible, isolate container in open or well-ventilated area. Fumes caused by contamination may be hazardous.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not freeze. Store above 50°F. Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities

[For containers > 5 gallons or 50 pounds] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[For containers \leq 5 gallons or 50 pounds] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

[For Totes/IBCs]

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Note: Text in {Curly Brackets} are notes to the label reviewer. Text in [Square Brackets] is optional.

Zinc Omadine® ZOE Dispersion Mildewcide

EPA Reg. No: 6836-474

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling. We recommend that users contact Lonza, Inc. Technical Service for formulation assistance.

Overview: A minimum cost effective use level recommendation can only be established through testing of a specific formulation intended for use in a specific application. Formulations differ in their composition and as a result, of their susceptibility to microbial attack. Conditions of use and the performance expectations differ from product to product. A warranted high performance preserved product, for example, that is under consideration for use in severe tropical environments, is likely to need a high dose of biocide. Testing at biocide use levels would be recommended at 3000, 4000 and 5000 ppm. As the product adds cost to the formulation and as performance requirements need to be met, laboratory and field tests are conducted to establish the antimicrobial performance of this product. An unwarranted preserved product that is not intended for use in severe environments would likely need a lower dose. Again, a recommendation would be made for testing at lower concentrations based on formulation, performance and cost considerations.

{NON-FOOD CONTACT USES:}

DRY FILM PRESERVATION: THIS PRODUCT PROTECTS THE APPLIED DRY FILM ITSELF AND DOES NOT PROTECT THE UNDERLYING SURFACE FROM ATTACK BY ALGAE OR BACTERIA. THIS PRODUCT IS FOR NON-PUBLIC HEALTH AS A MATERIAL PRESERVATIVE.

For the Dry Film Preservation of Flooring and Other Non-Food Contact Adhesives, Caulks, Sealants, Grouts and Patching Compounds:

Adhesives: For fungal control add 1900 ppm of this product and for bacterial control add 6100 ppm. (Add 1.9 lbs. of this product to 1000 lbs. of adhesive to control fungus and add 6.1 lbs. per 1000 lbs. of adhesive to control bacteria.)

Caulks/Sealants: For fungal control add 5300 ppm of this product (5.3 lbs of this product per 100 lbs) and for bacterial control add 12,760 ppm of this product (12.76 lbs per 1000 lbs).

Grouts/Patching Compounds: For fungal control add 2550 ppm of this product and for bacterial control add 10,100 ppm of this product. (Add 2.55 lbs. of this product to 1000 lbs. of grouts/patching compounds to control fungus and 10.1 lbs. of this product per 1000 lbs. to control bacteria.)

For the Dry Film Preservation of Aqueous Latex and Other Types of Architectural and Industrial Non-Marine Paints and Coatings Including Powder Coatings: Addition of up to 12,760 ppm of this product can inhibit the growth of algae, bacterial slime, mildew, and other fungi. It can be added at any time during the formulation procedure. For example, the dry film of a house paint having a density of 10 lbs. per gallon can be protected against the growth of algae, bacterial slime, mildew and other fungi by the addition of 12,760 ppm of this product. (Add 12.76 lbs. of this product to 100 gallons of wet paint.)

*For the Dry Film Preservation of Residential Latex and other Paints Against Fungus or Algae: Use a minimum of 6400 ppm of this product. For maximum protection against the growth of fungus or algae, use 12,760 ppm of this product. For control of bacterial growth on the dry paint film surface, use 6400 ppm of this product. (Add a minimum of 6.4 lbs. of this product to 100 gallons of wet paint, with a density of 10 lbs per gallon, to control fungus or algae. Add a maximum of 12.76 lbs. of this product to 100 gallons.)

*Not a use registered by California.

*(For Unit-Dose Packages of 10.4 ml & 49.4 ml unit-dose packets) For the Dry Film Preservation of Residential Latex & Other Paints Against Fungus or Algae in interior/low humidity conditions: For each gallon of paint with a density of about 10 gal., use one 10.4 ml packet (0.35 fl oz, 13 grams) which provides a dosage of 3000 ppm of this product. For more severe conditions of exposure to weather or humidity, use 2 packets (which provides a dosage of 6000 ppm of this product). For each 5 gallons of paint, use one 49.4 ml packet (1.66 fl oz, 62 grams) which provides 2800 ppm of this product. For more severe

Note: Text in {Curly Brackets} are notes to the label reviewer. Text in [Square Brackets] is optional.

Zinc Omadine® ZOE Dispersion Mildewcide

EPA Reg. No: 6836-474

conditions of exposure to weather or humidity, use 2 packets (which provides a dosage of 5600 ppm of this product).

*For the Dry Film Preservation of Joint Compounds, Glazing Compounds and Wood Fillers: Addition of up to 12760 ppm (12.76 lbs. of this product per 1000 lbs. of formulation) of this product will inhibit microbial growth (bacteria and fungi) in the dry film of these products. This product can be added at any time during the formulation procedure.

*For the Control of Mildew and Bacteria In Styrene Butadiene and Natural Rubber and Thermoplastic Resins, and Textiles Used In the Manufacture of the Following Non-Food/Non-Medical Products: Rubber bands, Carpet Fibers; Carpet Backings; Rubber or Rubber Backed Bath Mats; Foam Underlay For Carpets; Synthetic, Non-Leather Materials; Foam Stuffing for Cushions and Mattresses; Wire and Cable Insulation; Vinyl, Linoleum and Synthetic Floor Coverings; Wall Coverings; Plastic Furniture; Athletic Flooring and Mats; Mattress Liners, Covers or Ticking; Molding; Mats; Gaskets; Weather Stripping; Coated Fabrics For Furniture Cushions, Boat Covers, Sails, Tents; Tarpaulins; Awnings; Non-Surgical Rubber Gloves; Garbage Bags, Refuse Containers; Bathtub Appliques; Garden Hose; Non-Potable Water Pipe; Ductwork, air filtration components and air filtration media for industrial, hospital, residential, and commercial heating and cooling; Conveyor belts; Shower Curtains; Sponge or Fiber Mops; Toilet Brush Receptacles (Non Bristle Contact); Non-Medical Scrub Brushes; Sink Mats and Drain Boards; Storage Containers; Soap Dish Holders; Towel Bars and Components of Footwear and Toilet Seats. Addition of up to 10100 ppm (10.1 lbs./1000 lbs. of formulation) of this product can inhibit the growth of mildew & bacteria in styrene butadiene rubber & thermoplastic resins such as vinyl chloride-vinyl acetate copolymers, polyurethanes, polyamides, polyolefins, polystyrene, polyesters and acrylonitrile copolymers. It can be added at a time during the formulation procedure that will insure uniform distribution throughout the polymer system. Add by pouring or by use of metering equipment. For example, to inhibit mildew growth in polyurethane footwear components, add 5100 ppm (5.1 lbs./1000 lbs. of formulation) of this product to the polyurethane formulation.

*For the In Can Preservation of Latex Emulsions, Clay, Mineral, Pigment and Guar Gum Slurries Used In the Manufacture of Adhesives, Caulks, Patching Compounds, Sealants and Grouts: A dosage of up to 12760 ppm of this product is recommended to control bacteria and fungi. This dosage is equivalent to 12.76 lbs. of this product per 1000 lbs. of slurry. It may be added at any time during the formulation procedure.

*To Inhibit the Growth of Bacteria and Fungi In Dry Wall and Gypsum, Pearlite, Plaster-Like, Mineral Based or Cellulite Derived Building Materials Used In the Manufacture of Ceilings, Ceiling Tile, Walls and Partitions: Addition of up to 10100 ppm of this product (10.1 lbs. of product per 1000 lbs. of the formulation, i.e., wet slurry) will inhibit the growth of bacterial and fungi. It can be added at any time during the formulation procedure. Alternatively the product may be added to latex or other types of coating systems routinely applied to the surfaces of walls, ceiling tiles, partitions, etc. at the same dosage as above.

*Not a use registered by California.

*To Inhibit Bacterial and Fungal Growth On Laundered Fabrics: Fabrics to be treated include nylon, polypropylene, polyethylene, polyesters, cellulosics and blends of these polymers. At a sour density of 8.3 pounds per gallon, add 8 – 23 ounces of this product per 1000 lbs. dry weight of fabric to reach a use level of 48 to 142 ppm. Apply to the sour operation and run for a minimum of five minutes. Product is to be used in industrial applications. Product is not intended for use in residential, commercial or institutional settings.

*Not a use registered by California.

ZINC OMADINE® ZOE PRODUCT LICENSING & PATENT NOTICE This product contains ZINC OMADINE and zinc oxide and may be used in the preparation of paints with zinc oxide in accordance with the label and processes, compositions and methods claimed in U.S. Patents 6,096,122; 5,939,203; 5,883,154; 5,562,995; and 5,518,774; European Patents 0963291; 0857087; and 0807152; and their other corresponding foreign patents. Purchase of this product from Lonza, Inc. gives the purchaser a nonexclusive

Note: Text in {Curly Brackets} are notes to the label reviewer. Text in [Square Brackets] is optional.

Zinc Omadine® ZOE Dispersion Mildewcide

EPA Reg. No: 6836-474

