

# SOILSERV

Avoid drift of this product to any crop for which this chemical is not registered. Avoid drift to any crop for which use may be registered but closer to harvest than the recommended time limits for this chemical. Avoid drift to any feed or forage crop.

## METHYL PARATHION 4 Pound E.C.

CONTAINS 4 LBS. METHYL PARATHION PER GALLON  
COMPOSITION

### ACTIVE INGREDIENTS:

O,O-Dimethyl O-p-nitrophenyl phosphorothioate \_\_\_\_\_ 43.00 %  
Xylene \_\_\_\_\_ 9.72 %

### INERT INGREDIENTS: \_\_\_\_\_ 47.28 %

## DANGER -- POISONOUS -- PRECAUTIONS

### CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray, mist or dust may be fatal if swallowed.



This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.


### CAN KILL YOU BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



### CAN KILL YOU IF BREATHED

Breathing vapors, spray or dust may be fatal.



**WARNING -- FLAMMABLE!**  
**KEEP AWAY FROM HEAT OR OPEN FLAME**

**NOT FOR HOME USE**

**STOP -- READ LABEL BEFORE USING**

# POISON



See Side Panels  
For  
**ANTIDOTE AND  
PRECAUTIONS**

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital--immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should

be cleaned and filter replaced according to instructions included with respirator.

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

### FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS, DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS. —Store at Temperatures Above 45° F.—**

WASH EMPTY CONTAINER WITH ALKALI AND SAFE PLACE AWAY FROM WATER SUPPLIES.

**THIS PRODUCT IS NOT TO BE USED AROUND**

"This product is highly toxic to bees exposed to direct contact. Protective information may be obtained from your Service."

USE THE FOLLOWING RECOMMENDED RATES PER ACRE IN SUFFICIENT WATER FOR THOROUGH COVER

CROP	PEST	PER ACRE DOSAGE	BEFORE LIMITATION
ALFALFA	APHID, WEEVILS, LEAFHOPPER	1 PINT	15 DAY
BEANS	APHID, SPIDER MITES	1 1/2 QUARTS	21 DAY
BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER	APHID	1 PINT	7 DAYS
		1 QUART	21 DAY
CABBAGE	APHID	1 PINT	10 DAY
		1 QUART	21 DAY
CARROTS	APHID	1 QUART	15 DAY
CORN	APHID	1/2 PINT	DO NOT
LETTUCE -- all	APHID	1 QUART	12 DAY
CELERY	APHID	1 QUART	21 DAY
PEAS	APHID	1 QUART	15 DAY
PEPPERS	APHID	1 QUART	15 DAY
POTATOES	APHID	1 1/2 QUARTS	5 DAYS
		1 PINT	14 DAY
SPINACH	APHID	1 QUART	21 DAY
STRAWBERRIES	APHID	1 1/2 PINTS	14 DAY
TOMATOES	APHID	1 QUART	15 DAY
ARTICHOKES	APHID	1 QUART	7 DAYS
GRAPES	APHID	1 1/2 PINTS	14 DAY
MUSTARD	APHID	1 QUART	21 DAY
BARLEY, OATS, WHEAT, RYE	APHID	1 1/2 PINTS	15 DAY
VETCH	APHID	1 PINT	20 DAY

DILUTION RATES: The above suggested rates should be used in not less than 5 gallons of water by aircraft and 15 gallons of water by ground spray equipment.

EPA EST NO 6973 CA 1  
CA 2  
EPA REG NO 69731

NET CONTENTS 5 GALLONS

1427 ABBOTT STREET



SALINA

Notice of Warranty: This product is warranted to be free from any material defects in workmanship or materials under any warranty. The manufacturer's liability is limited to the amount of the purchase price of the product.

In case of contact with plenty of water contaminated immediately.

Antidote—administer TWO to FOUR cc as soon as symptoms appear at 15 minute intervals. PAM chloride administered in 1 cc GIVE MORPHINE. Parathion is a stimulant of the central nervous system producing cardiac arrest. sign of pulmonary edema. supplemental oxygen. Continued absorption. relapses have improvement; VENTILATE PATIENT IS 12 HOURS.

Consult your State Experiment Station.

Note below

Use only according