

**Maintex**

26 JUL 1974

**MAINTEX**

**DDC**

107 0 1 1974

**DIRECTIONS**

**FOR CLEANING**

Lightly soiled areas to be cleaned should be mopped or finished with a solution containing 1 ounce of DDC Disinfectant Cleaner per gallon of water. Rinsed cleaned area with potable water prior to reuse. Heavily soiled areas - mop or brush soiled surface with a solution containing 1/2 ounce of DDC Disinfectant Cleaner per gallon of water. Rinsed cleaned area with potable water prior to reuse.

**SANITIZATION**

Sanitize all equipment in food processing plants, restaurants, etc. with a solution containing 1/2 ounce of DDC Disinfectant Cleaner per gallon of water. Rinse with potable water prior to reuse. Sanitize all equipment in health care facilities, etc. with a solution containing 1/2 ounce of DDC Disinfectant Cleaner per gallon of water. Rinse with potable water prior to reuse.

**EXPOSURE**

Use with caution. Avoid contact with eyes, nose, mouth, and skin. If contact occurs, flush with water. If swallowed, drink water and seek medical attention.

DISINFECTANT -- CLEANER -- SANITIZER  
FUNGICIDE -- DEODORANT

**A CONCENTRATED DISINFECTANT CLEANER**

Phenol Coeff. *S. aureus* -- 22    *S. typhi* -- 42

**ACTIVE INGREDIENTS**

4-Alkyldimethylammonium Chloride  
2,4-Dichlorobenzene  
Sodium Metasilicate  
Potassium Dichromate

**INERT INGREDIENTS**

**DANGER**

Keep out of reach of children.  
See the Material Safety Data Sheet for more information.  
Consumer Group of Washington, Inc., 1000 15th St., N.W., Washington, D.C. 20004  
DANGER: Irritant to eyes, nose, throat, and skin. May cause respiratory irritation. Avoid contact with eyes, nose, mouth, and skin. If contact occurs, flush with water and seek medical attention.



# MAINTEX

## DDC

DISINFECTANT — CLEANER — SANITIZER  
FUNGICIDE — DEODORANT

### A CONCENTRATED DISINFECTANT CLEANER

Phenol Coeff: *S. aureus* — 32    *S. typhosa* — 42

#### ACTIVE INGREDIENTS

n-Alkyl (50% C <sub>12</sub> , 40% C <sub>14</sub> , 10% C <sub>16</sub> )	
dimethyl benzyl ammonium chloride	5.0%
Sodium metasilicate	3.0%
Tetrasodium salt of ethylene diamine tetraacetic acid	1.8%
INERT INGREDIENTS	90.2%

EPA Reg. No. 6885-5

#### DANGER

KEEP OUT OF REACH OF CHILDREN.

See First Aid Statement and precautions on side panel.  
Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

(213) 442-1441

(213) 283-7380

**Maintex** 10134 E. VALLEY BLVD.  
INC EL MONTE, CA 91731

NET CONTENTS  
1 U.S. GALLON

ACCEPTED

FEB 01 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND FUNGICIDE ACT  
FOR ECONOMIC PESTICIDE REGISTERED  
UNDER NO. 6885-5

(213) 442-1441

(213) 283-7380

**Maintex** 10134 E. VALLEY BLVD.  
INC EL MONTE, CA 91731

#### GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of DDC Disinfectant Cleaner per gallon of water. Surfaces that are heavily soiled should be cleaned with 1-2 ounces of DDC Disinfectant Cleaner per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with potable water prior to reuse.

To disinfect locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop area with a solution containing 3/4 ounce in 1 gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

#### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of DDC Disinfectant Cleaner per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection. Rinse treated food contact surfaces with potable water prior to reuse.

#### DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.